



2025

Guidance for Ships for Navigation in Ice

APPLICATION OF "GUIDANCE FOR SHIPS FOR NAVIGATION IN ICE"

1. Unless expressly specified otherwise, the requirements in the Guidance apply to ships for navigation in ice for which contracts for construction are signed on or after 1 July 2025.
2. The amendments to the Guidance for 2024 edition and their effective date are as follows;

Effective Date : 1 July 2025

CHAPTER 2 SHIPS FOR NAVIGATION IN POLAR WATERS

Section 1 Polar Class Descriptions and Application

- 101. 7 has been newly added.

Section 3 Machinery Requirements for Polar Class Ships

- Reflecting the amendment of IACS UR I3 (Rev.2 Corr.1).

CONTENTS

CHAPTER 1 STRENGTHENING FOR NAVIGATION IN ICE	1
Section 1 General	1
Section 2 Ice Strengthening	1
Section 3 Hull Structural Design	4
Section 4 Rudder and Steering Arrangements	15
Section 5 Engine Output	16
Section 6 Propulsion Machinery	21
Section 7 Miscellaneous Machinery Requirements	50
CHAPTER 2 SHIPS FOR NAVIGATION IN POLAR WATERS	53
Section 1 Polar Class Descriptions and Application	53
Section 2 Structural Requirements for Polar Class Ships	56
Section 3 Machinery Requirements for Polar Class Ships	76
CHAPTER 3 SHIPS WITH ICE BREAKING CAPABILITY FOR NAVIGATION IN POLAR WATERS	111
Section 1 General	111
Section 2 Strengthening of Arctic class ships and Icebreakers	113
Section 3 Rudder	148
Section 4 Machinery installations	149
Section 5 Subdivision and Stability	162
CHAPTER 4 Winterization	165
Section 1 General	165
Section 2 Winterization H – Materials for hull construction at low temperatures	168
Section 3 Winterization M – Materials for equipment and components at low temperatures	173
Section 4 Winterization E3(t) – Main component and sub-component	178
Section 5 Winterization E2(t) – Main component and sub-component	193
Section 6 Winterization E1(t) – Main component and sub-component	195
Section 7 Winterization S – Stability due to ice accretion	196
Section 8 Winterization D – Alternative design	197
Section 9 Winterization IR – Ice removal arrangements	197
Section 10 Ship specific requirements	201
ANNEX 1 Strengthening for navigation in ice	203
ANNEX 2 Load cases for propeller and the shape of the propeller ice torque excitation for the ships strengthened for navigation in ice and Polar Class ships	207

CHAPTER 1 STRENGTHENING FOR NAVIGATION IN ICE

Section 1 General

101. Application

1. The requirements in this Chapter are applied to the hull structure, equipment, machinery and etc. of ice strengthened ships.
2. The ships intended to navigate in ice are to be in accordance with the requirements in this Chapter in addition to **the Rules for the Classification of Steel Ships**.
3. In principle, the requirements in this chapter are applied to the ice strengthening of ships which are intended to navigate in the Northern Baltic that are subject to the **Finnish-Swedish Ice class Rules 2017** or in the Canadian Arctic that are subject to the **Arctic Shipping Safety and Pollution Prevention Regulations**(see **Annex 1, 101**).
4. The low air temperature of the ship's ambience in the navigational waters is to be considered for fittings of structures and equipment that are important for navigation and the safety of the ship which is subject to the requirements of this Chapter. In particular, special consideration should be given towards the functioning of hydraulic systems, hazards of freezing of water pipings and tanks and starting of emergency diesel engines, etc.
5. In ships that have unusual proportions, hull form or propulsion arrangements, etc, the Society may impose special requirements.

102. Documentation

1. Forward region, midship region, aft region, ice belt, UIWL and LIWL defined in **202**. are to be specified in the Shell Expansion.
2. The engine output defined in **501**, the displacement defined in **203.3** and the dimensions necessary for the engine output calculation required in **502**. are to be specified in the General Arrangement. And the engine output calculation is to be submitted in addition to drawing and data for reference in accordance with the **Pt 5 of the Rules for the Classification of Steel Ships**.

Section 2 Ice Strengthening

201. Classification of Ice Strengthening

1. Strengthening for navigation in ice is classified into the following 6 class notations dependent on the degree of reinforcement and engine output of the ship(see **Annex 1, 102**).
 - (1) IA Super : ships with such structure, engine output and other properties that they are normally capable of navigating in difficult ice conditions without the assistance of Icebreakers
 - (2) IA : ships with such structure, engine output and other properties that they are capable of navigating in difficult ice conditions, with the assistance of Icebreakers when necessary
 - (3) IB : ships with such structure, engine output and other properties that they are capable of navigating in moderate ice conditions, with the assistance of Icebreakers when necessary
 - (4) IC : ships with such structure, engine output and other properties that they are capable of navigating in light ice conditions, with the assistance of Icebreakers when necessary
 - (5) ID : ships with such structure, engine output and other properties that are capable of navigating in light ice conditions
 - (6) II : ships complying with a standard deemed appropriate by the Society and that are capable of navigating in very light ice conditions
2. It is the responsibility of the Owner to determine which class in Par 1 is most suitable for this requirement.

202. Definitions

The definitions of terms which appear in this Chapter are to be specified as the following, unless otherwise specified elsewhere.

1. Area of Ice Strengthening

The bow, midbody, and stern regions in way of hull part are defined for ships of Ice classes IA Super, IA, IB and IC and the bow region is defined for ships of Ice class ID as follows:

- (1) Bow region: From the stem to a line parallel to and $0.04L$ aft of the bow borderline of the part of the hull where the waterlines run parallel to the centerline. For Ice classes IA Super and IA the overlap over the borderline need not exceed 6 m, and for Ice classes IB, IC and ID this overlap need not exceed 5 m.
 - (2) Midbody region: From the aft boundary of the bow region to a line parallel to and $0.04L$ aft of the aft borderline of the part of the hull where the waterlines run parallel to the centreline. For Ice classes IA Super and IA the overlap over the borderline need not exceed 6 m, and for Ice classes IB and IC this overlap need not exceed 5 m.
 - (3) Stern region: From the aft boundary of the midbody region to the stern.
2. The ice belt is the part of the shell plating which has to be reinforced. (see Fig 1.1 and 303.1)




Fig 1.1 Ice Belt at each region

3. The upper ice waterline (UIWL) shall be the envelop of the highest points of the waterline at which the ship is intended to operate in ice. The line may be a broken line.
4. The lower ice waterline (LIWL) shall be the envelop of the lowest points of the waterline at which the ship is intended to operate in ice.
5. The maximum and minimum Ice class draughts at fore and aft perpendiculars shall be determined in accordance with the upper and lower ice waterlines.

203. Operational Requirements

1. The draught of the ship at fore and aft perpendiculars, when operating in ice shall always be between the UIWL and LIWL.
2. Restrictions on draughts when operating in ice shall be documented and kept on board readily available to the master.
3. The maximum and minimum Ice class draughts fore, amidships and aft shall be indicated in the classification certificate.
4. For ships built ("Built" means the keel of ships has been laid or which has been at a similar stage of construction) on or after 1 July 2007, if the summer load line in fresh water is anywhere located at a higher level than the UIWL, the ship's sides are to be provided with a warning triangle and with an Ice class draught mark at the maximum permissible Ice class draught amidships. Ships built be-

fore 1 July 2007 shall be provided with such a marking, if the UIWL is below the summer load line, not later than the first scheduled dry docking after 1 July 2007 (see **Annex 1, 103**). Ships built before 1 July 2007 shall be provided with such a marking, if the UIWL is below the summer load line, not later than the first scheduled dry docking after 1 July 2007.

5. The draught and trim, limited by UIWL, must not be exceeded when the ship is navigating in ice. The salinity of sea water along the intended route shall be taken into account when loading the ship. The ship shall always be loaded down at least to the LIWL when navigating in ice.

204. Security of Minimum Draught

1. Prevention of the water from freezing

Any ballast tank, situated above the LIWL and needed to load down the ship to this water line is to be equipped with proper devices to prevent the water from freezing.

2. In determining the LIWL, regard shall be paid to the need for ensuring a reasonable degree of ice-going capability in ballast.
3. The propeller is to be fully submerged, if possible, entirely below the ice.

4. Minimum forward draught

The minimum forward draught is not to be less than that obtained from the following formula, which need not exceed $4h_0$

$$d_f = (2.0 + 0.00025\Delta) h_0 \quad (\text{m})$$

Δ : the maximum displacement (t) of the ship determined from the waterline on the UIWL (see **202. 3**). Where multiple waterlines are used for determining the UIWL, the displacement is to be determined from the waterline corresponding to the greatest displacement.

h_0 = level ice thickness given in **Table 1.1**

Table 1.1 Level ice thickness h_0

Ice class	h_0 (m)
IA Super	1.0
IA	0.8
IB	0.6
IC	0.4
ID	0.4

Section 3 Hull Structural Design

301. Design ice pressures

1. Design ice pressure P_d is not to be less than that obtained from the following formula:

$$P_d = C_d C_1 C_a P_0 \quad (\text{MPa})$$

C_d = a factor which takes account of the influence of the size and engine output of the ship.

$$C_d = \frac{ak + b}{1000} \quad (C_d \leq 1.0)$$

$$k = \frac{\sqrt{\Delta P}}{1000}$$

Δ = the displacement (ton) of ship on the maximum ice-class draught according to **202.3**

P = is the actual continuous engine output of the ship (kW) available when sailing in ice. If additional power sources are available for propulsion power (e.g. shaft motors), in addition to the power of the main engine(s), they shall also be included in the total engine output used as the basis for hull scantling calculations. The engine output used for calculation of the hull scantlings shall be clearly stated on the shell expansion drawing

a and b = as given in **Table 1.2** according to the region under consideration and the value of k

C_1 = hull region factor that reflects the magnitude of the load expected in that hull area relative to the bow area. (see **Table 1.3**)

P_0 = the nominal ice pressure; the value 5.6 MPa is to be used.

C_a = a factor which takes account of the probability that the full length of the area under consideration will be under pressure at the same time, as given by the following formula.

$$C_a = \sqrt{\frac{0.6}{l_a}} \quad (0.35 \leq C_a \leq 1.0)$$

l_a = to be taken as specified in **Table 1.4** according to the structural member under consideration.

Table 1.2 Value of a and b

	Bow		Midbody and Stern region	
	$k \leq 12$	$k > 12$	$k \leq 12$	$k > 12$
a	30	6	8	12
b	230	518	214	286

Table 1.3 Coefficient C_1

Ice class	Bow	Midbody	Stern
IA Super	1.00	1.00	0.75
IA	1.00	0.85	0.65
IB	1.00	0.70	0.45
IC	1.00	0.50	0.25
ID	1.00	-	-

Table 1.4 Value of l_a

Structure	Type of framing	l_a (m)
Shell	Transverse	Frame Spacing
	Longitudinal	1.7 frame Spacing
Frames	Transverse	Frame Spacing
	Longitudinal	span of frame
ice stringer	-	span of stringer
web frame	-	2-spacing of web frames

2. The h is the height of the area under the ice pressure P_d specified in 1 and is to be as given in Table 1.5 according to the Ice class.

Table 1.5 Value of h

Ice class	h (m)
IA Super	0.35
IA	0.30
IB	0.25
IC	0.22
ID	0.22

302. General of Structure

1. The formulae and values given in this section may be substituted by direct analysis if they are deemed by the Society to be invalid or inapplicable for a given structural arrangement or detail. Otherwise, direct analysis is not to be utilized as an alternative to the analytical procedures prescribed by explicit requirements in sections
2. If scantlings derived from these regulations are less than those required by the Society for a not an ice strengthened ship, the latter shall be used.
3. For curved members the span (or spacing) is defined as the chord length between span (or spacing) points. The span points are defined by the intersection between the flange or upper edge of the member and the supporting structural element (stringer, web frame, deck or bulkhead). (see Fig 1.2)




Fig 1.2 Definition of the frame span(left) and frame spacing (right) for curved members.

4. The effective breadth of the attached plate to be used for calculating the section modulus of the stiffener is to comply with Pt 3, Ch 1, 602. of the Rules for the Classification of Steel Ships.

5. For such cases where the member is not normal to the plating (the angle between plating and stiffeners is less than 75°), the section properties (section modulus and shear area) are to be calculated in accordance with the **Pt 13, Ch 3, Sec 7 1.4 of the Rules for the Classification of Steel Ships**.

303. Shell plating

1. Vertical extension of ice strengthening

The vertical extension of ice belt is to be as given in **Table 1.6** according to the Ice class and is to comply with the following requirements.

(1) Fore foot

For Ice class IA Super the shell plating below the ice belt from the stem to a position five main frame spaces abaft the point where the bow profile departs from the keel line is to have at least the thickness required in the ice belt in the midbody region.

(2) Upper bow ice belt

For Ice classes IA Super and IA on ships with an open water service speed equal to or exceeding 18 kt, the shell plate from the upper limit of the ice belt to 2 m above it and from the stem to a position at least 0.2 L abaft the bow perpendicular, is to have at least the thickness required in the ice belt in the midbody region. A similar strengthening of the bow region is to apply to a ship with lower service speed, when it is, e.g. on the basis of the model tests, evident that the ship will have a high bow wave.

(3) Side scuttles are not to be situated in the ice belt.

(4) If the weather deck in any part of the ship is situated below the upper limit of the ice belt, the bulwark and the construction of the freeing ports are to be given at least the same strength as is required for the shell in the ice belt.

Table 1.6 Vertical extension of the Ice belt b

Ice class	Hull Region	Above UIWL	Below LIWL
IA Super	Bow	0.6 m	1.2 m
	Midbody		1.0 m
	Stern		0.9 m
IA	Bow	0.5 m	0.9 m
	Midbody		0.75 m
	Stern		0.7 m
IB and IC	Bow	0.4 m	0.7 m
	Midbody		0.6 m
	Stern		0.6 m
ID	Bow	0.4 m	0.7 m

2. Thickness of shell plating

The thickness of shell plating in the ice belt is not to be less than that obtained from the following formula:

$$\text{For the transverse framing : } t = 667S \sqrt{\frac{f_1 P_{PL}}{\sigma_y}} + t_c \quad (\text{mm})$$

$$\text{For the longitudinal framing : } t = 667S \sqrt{\frac{P}{f_2 \sigma_y}} + t_c \quad (\text{mm})$$

t_c : 2 mm, if special surface coating, by experience shown capable to withstand the abrasion of ice, is applied and maintained, lower values may be approved.

S : frame spacing (m)

P_{PL} : $0.75 P_d$ (MPa)

P_d : as specified in **301.1**

f_1 : as given in the following formula. Where, however, f_1 is greater than 1.0, f_1 is to be taken as 1.0

$$f_1 = 1.3 - \frac{4.2}{(h/S + 1.8)^2}$$

f_2 : as given by the following formula depending on the value of h/S

Where $h/S < 1.0$: $f_2 = 0.6 + \frac{0.4}{h/S}$

Where $1.0 \leq h/S < 1.8$: $f_2 = 1.4 - 0.4(h/S)$

h : as specified in **Table 1.5**.

σ_y : yield stress of the material of the member considered, which are given as follows (N/mm²)

235 : for mild steels as specified in **Pt 2, Ch 1 of the Rules for the Classification of Steel Ships**

315 : for high tensile steels *AH32, DH32, EH32* or *FH32* as specified in **Pt 2, Ch 1 of the Rules for the Classification of Steel Ships**

355 : for high tensile steels *AH36, DH36, EH36* or *FH36* as specified in **Pt 2, Ch 1 of the Rules for the Classification of Steel Ships**

390 : for high tensile steels *AH40, DH40, EH40* or *FH40* as specified in **Pt 2, Ch 1 of the Rules for the Classification of Steel Ships**

304. Frames

1. Vertical extension of ice strengthening

- (1) The vertical extension of ice strengthening of the framing is to be at least as given in **Table 1.7** according to the respective Ice classes and regions.
- (2) For Ice classes IA Super and IA on ships with an open water service speed equal to or exceeding 18 kt, the ice strengthening part of the framing is to be extended to the top of this ice belt of **303.1** (2).
- (3) Where the ice strengthening would go beyond a deck or a tanktop (or tank bottom) by no more than 250 mm, it can be terminated at that deck or tanktop (or tank bottom).
- (4) For this reason, the vertical extension of the ice strengthening of the longitudinal frames should be extended up to and including the next frame up from the upper edge (frame 3 in **Fig 1.3**) of the ice belt as defined in **303.1**. Additionally the frame spacing of the longitudinal frames just above and below the edge of the ice belt should be the same as the frame spacing in the ice belt (spacing between frames 2 and 3 should be the same as between frames 1 and 2 in **Fig 1.3**).
- (5) If, however, the first frame in the area above the ice belt (frame 3 in area 2 in **Fig 1.3**) is closer than about $s/2$ to the edge of the icebelt, then the same frame spacing as in the icebelt should be used above the edge of the ice belt i.e in the spacing between frames 3 and 4.




Fig 1.3 The different ice strengthening areas at and above the UIWL.

Table 1.7 Vertical extension of the ice strengthening of framing

Ice class	Region	Above UIWL (m)	Below LIWL (m)
IA Super	Bow	1.2	to double bottom or below top of floors
	Midbody		2.0
	Stern		1.6
IA IB IC	Bow	1.0	1.6
	Midbody	1.0	1.3
	Stern	1.0	1.0
ID	Bow	1.0	1.6

2. General of Frames

- (1) Within the ice strengthening area all frames are to be effectively attached to all the supporting structures. A longitudinal frame is to be attached to all the supporting web frames and bulkheads by brackets. When a transverse frame terminates at a stringer or deck, a bracket or similar construction is to be fitted. When a frame is running through the supporting structure, both sides of the web plate of the frame are to be connected to the structure by direct welding, collar plate or lug. When a bracket is installed, it is to have at least the same thickness as the web plate of the frame and the edge is to be appropriately stiffened against buckling.
- (2) The frames shall be attached to the shell by double continuous weld. No scalloping is allowed (except when crossing shell plate butts)
- (3) The web thickness of the frames shall be at least the maximum of the following:

(a) $\frac{h_w \sqrt{\sigma_y}}{C}$, h_w is the web height

$C = 805$ for profiles and
 $C = 282$ for flat bars

- (b) half of the net thickness of the shell plating, $t - t_c$. For the purpose of calculating the web thickness of frames, the required thickness of the shell plating is to be calculated according to 303.2 using the yield strength σ_y of the frames;
- (c) 9 mm

- (4) Where there is a deck, tank top (or tank bottom) or bulkhead in lieu of a frame, the plate thickness of this is to be as per the preceding in (3), to a depth corresponding to the height of adjacent frames and constant C is to be taken as 805.

- (5) Asymmetrical frames and frames which are not at right angles to the shell (web less than 75 degrees to the shell) shall be supported against tripping by brackets, intercoastals, stringers or similar, at a distance not exceeding 1.3 m.
- (6) For frames with spans greater than 4 m, the extent of antitripping supports is to be applied to all regions and for all ice classes.
- (7) For frames with spans less than or equal to 4 m the extent of antitripping supports is to be applied to following regions
- | | |
|-----------------|-------------------------|
| - IA Super | All hull regions |
| - IA | Bow and midbody regions |
| - IB, IC and ID | Bow region. |

305. Transverse frames

1. Section Modulus and Shear Area

- (1) The section modulus Z and the effective shear area A of a main or intermediate transverse frame specified in **304.1** is to be not less than that obtained from the following formula.

$$\text{Section modulus: } Z = \frac{P_d S h l}{m_t \sigma_y} \times 10^6 \quad (\text{cm}^3)$$

$$\text{Effective shear area: } A = \frac{\sqrt{3} f_3 P_d h s}{2 \sigma_y} \times 10^4 \quad (\text{cm}^2)$$

f_3 = factor which takes into account the maximum shear force versus the load location and the shear stress distribution, taken as 1.2

P_d = as specified in **301.1**

S = frame spacing (m).

h = as specified in **Table 1.5**

l = span of the frame (m).

m_t = as given by the following formula : $m_t = \frac{7m_0}{7-5h/l}$

m_0 = as specified in **Table 1.8** The boundary conditions are those for the main and intermediate frames. Load is applied at mid span.

σ_y = as specified in **303.2**.

- (2) Where less than 15 % of the span of the frame in **304.1** is situated within the ice strengthening zone for frames, frame scantlings are to be larger than that applied to the requirements of **Pt 3** or **Pt 10** of the Rules for the Classification of Steel Ships.

2. Upper end of Transverse Framing





- (1) The upper end of the strengthening part of a main frame and of an intermediate frame are to be attached to a deck, tanktop (or tank bottom) or an ice stringer as specified in **307**.
- (2) Where a frame terminates above a deck or a stringer (hereinafter, referred to as the lower deck in this section) which is situated at or above the upper limit of the ice belt, the part of the frame above the lower deck is to be in accordance with the followings:
- (A) the part of the main frame and the intermediate frame may have the scantlings required by the ordinary frame
- (B) the upper end of the main frame and the intermediate frame is to be connected to a deck which situated above the lower deck (hereinafter, referred to as the higher deck in this section). However, the upper end of the intermediate frame may be connected to the adjacent main frames by a horizontal stiffener having the same scantlings as the main frame.

3. Lower end of Transverse Framing

- (1) The lower end of the strengthened part of a main frame and of an intermediate ice frame is to be attached to a deck, tank top (or tank bottom) or ice stringer specified in **307**.
- (2) Where an intermediate frame terminates below a deck, tank top (or tank bottom) or ice stringer which is situated at or below the lower limit of the ice belt, the lower end may be connected

to the adjacent main frames by a horizontal member of the same scantlings as the frames.
 (3) the main frames below the lower edge of ice belt must be ice strengthened. (see 304.1)

Table 1.8 Value of m_0

Boundary condition	m_0	Example
Both ends fixed	7.0	Frames in a bulk carrier with top side tanks
		
One side fixed and one side simple support	6.0	Frames extending from the tank top to a single deck
		
Multi point simple support	5.7	Continuous frames between several decks or stringers
		
Both ends simple support	5.0	Frames extending between two decks only
		

306. Longitudinal frames

The section modulus Z and effective shear area A of a longitudinal frame in the extension specified in 303.1 are not to be less than that obtained from the following formula. However in calculating the actual shear area of the frames, the shear area of the brackets is not to be taken into account.

$$Z = \frac{f_4 P_d h l^2}{m \sigma_y} \times 10^6 \quad (\text{cm}^3), \quad A = \frac{\sqrt{3} f_4 f_5 P_d h l}{2 \sigma_y} \times 10^4 \quad (\text{cm}^2)$$

f_4 = factor which takes account of the load distribution to adjacent frames given by following formula:

$$f_4 = (1 - 0.2h/S)$$

h = as specified in Table 1.5

S = frame spacing (m).

P_d = as specified in 301.1

l = span of the longitudinal frame (m).

σ_y = as specified in 303.2

f_5 = factor which takes account the maximum shear force versus load location and the shear stress distribution ($f_5 = 2.16$)

m is boundary condition factor and $m = 13.3$ for a continuous beam with brackets; where the boundary conditions deviate significantly from those of a continuous beam with brackets, e.g. in an end field, a smaller boundary condition factor may be required

307. Ice stringers

1. Stringer within the ice belt

The section modulus Z and the effective shear area A of a stringer situated within the ice belt are to be not less than that obtained from the following formula:

$$Z = \frac{f_6 f_7 P_d h l^2}{m \sigma_y} \times 10^6 \text{ (cm}^3\text{)}, \quad A = \frac{\sqrt{3} f_6 f_7 f_8 P_d h l}{2 \sigma_y} \times 10^4 \text{ (cm}^2\text{)}$$

P_d = as specified in **301.1**

h = as specified in **Table 1.5**. However, the product $P_d \times h$ is not to be taken as less than 0.15 MN/m.

l = span of the stringer (m).

m = boundary condition factor; as given in **306**.

f_6 = factor which takes account of the distribution of load to the transverse frames is to be taken as 0.9.

f_7 = safety factor of stringer: to be taken as 1.8

f_8 = factor that takes into account the maximum shear force versus load location and the shear stress distribution: to be taken as 1.2

σ_y = as specified in **303.2**

2. Stringers outside the ice belt

The section modulus Z and the effective shear area A of a stringer situated outside the ice belt but supporting ice strengthened frames are not to be less than that obtained from the following formula:

$$Z = \frac{f_9 f_{10} P_d h l^2}{m \sigma_y} (1 - h_s / l_s) \times 10^6 \text{ (cm}^3\text{)}, \quad A = \frac{\sqrt{3} f_9 f_{10} f_{11} P_d h l}{2 \sigma_y} (1 - h_s / l_s) \times 10^4 \text{ (cm}^2\text{)}$$

P_d = as specified in **301.1**.

h = as specified in **Table 1.5**. However, the product $P_d \times h$ is not to be taken as less than 0.15 MN/m.

l = span of the stringer (m).

m_s = boundary condition factor as defined in **306**.

l_s = the distance to the adjacent ice stringer (m).

h_s = the shortest distance from the considering stringer to the ice belt (m).

f_9 = factor which takes account of load to the transverse frames is to be taken as 0.80.

f_{10} = safety factor of stringer ; to be taken as 1.8

f_{11} = factor which takes account the maximum shear force versus load location and the shear stress distribution; $f_{11} = 1.2$

σ_y = as specified in **302. 2**.

3. Deck Strips

- (1) Narrow deck strips abreast of hatches and serving as ice stringers are to comply with the section modulus and shear area requirements in **1** and **2** respectively.
- (2) In the case of very long hatches, the product $P_d \times h$ may be taken as less than 0.15 MN/m but in no case less than 0.1 MN/m.
- (3) Regard is to be paid to the deflection of the ship's sides due to ice pressure in way of very long (more than B/2) hatch openings, when designing weather deck hatch covers and their fittings.

308. Web Frames

1. Ice Load

The ice load F transferred to a web frame from an ice stringer or from longitudinal framing is not to be less than that obtained by the following formula. However, In case the supported stringer is outside the ice belt, the load F may be reduced by multiplying $(1 - h_s/l_s)$.

$$F = f_{12} P_d h S \text{ (MN)}$$

P_d = ice pressure (MPa) as specified in **301.1** in calculating C_a however, l_a is to be taken as $2S$.

f_{12} = safety factor of web frames; to be taken as 1.8.

h = as specified in **Table 1.5**. However, the product $P_d \times h$ is to be more than 0.15MN/m.

S = web frame spacing (m).

h_s, l_s : As specified in **307.2**.

2. Section Modulus and Shear Area

The section modulus Z and effective shear area A of web frame may be obtained from the following formula:

$$Z = \frac{M}{\sigma_y} \sqrt{\frac{1}{1 - (\gamma A/A_a)^2}} \times 10^6 \text{ (cm}^3\text{)}, \quad A = \frac{\sqrt{3} \alpha f_{13} Q}{\sigma_y} \times 10^4 \text{ (cm}^2\text{)}$$

l = span of web frame (m).

Q = maximum calculated shear force under the ice load F , as given in **Par 1**

f_{13} = factor that takes into account the shear force distribution, $f_{13} = 1.1$

M = maximum calculated bending moment under the ice load F ; to be taken as $M = 0.193 Fl$.

α and γ = as given in **Table 1.9**. For intermediate values of A_f/A_w is to be obtained by linear interpolation.

σ_y = as specified in **307.2**.

A = required shear area (cm²)

A_a = actual cross sectional area of the web frame (cm²)

$A_a = A_f + A_w$

Table 1.9 Value of α and γ

A_f/A_w	0.00	0.20	0.40	0.60	0.80	1.00	1.20	1.40	1.60	1.80	2.00
α	1.50	1.50	1.23	1.16	1.11	1.09	1.07	1.06	1.05	1.05	1.04
γ	0.00	0.44	0.62	0.71	0.76	0.80	0.83	0.85	0.87	0.88	0.89

Note:
 A_f = actual cross section area of free flange (cm²)
 A_w = actual effective cross section area of web plate (cm²)

3. Direct Analysis

The scantlings of web frames may be calculated by direct analyses where deemed appropriate by the Society. In this case, the following are to be complied with:

- (1) The pressure P_d according to **301.1**. and height of load area h according to **301.2**. are to be used in direct calculation.
- (2) The pressure to be used is $1.8 P_d$ (MPa).
- (3) The load patch is to be applied at locations where the capacity of the structure under the combined effects of bending and shear are minimized.
- (4) The structure is to be checked with load centered at follow location;
 - (A) Vertical location
 - (a) at the UIWL,
 - (b) $0.5h_0$ (m) below the LIWL, and (h_0 see **Table 1.1**)
 - (c) positioned several vertical locations in between.
 - (B) Several horizontal locations which are the locations centered at the mid-span or spacing
 - (C) If the load length l_a cannot be determined directly from the arrangement of the structure, several values of l_a may be checked using corresponding values for C_a .
- (5) Allowable stress are as follows;
 - Bending stress : $\sigma_b = \sigma_y$
 - Shear stress : $\tau = \sigma_y / \sqrt{3}$
 - Equivalent stress : $\sigma_e = \sqrt{\sigma_b^2 + 3\tau^2} = \sigma_y$

309. Bow

1. Stem

- (1) The stem shall be made of rolled, cast or forged steel or of shaped steel plates as shown in **Fig 1.4**.




Fig 1.4 Examples of suitable stems

- (2) The plate thickness of a shaped plate stem and in the case of a blunt bow, any part of the shell where angle α and ψ as specified in **502.1** are respectively not less than 30 degrees and 75 degrees, is to be obtained from the formula in **303.2** using the following values ;
 - S = spacing of elements supporting the plate (m).
 - P_{PL} = ice pressure (P_d) as specified in **301** (MPa).
 - l_a = spacing of vertical supporting elements (m).

- (3) The stem and the part of a blunt bow specified in (2) is to be supported by floors or brackets spaced not more than 0.6 m apart and having a thickness of at least half the plate thickness.
- (4) The reinforcement of the stem is to be extended from the keel to a point 0.75 m above UIWL or, in case an upper forward ice belt is required in **303.1** (3) to the upper limit of this.

2. Arrangements for towing

Towing arrangements are normally as follows: (see **Fig 1.5**)

- (1) The towing arrangement usually uses a thick wire which is split into two slightly thinner wires, shown in **Fig 1.5**.
- (2) Two fairleads must be fitted symmetrically off the centreline with one bollard each.
- (3) The distance of the bollards from the centreline is approximately 3 m. The bollards shall be aligned with the fairleads allowing the towlines to be fastened straight onto them.
- (4) A bollard or other means for securing a towline, structurally designed to withstand the breaking force of the towline of the ship, shall also be fitted.




Fig 1.5 The typical towing arrangement

310. Stern

1. The clearance between the propeller blade tip and hull, including the stern frame is not to be less than h_0 as specified **203**. to prevent from occurring high loads on the blade tip.
2. On twin and triple screw ships, the ice strengthening of the shell and framing are to be extended to the double bottom for 1.5 m forward and aft of the side propellers.
3. On twin and triple screw ships, the shafting and stern tubes of side propellers are to be normally enclosed within plated bossings. If detached struts are used, their design, strength and attachment to the hull are to be duly considered.
4. The introduction of new propulsion arrangements with azimuth thrusters or podded propellers, which provide an improved maneuverability, will result in increased ice loading of the stern region and the stern area. This fact is to be considered in the design of the aft/stern structure.

311. Bilge keel

1. The connection of bilge keels to the hull shall be so designed that the risk of damage to the hull, in case a bilge keel is damaged, is minimized.
2. A construction of bilge keels as **Fig 1.6** is recommended for strength.
3. To limit damage when a bilge keel is partly damaged, it is recommended that bilge keels are cut up into several shorter independent lengths.




Fig 1.6 An example of typical type bilge keel construction

Section 4 Rudder and Steering Arrangements

401. Rudder and steering arrangements

1. The scantlings of rudder post, rudder stock, pintles and steering gear, etc. are to comply with requirements in **Pt 4, Ch 1** and **Pt 5, Ch 7 of the Rules for the Classification of Steel Ships**. The maximum service speed of the ship to be used in these calculations shall, however, not be taken as less than stated below:

IA Super	20 knots
IA	18 knots
IB	16 knots
IC	14 knots

If the actual maximum service speed of the ship is higher, that speed shall be used.

2. The local scantling of rudders are to be determined assuming that the whole rudder belongs to the ice belt. The rudder plating and frames are to be designed using the ice pressure for the plating and frames in the midbody region.
3. For the Ice classes IA Super and IA, the rudder stock and the upper part of the rudder are to be protected from direct contact with intact ice by either an ice knife that extends below the LIWL or by equivalent means. Special consideration is to be given to the design of the rudder and the ice knife for ships with flap-type rudders.
4. For ships of Ice classes IA Super and IA, the rudders and steering arrangements are to be designed as follows to endure the loads that work on the rudders by the ice when backing into an ice ridge.
 - (1) Relief valves for hydraulic pressure is to be installed
 - (2) The components of the steering gear are to be dimensioned to stand the yield torque of the rudder stock.
 - (3) Suitable arrangements such as rudder stoppers are to be installed.

402. Ice Knife

The construction of ice knife of **401.3** is as follow (see **Fig 1.7**) ;

1. The lowest part of the ice knife should be below water in all draughts.
2. If the ship is not intended to go astern in ice at some draughts, a smaller ice knife could be used.
3. An ice knife is recommended to be fitted to all ships with an ice class IA Super or IA.




Fig 1.7 An example of Ice Knife

Section 5 Engine Output

501. Definition of engine output (2018)

The engine output P is the total maximum output the propulsion machinery can continuously deliver to the propeller(s). If the output of the machinery is restricted by technical means or by any regulations applicable to the ship, P shall be taken as the restricted output. If additional power sources are available for propulsion power (e.g. shaft motors), in addition to the power of the main engine(s), they shall also be included in the total engine output.

502. Required engine output for Ice classes IA Super, IA, IB, IC and ID

The engine output shall not be less than that determined by the formula below and in no case less than 1,000 kW for Ice class IA, IB, IC and ID, and not less than 2800 kW for IA Super.

1. Definitions

The dimensions of the ship and some other parameters are defined below:

- L = length of the ship between the perpendiculars (m)
- L_{BOW} = length of the bow (m)
- L_{PAR} = length of the parallel midship body (m)
- B = maximum breadth of the ship (m)
- T = actual Ice class draughts of the ship according to 202. 2 (m)
- A_{wf} = area of the waterline of the bow (m^2)
- α = the angle of the waterline at B/4 (deg)
- ϕ_1 = degree the rake of the stem at the centerline (deg)
- ϕ_2 = degree the rake of the bow at B/4 (deg)
- D_p = diameter of the propeller (m)
- H_M = thickness of the brash ice in mid channel (m)
- H_F = thickness of the brash ice layer displaced by the bow (m)




Fig 1.8 Determination of the geometric quantities of the hull. If the ship has a bulbous bow, then $\phi_1 = 90^\circ$.

2. New ships

To be entitled to Ice class IA Super, IA, IB, IC or ID a ship the keel of which is laid or which is at a similar stage of construction on or after 1 September 2003 is to comply with the following requirements regarding its engine output. The engine output requirement is to be calculated for two draughts. Draughts to be used are the maximum draught amidship referred to as UIWL and the minimum draught referred to as LIWL, as defined in **202**. In the calculations the ship's parameters which depend on the draught are to be determined at the appropriate draught, but L and B are to be determined only at the UIWL. The engine output is not to be less than the greater of these two outputs.

$$P = K_c \frac{(R_{CH}/1000)^{3/2}}{D_P} \text{ [kW]},$$

where K_c : as given in **Table 1.10**

Table 1.10 Values of constant K_c

Number of Propeller	CP or electric or hydraulic propulsion machinery	FP propeller
1 propeller	2.03	2.26
2 propellers	1.44	1.60
3 propellers	1.18	1.31

These K_c values apply for conventional propulsion systems. Other methods may be used for determining the required power for advanced propulsion systems (see **Par 5**).

R_{CH} is the resistance in Newton of the ship in a channel with brash ice and a consolidated surface layer:

$$R_{CH} = C_1 + C_2 + C_3 C_\mu (H_F + H_M)^2 (B + C_\psi H_F) + C_4 L_{PAR} H_F^2 + C_5 \left(\frac{LT}{B^2} \right)^3 \frac{A_{wf}}{L}$$

where

$$C_\mu = 0.15 \cos \phi_2 + \sin \psi \sin \alpha, \quad C_\mu \text{ is to be taken equal or larger than } 0.45.$$

$$C_\psi = 0.047\psi - 2.115, \text{ and } C_\psi = 0 \text{ if } \psi \leq 45.$$

$$H_F = 0.26 + (H_M B)^{0.5}$$

$$\begin{aligned} H_M &= 1.0 \text{ for Ice class IA and IA Super} \\ &= 0.8 \text{ for Ice class IB} \\ &= 0.6 \text{ for Ice class IC} \\ &= 0.5 \text{ for Ice class ID} \end{aligned}$$

C_1 and C_2 = coefficients obtained by taking into account a consolidated upper layer of the brash ice

$$\text{For ships of Ice classes IA, IB, IC and ID : } C_1 = 0, \quad C_2 = 0$$

$$\text{For ships of Ice classes IA Super}$$

$$C_1 = f_1 BL_{PAR} / (2T/B + 1) + (1 + 0.021\phi_1)(f_2 B + f_3 L_{BOW} + f_4 BL_{BOW})$$

$$C_2 = (1 + 0.063\phi_1)(g_1 + g_2 B) + g_3(1 + 1.2T/B)B^2 / \sqrt{L}$$

For a ship with a bulbous bow, ϕ_1 is to be taken as 90° .

$f_1, f_2, f_3, f_4, g_1, g_2, g_3, C_3, C_4$ and C_5 = values given in **Table 1.11**

$$\psi = \arctan(\tan\phi_2 / \sin\alpha)$$

$\left(\frac{LT}{B^2}\right)^3$ is not to be taken as less than 5 and not to be taken as more than 20.

Further information on the validity of the above formulas can be found in **Annex I** together with sample data for the verification of powering calculations. If the ship's parameter values are beyond the ranges defined in **Table 1.1 of Annex I**, other methods for determining R_{CH} shall be used as defined in **Par 5**.

Table 1.11 $f_1, f_2, f_3, f_4, g_1, g_2, g_3, C_3, C_4$ and C_5

$f_1(\text{N/m}^2)$	23	$g_1(\text{N})$	1530	$C_3(\text{kg}/(\text{m}^2\text{s}^2))$	845
$f_2(\text{N/m})$	45.8	$g_2(\text{N/m})$	170	$C_4(\text{kg}/(\text{m}^2\text{s}^2))$	42
$f_3(\text{N/m})$	14.7	$g_3(\text{N}/\text{m}^{1.5})$	400	$C_5(\text{kg}/\text{s}^2)$	825
$f_4(\text{N}/\text{m}^2)$	29				

3. Existing ships of Ice class IB or IC

To be entitled to retain Ice class IB or IC a ship, the keel of which has been laid or which has been at a similar stage of construction before 1 September 2003, is to comply with the following requirements regarding its engine output. The engine output is not to be less than that determined by the formula below and in no case less than 740 kW.

$$P = f_1 \cdot f_2 \cdot f_3(f_4 \Delta + P_0) \text{ [kW]}$$

where

$f_1 = 1.0$ for a fixed pitch propeller

$= 0.9$ for a controllable pitch propeller

$f_2 = \phi_1/200 + 0.675$ but not more than 1.1 and 1.1 for a bulbous bow

where,

ϕ_1 is the rake of the stem at the centerline [degrees] (see **Fig 1.8**)

The product $f_1 \times f_2$ shall not be taken as less than 0.85.

$f_3 = 1.2B/\Delta^{1/3}$ but not less than 1.0

f_4 and P_0 shall be taken as follows:

Table 1.12 Value f_4 or P_0

Ice class	IB	IC	IB	IC
Displacement	$\Delta < 30000$		$\Delta \geq 30000$	
f_4	0.22	0.18	0.13	0.11
P_0	370	0	3070	2100
NOTE: Δ is displacement [t] of the ship on the maximum Ice class draught according to 202. 1 . It need not be taken as greater than 80,000 t.				

4. Existing ships of Ice class IA Super or IA

To be entitled to retain Ice class IA Super or IA a ship, the keel of which has been laid or which has been at a similar stage of construction before 1 September 2003, shall comply with the requirements in **Par 2** above at the following dates:

- 1 January 2005 or
- 1 January in the year when 20 years has elapsed since the year the ship was delivered, whichever occurs the latest.

When, for an existing ship, values for some of the hull form parameters required for the calculation method in section **Par 2** are difficult to obtain, the following alternative formulae can be used:

$$R_{CH} = C_1 + C_2 + C_3(H_F + H_M)^2(B + 0.658H_F) + C_4LH_F^2 + C_5\left(\frac{LT}{B^2}\right)^3 \frac{B}{4}$$

Where,

For ships of Ice classes IA, $C_1 = 0$, $C_2 = 0$

For ships of Ice classes IA Super without a bulbous bow, C_1 and C_2 is to be calculated as follows;

$$C_1 = f_1 \frac{BL}{(2T/B+1)} + 1.84(f_2B + f_3L + f_4BL)$$

$$C_2 = 3.52(g_1 + g_2B) + g_3 \left(1 + 1.2 \frac{T}{B}\right) \frac{B^2}{\sqrt{L}}$$

For ships of Ice classes IA Super with a bulbous bow, C_1 and C_2 is to be calculated as follows;

$$C_1 = f_1 \frac{BL}{(2T/B+1)} + 2.89(f_2B + f_3L + f_4BL)$$

$$C_2 = 6.67(g_1 + g_2B) + g_3 \left(1 + 1.2 \frac{T}{B}\right) \frac{B^2}{\sqrt{L}}$$

$f_1, f_2, f_3, f_4, g_1, g_2, g_3, C_3, C_4$ and C_5 = values given in **Table 1.13**

$\left(\frac{LT}{B^2}\right)^3$ is not to be taken as less than 5 and not to be taken as more than 20.

Table 1.13 Values of $f_1, f_2, f_3, f_4, g_1, g_2, g_3, C_3, C_4$ and C_5

f_1 (N/m ²)	10.3	g_1 (N)	1530	C_3 (kg/(m ² s ²))	460
f_2 (N/m)	45.8	g_2 (N/m)	172	C_4 (kg/(m ² s ²))	18.7
f_3 (N/m)	2.94	g_3 (N/m ^{1.5})	400	C_5 (kg/s ²)	825
f_4 (N/m ²)	5.8				

5. Other methods of determining K_e or R_{CH}

For an individual ship, in lieu of the K_e or R_{CH} values defined in **Par 2** and **3**, the use of K_e or R_{CH} values based on more exact calculations or values based on model tests may be approved. Such an approval will be given on the understanding that it can be revoked if experience of the ship's performance in practice motivates this.

The design requirement for Ice classes is a minimum speed of 5 knots in the following brash ice channels:

IA Super	H_M	= 1.0 m and a 0.1 m thick consolidated layer of ice
IA		= 1.0 m
IB		= 0.8 m
IC		= 0.6 m
ID		= 0.5 m

Section 6 Propulsion Machinery (2018)

601. Application

1. The requirements in this Section apply to propulsion machinery covering open- and ducted-type propellers with controllable pitch or fixed pitch design for the Ice classes IA Super, IA, IB, IC and ID.
2. The given propeller loads are the expected ice loads for the whole ship's service life under normal operational conditions, including loads resulting from the changing rotational direction of FP propellers. However, these loads do not cover off-design operational conditions, for example when a stopped propeller is dragged through ice. Also, the load models in the strength calculation of this Section do not include propeller/ice interaction loads when ice enters the propeller of a turned azimuth thruster from the side (radially).
3. This requirements also apply to azimuth and fixed thrusters for main propulsion, considering loads resulting from propeller-ice interaction and loads on the thruster body/ice interaction. The given azimuthing thruster body loads are the expected ice loads for the ship's service life under normal operational conditions. The local strength of the thruster body shall be sufficient to withstand the local ice pressure when the thruster body is designed for the extreme loads.
4. The thruster global vibrations caused by blade order excitation at the propeller may cause significant vibratory loads. A simplified methodology to estimate the load amplitude is given in 10.4 of the **Guidelines for the Application of the Finnish-Swedish Ice Class Rules**.

602. Symbols

- c = chord length of blade section (m)
- $c_{0.7}$ = chord length of blade section at 0.7R propeller radius (m)
- CP = controllable pitch
- D = propeller diameter (m)
- d = external diameter of propeller hub (at propeller plane) (m)
- D_{lim} = limit value for propeller diameter (m)
- EAR = expanded blade area ratio
- F_b = maximum backward blade force for the ship's service life (kN)
- F_{ex} = ultimate blade load resulting from blade loss through plastic bending (kN)
- F_f = maximum forward blade force for the ship's service life (kN)
- F_{ice} = ice load (kN)
- $(F_{ice})_{max}$ = maximum ice load for the ship's service life (kN)
- FP = fixed pitch
- h_0 = depth of the propeller centerline from lower ice waterline (m)
- H_{ice} = thickness of maximum design ice block entering to propeller (m)
- I_s = equivalent mass moment of inertia of all parts on engine side of component under consideration (kgm^2)
- I_t = equivalent mass moment of inertia of the whole propulsion system (kgm^2)
- k = shape parameter for Weibull distribution
- LIWL = lower ice waterline (m)
- m = slope for S-N curve in log/log scale
- M_{BL} = blade bending moment ($\text{kN} \cdot \text{m}$)
- MCR = maximum continuous rating
- n = propeller rotational speed (rev./s)

- n_n = nominal propeller rotational speed at MCR in free running condition (rev./s)
 N_{class} = reference number of impacts per propeller rotational speed per ice class
 N_{ice} = total number of ice loads on propeller blade for the ship's service life
 N_R = reference number of load for equivalent fatigue stress (10^8 cycles)
 N_Q = number of propeller revolutions during a milling sequence
 $P_{0.7}$ = propeller pitch at 0.7R radius (m)
 $P_{0.7n}$ = propeller pitch at 0.7R radius at MCR in free running condition (m)
 $P_{0.7b}$ = propeller pitch at 0.7R radius at MCR in bollard condition (m)
 Q = Torque (kN · m)
 Q_{emax} = maximum engine torque (kN · m)
 Q_{max} = maximum torque on the propeller resulting from propeller-ice interaction (kN · m)
 Q_{motor} = electric motor peak torque (kN · m)
 Q_n = nominal torque at MCR in free running condition (kN · m)
 Q_r = response torque along the propeller shaft line (kN · m)
 Q_{peak} = maximum of the response torque Q_r (kN · m)
 Q_{smax} = maximum spindle torque of the blade for the ship's service life (kN · m)
 Q_{sex} = maximum spindle torque due to blade failure by plastic bending (kN · m)
 Q_{vib} = Vibratory torque at considered component, taken from frequency domain open water TVC (kN · m)
 R = propeller radius (m)
 r = blade section radius (m)
 T = propeller thrust (kN)
 T_b = maximum backward propeller ice thrust for the ship's service life (kN)
 T_f = maximum forward propeller ice thrust for the ship's service life (kN)
 T_n = propeller thrust at MCR in free running condition (kN)
 T_r = maximum response thrust along the shaft line (kN)
 t = maximum blade section thickness (m)
 Z = number of propeller blades
 α_i = duration of propeller blade/ice interaction expressed in rotation angle (deg)
 α_1 = phase angle of propeller ice torque for blade order excitation component (deg)
 α_2 = phase angle of propeller ice torque for twice the blade order excitation component (deg)
 $\gamma_{\epsilon 1}$ = the reduction factor for fatigue; scatter effect
 $\gamma_{\epsilon 2}$ = the reduction factor for fatigue; test specimen size effect
 γ_v = the reduction factor for fatigue; variable amplitude loading effect
 γ_v = the reduction factor for fatigue; variable amplitude loading effect
 γ_m = the reduction factor for fatigue; mean stress effect
 ρ = a reduction factor for fatigue correlating the maximum stress amplitude to the equivalent fatigue stress for 10^8 stress cycles
 $\sigma_{0.2}$ = proof yield strength (at 0.2% offset) of blade material (MPa)
 σ_{exp} = mean fatigue strength of blade material at 10^8 cycles to failure in sea water (MPa)
 σ_{fat} = equivalent fatigue ice load stress amplitude for 10^8 stress cycles (MPa)

- σ_{fl} = characteristic fatigue strength for blade material (MPa)
- σ_{ref1} = reference strength $\sigma_{ref1} = 0.6 \cdot \sigma_{0.2} + 0.4 \cdot \sigma_u$ (MPa)
- σ_{ref2} = reference strength (MPa)
- $\sigma_{ref2} = 0.7 \cdot \sigma_u$ or $\sigma_{ref2} = 0.6 \cdot \sigma_{0.2} + 0.4 \cdot \sigma_u$ whichever is less
- σ_{st} = maximum stress resulting from F_b or F_f (MPa)
- σ_u = ultimate tensile strength of blade material (MPa)
- $(\sigma_{ice})_{bmax}$ = principal stress caused by the maximum backward propeller ice load (MPa)
- $(\sigma_{ice})_{fmax}$ = principal stress caused by the maximum forward propeller ice load (MPa)
- $(\sigma_{ice})_{max}$ = maximum ice load stress amplitude (MPa)

Table 1.14 Definition of loads

	Definition	Use of the load in design process
F_b	The maximum backward force on a propeller blade resulting from propeller/ice interaction for the ship's service life, including hydrodynamic loads on that blade. The direction of the force is perpendicular to 0.7R chord line. See Fig 1.9.	Design force for strength calculation of the propeller blade.
F_f	The maximum forward force on a propeller blade resulting from propeller/ice interaction for the ship's service life, including hydrodynamic loads on that blade. The direction of the force is perpendicular to 0.7R chord line.	Design force for calculation of strength of the propeller blade.
Q_{smax}	The maximum spindle torque on a propeller blade resulting from propeller/ice interaction for the ship's service life, including hydrodynamic loads on that blade.	In designing the propeller strength, the spindle torque is automatically taken into account because the propeller load is acting on the blade as distributed pressure on the leading edge or tip area.
T_b	The maximum thrust on propeller (all blades) resulting from propeller/ice interaction for the ship's service life. The direction of the thrust is the propeller shaft direction and the force is opposite to the hydrodynamic thrust.	Is used for estimation of the response thrust T_r . T_b can be used as an estimate of excitation for axial vibration calculations. However, axial vibration calculations are not required in the rules.
T_f	The maximum thrust on propeller (all blades) resulting from propeller/ice interaction for the ship's service life. The direction of the thrust is the propeller shaft direction acting in the direction of hydrodynamic thrust.	Is used for estimation of the response thrust T_r . T_f can be used as an estimate of excitation for axial vibration calculations. However, axial vibration calculations are not required in the rules.
Q_{max}	The maximum ice-induced torque resulting from propeller/ice interaction on one propeller blade, including hydrodynamic loads on that blade.	Is used for estimation of the response torque (Q_r) along the propulsion shaft line and as excitation for torsional vibration calculations.
F_{ex}	Ultimate blade load resulting from blade loss through plastic bending. The force that is needed to cause total failure of the blade so that plastic hinge is caused to the root area. The force is acting on 0.8R. Spindle arm is to be taken as 2/3 of the distance between the axis of blade rotation and leading/trailing edge (whichever is he greater) at the 0.8R radius.	Blade failure load is used to dimension the blade bolts, pitch control mechanism, propeller shaft, propeller shaft bearing and trust bearing. The objective is to guarantee that total propeller blade failure should not cause damage to other components.
Q_{peak}	Maximum response torque along the propeller shaft line, taking into account the dynamic behavior of the shaft line for ice excitation (torsional vibration) and hydrodynamic mean torque on propeller.	Design torque for propeller shaft line components.
T_r	Maximum response thrust along shaft line, taking into account the dynamic behavior of the shaft line for ice excitation (axial vibration) and hydrodynamic mean thrust on propeller.	Design thrust for propeller shaft line components.
F_{ii}	Maximum response force caused by ice block impacts on the thruster body or on the propeller hub.	Design load for thruster body and slewing bearings.
F_{tr}	Maximum response force on the thruster body caused by ice ridge/thruster body interaction.	Design load for thruster body and slewing bearings.




Fig 1.9 Direction of the backward blade force resultant taken perpendicular to chord line at radius 0.7R. (Ice contact pressure at leading edge is shown with small arrows)

603. Design ice conditions

In estimating the ice loads of the propeller for Ice classes, different types of operation as given in **Table 1.15** were taken into account. For the estimation of design ice loads, a maximum ice block size is determined. The maximum design ice block entering the propeller is a rectangular ice block with the dimensions $H_{ice} \cdot 2H_{ice} \cdot 3H_{ice}$. The thickness of the ice block (H_{ice}) is given in **Table 1.16**.

Table 1.15 Type of operation of the ship per Ice classes

Ice class	Operation of the ship
IA Super	Operation in ice channels and in level ice. The ship may proceed by ramming
IA, IB, IC, ID	Operation in ice channels

Table 1.16 The thickness of the ice block (H_{ice})

Ice class	IA Super	IA	IB	IC
Thickness of the design maximum ice block entering the propeller (H_{ice})	1.75 m	1.5 m	1.2 m	1.0 m

604. Materials

1. Materials exposed to sea water

Materials of components exposed to sea water, such as propeller blades, propeller hubs, and thruster body, are to have an elongation of not less than 15% on a test specimen, the gauge length of which is five times the diameter. A Charpy V impact test is to be carried out for materials other than bronze and austenite steel. An average impact energy value of 20 J taken from three tests is to be obtained at minus 10 °C. For nodular cast iron the average impact energy of 10J at minus 10 °C is required accordingly.

2. Materials exposed to sea water temperature

Materials exposed to sea water temperature are to be of steel or other ductile material. An average impact energy value of 20 J taken from three tests is to be obtained at minus 10 °C. This requirement applies to propeller shafts, blade bolts, CP mechanisms, shaft bolts, strut-pod connecting bolts etc. This does not apply to surface hardened components, such as bearings and gear teeth. Nodular cast iron of ferrite structure type may be used for other relevant parts than bolts. Average impact energy for nodular cast iron is to be minimum 10 J at minus 10 °C.

605. Design loads

1. The given loads are intended for component strength calculations only and are total loads including ice-induced loads and hydrodynamic loads during propeller/ice interaction. The presented maximum loads are based on worst case scenario that occurs once during the service life of the ship. Thus, load level for higher number of loads is lower.
2. The values of the parameters in the formulae in this Section is to be given in the units shown in 602.
3. If the propeller is not fully submerged when the ship is in ballast condition, the propulsion system is to be designed according to Ice class IA for Ice classes IB, IC and ID.

4. Design loads on propeller blades

F_b is the maximum force experienced during the ship's service life that bends a propeller blade backwards when the propeller mills an ice block while rotating ahead. F_f is the maximum force experienced during the ship's service life that bends a propeller blade forwards when the propeller mills an ice block while rotating ahead. F_b and F_f originate from different propeller/ice interaction phenomena, not acting simultaneously. Hence they are to be applied to one blade separately.

(1) Maximum backward blade force F_b for open propellers

$$\text{when } D \leq D_{\text{lim}}, \quad F_b = -27 \cdot [n \cdot D]^{0.7} \cdot \left[\frac{EAR}{Z} \right]^{0.3} \cdot D^2 \quad (\text{kN})$$

$$\text{when } D > D_{\text{lim}}, \quad F_b = -23 \cdot [n \cdot D]^{0.7} \cdot \left[\frac{EAR}{Z} \right]^{0.3} \cdot D \cdot H_{ice}^{1.4} \quad (\text{kN})$$

where,

$$D_{\text{lim}} = 0.85 \cdot [H_{ice}]^{1.4} \quad (\text{m})$$

n is the nominal rotational speed (at MCR free running condition) for a CP propeller and 85% of the nominal rotational speed (at MCR free running condition) for a FP propeller.

(2) Maximum forward blade force F_f for open propellers

$$\text{when } D \leq D_{\text{lim}}, \quad F_f = 250 \cdot \left[\frac{EAR}{Z} \right] \cdot D^2 \quad (\text{kN})$$

$$\text{when } D > D_{\text{lim}}, \quad F_f = 500 \cdot \left[\frac{1}{(1 - \frac{d}{D})} \right] \cdot H_{ice} \cdot \left[\frac{EAR}{Z} \right] \cdot D \quad (\text{kN})$$

where,

$$D_{\text{lim}} = \left[\frac{2}{(1 - \frac{d}{D})} \right] \cdot H_{ice} \quad (\text{m}).$$

- (3) Loaded area on the blade for open propellers
Load cases 1–4 have to be covered, as given in **Table 2.1 of Annex 2**, for CP and FP propellers. In order to obtain blade ice loads for a reversing propeller, load case 5 also has to be covered for FP propellers.

- (4) Maximum backward blade force F_b for ducted propellers

$$\text{when } D \leq D_{\text{lim}}, \quad F_b = -9.5 \cdot \left[\frac{EAR}{Z} \right]^{0.3} \cdot [n \cdot D]^{0.7} \cdot D^2 \text{ (kN)}$$

$$\text{when } D > D_{\text{lim}}, \quad F_b = -66 \cdot \left[\frac{EAR}{Z} \right]^{0.3} \cdot [n \cdot D]^{0.7} \cdot D^{0.6} \cdot [H_{ice}]^{1.4} \text{ (kN)}$$

where,

$$D_{\text{lim}} = 4 \cdot H_{ice}$$

n is the nominal rotational speed (at MCR in free running condition) for a CP propeller and 85 % of the nominal rotational speed (at MCR in free running condition) for an FP propeller

- (5) Maximum forward blade force F_f for ducted propellers

$$\text{when } D \leq D_{\text{lim}}, \quad F_f = 250 \cdot \left[\frac{EAR}{Z} \right] \cdot D^2 \text{ (kN)}$$

$$\text{when } D > D_{\text{lim}}, \quad F_f = 500 \cdot \left[\frac{EAR}{Z} \right] \cdot D \cdot \frac{1}{\left[1 - \frac{d}{D} \right]} \cdot H_{ice} \text{ (kN)}$$

where,

$$D_{\text{lim}} = \frac{2}{\left[1 - \frac{d}{D} \right]} \cdot H_{ice} \text{ (m)}$$

- (6) Loaded area on the blade for ducted propellers

Load cases 1 and 3 have to be covered as given in **Table 2.2 of Annex 2** for all propellers, and an additional load case (load case 5) for an FP propeller, to cover ice loads when the propeller is reversed.

- (7) Maximum blade spindle torque Q_{smax} for open or ducted propellers

The spindle torque Q_{smax} around the axis of the blade fitting is to be determined both for the maximum backward blade force F_b and forward blade force F_f , which are applied as in **Table 2.1 and 2.2 of Annex 2**. The larger of the obtained torques is used as the dimensioning torque. If the above method gives a value which is less than the default value given by the formula below, the default value is to be used.

$$\text{Default Value } Q_{smax} = 0.25 \cdot F \cdot c_{0.7} \text{ (kN} \cdot \text{m)}$$

where,

$c_{0.7}$ is the chord length of the blade section at 0.7R radius and F is either F_b or F_f , whichever has the greater absolute value.

- (8) Load distributions for blade loads

The Weibull-type distribution (probability that F_{ice} exceeds $(F_{ice})_{\text{max}}$), as given in **Fig 1.10**, is used for the fatigue design of the blade.

$$P\left(\frac{F_{ice}}{(F_{ice})_{\text{max}}} \geq \frac{F}{(F_{ice})_{\text{max}}}\right) = e^{-\left(\frac{F}{(F_{ice})_{\text{max}}}\right)^k \cdot \ln(N_{ice})}$$

where k is the shape parameter of the spectrum, N_{ice} is the number of load cycles in the spectrum, and F_{ice} is the random variable for ice loads on the blade, $0 \leq F_{ice} \leq (F_{ice})_{max}$. The shape parameter $k = 0.75$ is to be used for the ice force distribution of an open propeller blade and the shape parameter $k = 1.0$ for that of a ducted propeller blade.




Fig 1.10 The Weibull-type distribution (probability that (F_{ice}) exceeds $(F_{ice})_{max}$) that is used for fatigue design.

(9) Number of ice loads

The number of load cycles per propeller blade in the load spectrum is to be determined according to the formula:

$$N_{ice} = k_1 \cdot k_2 \cdot k_3 \cdot N_{class}^n,$$

where,

Reference number of loads for Ice classes N_{class}

Class	IA Super	IA	IB	IC
impacts for the ship's service life /n	$9 \cdot 10^6$	$6 \cdot 10^6$	$3.4 \cdot 10^6$	$2.1 \cdot 10^6$

Propeller location factor k_1

Location	Center propeller Bow first operation	Wing propeller Bow first operation	Pulling propeller (wing and center) Bow propeller or Stern first operation
k_1	1	2	3

The submersion factor k_2 is determined from the equation

$$\begin{aligned}
 k_2 &= 0.8 - f && \text{when } f < 0 \\
 &= 0.8 - 0.4 \cdot f && \text{when } 0 \leq f \leq 1 \\
 &= 0.6 - 0.2 \cdot f && \text{when } 1 < f \leq 2.5 \\
 &= 0.1 && \text{when } f > 2.5
 \end{aligned}$$

where the immersion function f is:

$$f = \frac{h_0 - H_{ice}}{D/2} - 1$$

where h_0 is the depth of the propeller centerline at the lower ice waterline (LIWL) of the ship.

Propulsion type factor k_3

type	fixed	azimuthing
k_3	1	1.2

For components that are subject to loads resulting from propeller/ice interaction with all the propeller blades, the number of load cycles (N_{ice}) is to be multiplied by the number of propeller blades (Z).

5. Axial design loads for propellers

(1) Maximum ice thrust on propeller T_f and T_b for propellers

The maximum forward and backward ice thrusts are:

$$T_f = 1.1 \cdot F_f \quad (\text{kN})$$

$$T_b = 1.1 \cdot F_b \quad (\text{kN})$$

(2) Design thrust along the propulsion shaft line for propellers

The design thrust along the propeller shaft line is to be calculated with the formulae below. The greater absolute value of the forward and backward direction loads is to be taken as the design load for both directions. The factors 2.2 and 1.5 take into account the dynamic magnification resulting from axial vibration.

In a forward direction $T_r = T + 2.2 \cdot T_f$ (kN)

In a backward direction $T_r = 1.5 \cdot T_b$ (kN)

If hydrodynamic bollard thrust, T , is not known, T is to be taken as follows:

Table 1.17 Propeller bollard thrust T

Propeller Type	T
CP propellers (open)	$1.25 \cdot T_n$
CP propellers (ducted)	$1.1 \cdot T_n$
FP propellers driven by turbine or electric motor	T_n
FP propellers driven by diesel engine (open)	$0.85 \cdot T_n$
FP propellers driven by diesel engine (ducted)	$0.75 \cdot T_n$
NOTE: T_n = nominal propeller thrust at MCR at free running open water conditions	

6. Torsional design loads

(1) Design ice torque on propeller Q_{\max} for open propellers

Q_{\max} is the maximum torque on a propeller resulting from ice/propeller interaction during the service life of the ship.

$$\text{when } D \leq D_{\text{lim}} , \quad Q_{\max} = 10.9 \cdot \left[1 - \frac{d}{D}\right] \cdot \left[\frac{P_{0.7}}{D}\right]^{0.16} \cdot [nD]^{0.17} \cdot D^3 \text{ (kN} \cdot \text{m)}$$

$$\text{when } D > D_{\text{lim}} , \quad Q_{\max} = 20.7 \cdot \left[1 - \frac{d}{D}\right] \cdot \left[\frac{P_{0.7}}{D}\right]^{0.16} \cdot [nD]^{0.17} \cdot D^{1.9} \cdot H_{ice}^{1.1} \text{ (kN} \cdot \text{m)}$$

where

$$D_{\text{lim}} = 1.8 \cdot H_{ice} \text{ (m)}$$

n is the rotational propeller speed at MCR in bollard condition. If not known, n is to be taken as follows:

Table 1.18 The rotational propeller speed at bollard condition value n

Propeller type	Rotational speed n
CP propellers	n_n
FP propellers driven by turbine or electric motor	n_n
FP propellers driven by diesel engine	$0.85 \cdot n_n$
NOTE: Here, n_n is the nominal rotational speed at MCR in free running condition.	

For CP propellers, propeller pitch, $P_{0.7}$ is to correspond to MCR in bollard condition. If not known, $P_{0.7}$ is to be taken as $0.7 \cdot P_{0.7n}$, where $P_{0.7n}$ is propeller pitch at MCR in free running condition.

(2) Design ice torque on propeller Q_{\max} for ducted propellers

Q_{\max} is the maximum torque on a propeller during the service life of the ship resulting from ice/propeller interaction.

$$\text{when } D \leq D_{\text{lim}} , \quad Q_{\max} = 7.7 \cdot \left[1 - \frac{d}{D}\right] \cdot \left[\frac{P_{0.7}}{D}\right]^{0.16} \cdot [nD]^{0.17} \cdot D^3 \text{ (kN} \cdot \text{m)}$$

$$\text{when } D > D_{\text{lim}} , \quad Q_{\max} = 14.6 \cdot \left[1 - \frac{d}{D}\right] \cdot \left[\frac{P_{0.7}}{D}\right]^{0.16} \cdot [nD]^{0.17} \cdot D^{1.9} \cdot H_{ice}^{1.1} \text{ (kN} \cdot \text{m)}$$

where

$$D_{\text{lim}} = 1.8 \cdot H_{ice} \text{ (m)}$$

n is the rotational propeller speed at MCR in bollard condition. If not known, n is to be taken as follows:

Table 1.19 The rotational propeller speed at bollard condition value n

Propeller type	Rotational speed n
CP propellers	n_n
FP propellers driven by turbine or electric motor	n_n
FP propellers driven by diesel engine	$0.85 \cdot n_n$
NOTE: Here, n_n is the nominal rotational speed at MCR in free running condition.	

For CP propellers, propeller pitch, $P_{0.7}$ is to correspond to MCR in bollard condition. If not known, $P_{0.7}$ is to be taken as $0.7 \cdot P_{0.7n}$, where $P_{0.7n}$ is propeller pitch at MCR in free running condition.

(3) Design torque for non-resonant shaft line

If there is not any relevant first blade order torsional resonance in the operational speed range or in the range 20% above and 20% below the maximum operating speed (bollard condition), the following estimation of the maximum torque can be used.

Directly coupled two stroke diesel engines without flexible coupling:

$$Q_r = Q_{emax} + Q_{vib} + Q_{max} \cdot \frac{I}{I_t} \quad (\text{kN} \cdot \text{m})$$

Other plants:

$$Q_r = Q_{emax} + Q_{max} \cdot \frac{I}{I_t} \quad (\text{kN} \cdot \text{m})$$

Where,

I is equivalent mass moment of inertia of all parts on engine side of component under consideration and,

I_t is equivalent mass moment of inertia of the whole propulsion system

All the torques and the inertia moments are to be reduced to the rotation speed of the component being examined. If the maximum torque, Q_{emax} , is not known, it is to be taken as given in **Table 1.20**.

Table 1.20 the maximum torque Q_{emax}

Propeller type	Q_{emax}
Propellers driven by electric motor(FP and CP)	Q_{motor}
CP propellers driven by prime movers other than electric motor	Q_n
FP propellers driven by turbine	Q_n
FP propellers driven by diesel engine	$0.75 \cdot Q_n$
NOTE: Here, Q_{motor} is the electric motor peak torque.	

(4) Design torque for shaft line having resonances

If there is a first blade order torsional resonance in the operational speed range or in the range

20% above and 20% below the maximum operating speed (bollard condition), the design torque Q_{peak} of the shaft component is to be determined by means of torsional vibration analysis of the propulsion line. There are two alternative ways to make the dynamic analysis.

- Time domain calculation for estimated milling sequence excitation
- Frequency domain calculation for blade orders sinusoidal excitation

The frequency domain analysis is generally considered as conservative compared to the time domain simulation provided there is a first blade order resonance in the considered speed range.

(A) Time domain calculation of torsional response

Time domain calculations shall be calculated for MCR condition, MCR bollard conditions and for blade order resonant rotational speeds so that the resonant vibration responses can be obtained.

The load sequence given in below for a case where propeller is milling an ice block shall be used for strength evaluation of the propulsion line. The given load sequence is not intended for propulsion system stalling analyses.

The following load cases are intended to reflect the operational loads on the propulsion system, when the propeller interacts with ice, and the respective reaction of the complete system. The ice impact and system response causes loads in the individual shaft line components. The ice torque Q_{max} may be taken as a constant value in the complete speed range. When considerations at specific shaft speeds are performed a relevant Q_{max} may be calculated using the relevant speed according to (1), (2).

Diesel engine plants without an elastic coupling shall be calculated at the least favourable phase angle for ice versus engine excitation, when calculated in the time domain. The engine firing pulses shall be included in the calculations and their standard steady state harmonics can be used.

If there is a blade order resonance just above the MCR speed, calculations shall cover the rotational speeds up to 105 % of the MCR speed.

The propeller ice torque excitation for shaft line transient dynamic analysis in time domain is defined as a sequence of blade impacts which are of half sine shape. The excitation frequency shall follow the propeller rotational speed during the ice interaction sequence. The torque due to a single blade ice impact as a function of the propeller rotation angle is then defined using the formula:

when φ rotates from 0 to α_i plus integer revolutions.

$$Q(\varphi) = C_q \cdot Q_{max} \cdot \sin(\varphi(180/\alpha_i))$$


when φ rotates from α_i to 360 plus integer revolutions.

$$Q(\varphi) = 0$$

where,

φ is rotation angle starting when the first impact occurs and C_q and α_i parameters are given in **Table 1.21**.

α_i is duration of propeller blade/ice interaction expressed in term of propeller rotation angle as following picture.



Schematic ice torque due to a single blade ice impact as a function of the propeller rotation angle

Table 1.21 Ice impact magnification and duration factors for different blade numbers

Torque excitation	Propeller-ice interaction	C_q	α_i [deg.]			
			Z=3	Z=4	Z=5	Z=6
Excitation Case 1	Single ice block	0.75	90	90	72	60
Excitation Case 2	Single ice block	1.0	135	135	135	135
Excitation Case 3	Two ice blocks (phase shift $360/2 \cdot Z$ deg.)	0.5	45	45	36	30
Excitation Case 4	Single ice block	0.5	45	45	36	30

The total ice torque is obtained by summing the torque of single blades, taking into account the phase shift 360 deg./Z . See **Fig 2.1 of Annex 2**. At the beginning and at the end of the milling sequence (within calculated duration) linear ramp functions shall be used to increase C_q to its maximum within one propeller revolution and vice versa to decrease it to zero. The number of propeller revolutions during a milling sequence is to be obtained from the formula:

$$N_Q = 2 \cdot H_{ice}$$

The number of impacts is $Z \cdot N_Q$ for blade order excitation. An illustration of all excitation cases for different blade numbers is given in **Fig 2.1 of Annex 2**.

The dynamic simulation has to be performed for all excitation cases at the operational rotational speed range. For a fixed pitch propeller propulsion plant the dynamic simulation shall also cover bollard pull condition with a corresponding rotational speed assuming maximum possible output of the engine. If a speed drop occurs down to stand still of the main engine, it indicates that the engine may not be sufficiently powered for the intended service task. For the consideration of loads, the maximum occurring torque during the speed drop process has to be taken. For the time domain calculation the simulated response torque typically include the engine mean torque and the propeller mean torque. If this is not the case, response torques is to be obtained using the following formula.

$$Q_r = Q_{max} + Q_{rtd}$$

Q_{rtd} is the maximum simulated torque obtained from the time domain analysis.

(B) Frequency domain calculation of torsional response

For frequency domain calculations blade order and twice the blade order excitation may be used. The amplitudes for blade order and twice the blade order sinusoidal excitation have been derived based on the assumption that the time domain half sine impact sequences were continuous, and the Fourier series components for blade order and twice the blade order components have been derived. The propeller ice torque is then:

$$Q_F(\varphi) = Q_{\max} \cdot (C_{q0} + C_{q1} \cdot \sin(Z \cdot E_0 \cdot \varphi + \alpha_1) + C_{q2} \cdot \sin(2 \cdot Z \cdot E_0 \cdot \varphi + \alpha_2)) \text{ (kNm)}$$

where,

C_{q0} is mean torque parameter

C_{q1} is first blade order excitation parameter

C_{q2} is second blade order excitation parameter

α_1, α_2 are phase angles of excitation component

φ is angle of rotation

E_0 is number of ice blocks in contact

Above coefficients for frequency domain excitation calculation are to be taken as given in **Table 1.22**.

Design torque for the frequency domain excitation case is to be obtained using the formula:

$$Q_r = Q_{\max} + Q_{vib} + Q_{\max}^n \cdot C_{q0} + Q_{rf1} + Q_{rf2}$$

Where,

Q_{\max}^n is the maximum propeller ice torque at the operation speed in consideration

C_{q0} is the mean static torque coefficient from **Table 1.22**

Q_{rf1} is the blade order torsional response from the frequency domain analysis

Q_{rf2} is the second order blade torsional response from the frequency domain analysis

If the prime mover maximum torque, Q_{\max} , is not known, it shall be taken as given in **Table 1.20**. All the torque values have to be scaled to the shaft revolutions for the component in question.

Table 1.22 Coefficients for frequency domain excitation calculation

Torque excitation	Z=3					
	C_{q0}	C_{q1}	α_1	C_{q2}	α_2	E_0
Excitation Case 1	0.375	0.36	-90	0	0	1
Excitation Case 2	0.7	0.33	-90	0.05	-45	1
Excitation Case 3	0.25	0.25	-90	0	0	2
Excitation Case 4	0.2	0.25	0	0.05	-90	1
Torque excitation	Z=4					
	C_{q0}	C_{q1}	α_1	C_{q2}	α_2	E_0
Excitation Case 1	0.45	0.36	-90	0.06	-90	1
Excitation Case 2	0.9375	0	-90	0.0625	-90	1
Excitation Case 3	0.25	0.25	-90	0	0	2
Excitation Case 4	0.2	0.25	0	0.05	-90	1
Torque excitation	Z=5					
	C_{q0}	C_{q1}	α_1	C_{q2}	α_2	E_0
Excitation Case 1	0.45	0.36	-90	0.06	-90	1
Excitation Case 2	1.19	0.17	-90	0.02	-90	1
Excitation Case 3	0.3	0.25	-90	0.048	-90	2
Excitation Case 4	0.2	0.25	0	0.05	-90	1
Torque excitation	Z=6					
	C_{q0}	C_{q1}	α_1	C_{q2}	α_2	E_0
Excitation Case 1	0.45	0.36	-90	0.05	-90	1
Excitation Case 2	1.435	0.1	-90	0	0	1
Excitation Case 3	0.3	0.25	-90	0.048	-90	2
Excitation Case 4	0.2	0.25	0	0.05	-90	1

(C) Guidance for torsional vibration calculation

The aim of time domain torsional vibration simulations is to estimate the extreme torsional load for ship's lifespan. The simulation model can be taken from the normal lumped mass elastic torsional vibration model including damping. For time domain analysis the model should include the ice excitation at propeller, other relevant excitations and the mean torques provided by the prime mover and hydrodynamic mean torque in the propeller. The calculations should cover variation of phase between the ice excitation and prime mover excitation. This is extremely relevant to propulsion lines with direct driven combustion engines. Time domain calculations shall be calculated for MCR condition, MCR bollard conditions and for resonant speed so that the resonant vibration responses can be obtained.

For frequency domain calculations the load should be estimated as Fourier component analysis of the continuous sequence of half sine load sequences. The first and second order blade components should be used for excitation. The calculation should cover the whole relevant rpm range and simulation of responses at the torsional vibration resonances.

7. Blade failure load

(1) Bending force, F_{ex}

The ultimate load resulting from blade failure as a result of plastic bending around the blade root is to be calculated by the formula below or alternatively by means of an appropriate stress analysis, reflecting the non-linear plastic material behaviour of the actual blade. In such a case, the blade failure area may be outside the root section. The ultimate load is assumed to be acting on the blade at the $0.8R$ radius in the weakest direction of the blade. A alternative methodology for estimation of the blade failure loads and spindle torque is given in 10.1 of the **Guidelines for the Application of the Finnish-Swedish Ice Class Rules**.

A blade is regarded as having failed, if the tip is bent to an offset by more than 10% of propeller diameter D .

$$F_{ex} = \frac{300 \cdot c \cdot t^2 \cdot \sigma_{ref1}}{0.8 \cdot D - 2 \cdot r} \quad (\text{kN})$$

where,

$$\sigma_{ref1} = 0.6 \cdot \sigma_{0.2} + 0.4 \cdot \sigma_u \quad (\text{MPa})$$

c , t , and r are respectively the actual chord length, maximum thickness and radius of the cylindrical root section of the blade, which is the weakest section outside the root fillet typically located at the point where the fillet terminates at the blade profile. (see Fig 1.11).




Fig 1.11 Dimension of propeller section for calculation of blade failure load

(2) Spindle Torque, Q_{sex}

The maximum spindle torque due to a blade failure load acting at $0.8R$ shall be determined. The force that causes blade failure typically reduces when moving from the propeller centre towards the leading and trailing edges. At a certain distance from the blade centre of rotation the maximum spindle torque will occur. This maximum spindle torque shall be calculated by an appropriate stress analysis or using the equation given below.

$$Q_{sex} = \max(C_{LE0.8}; 0.8 \cdot C_{TE0.8}) \cdot C_{spex} \cdot F_{ex} \quad (\text{kN} \cdot \text{m})$$

where,

$$C_{spex} = C_{sp} \cdot C_{fex} = 0.7 \cdot \left(1 - \left(4 \cdot \frac{EAR}{Z}\right)^3\right)$$

C_{sp} is non-dimensional parameter taking into account the spindle.

C_{fex} is non-dimensional parameter taking into account the reduction of blade failure force at the location of maximum spindle torque.

If C_{spex} is below 0.3, a value of 0.3 shall to be used for C_{spex} .

$C_{LE0.8}$ is the leading edge portion of the chord length at 0.8R.

$C_{TE0.8}$ is the trailing edge portion of the chord length at 0.8R.

Fig 1.12 below illustrates the spindle torque values due to blade failure loads across the entire chord length.




Fig 1.12 Schematic figure showing a blade failure load and related spindle torque when the force acts at different location on the chord line at radius 0.8 R

606. Design

1. Design principle

The strength of the propulsion line is to be designed according to the pyramid strength principle. This means that the loss of the propeller blade shall not cause any significant damage to other propeller shaft line components.

2. Propeller blade

(1) Calculation of blade stresses

The blade stresses is to be calculated for the design loads given in Section 605. 4. Finite element analysis is to be used for stress analysis for final approval for all propellers. The following simplified formulae can be used in estimating the blade stresses for all propellers at the root area ($r/R < 0.5$). The root area dimensions based on following formula can be accepted even if the FEM analysis would show greater stresses at the root area.

$$\sigma_{st} = C_1 \cdot \frac{M_{BL}}{100 \cdot ct^2} \text{ (MPa)}$$

where,

constant C_1 is the $\frac{\text{actual stress}}{\text{stress obtained with beam equation}}$.

If the actual value is not available, C_1 should be taken as 1.6.

$$M_{BL} = (0.75 - r/R) \cdot R \cdot F, \text{ for relative radius } r/R < 0.5$$

F is the maximum of F_b and F_f , whichever is greater absolute value.

(2) Acceptability criterion

The following criterion for calculated blade stresses has to be fulfilled.

$$\frac{\sigma_{ref2}}{\sigma_{st}} \geq 1.3$$

where,

σ_{st} is the calculated stress for the design loads. If FEM analysis is used in estimating the stresses, von Mises stresses are to be used.

σ_{ref2} is the reference stress, defined as:

$$\sigma_{ref2} = 0.7 \cdot \sigma_u \text{ or } \sigma_{ref2} = 0.6 \cdot \sigma_{0.2} + 0.4 \cdot \sigma_u, \text{ whichever is less.}$$

(3) Fatigue design of propeller blade

The fatigue design of the propeller blade is based on an estimated load distribution for the service life of the ship and the S-N curve for the blade material. An equivalent stress that produces the same fatigue damage as the expected load distribution shall be calculated and the acceptability criterion for fatigue should be fulfilled as given in this Section. The equivalent stress is normalized for 10^8 cycles.

For materials having two slope S-N curve (See Fig 1.13) fatigue calculations according to this sub-paragraph are not required if the following criterion is fulfilled.

$$\sigma_{exp} \geq B_1 \cdot \sigma_{ref2}^{B_2} \cdot \log(N_{ice})^{B_3}$$

where, B_1 , B_2 and B_3 coefficients for propellers are given in the table below.

Table 1.23 B_1 , B_2 and B_3 coefficients

	Open propeller	Ducted propeller
B_1	0.00328	0.00223
B_2	1.0076	1.0071
B_3	2.101	2.471

For calculation of equivalent stress two types of S-N curves are available.

- Two slope S-N curve (slopes 4.5 and 10), see Fig 1.13.
- One slope S-N curve (the slope can be chosen), see Fig 1.14.

The type of the S-N curve is to be selected to correspond to the material properties of the blade. If S-N curve is not known, the two slope S-N curve is to be used.




Fig 1.13 Two-slope S-N curve




Fig 1.14 Constant-slope S-N curve

(A) Equivalent fatigue stress

The equivalent fatigue stress for 10^8 stress cycles which produces the same fatigue damage as the load distribution is:

$$\sigma_{fat} = \rho \cdot (\sigma_{ice})_{max}$$

where,

$$(\sigma_{ice})_{max} = 0.5 \cdot [(\sigma_{ice})_{fmax} - (\sigma_{ice})_{bmax}]$$

$(\sigma_{ice})_{max}$ is the mean value of the principal stress amplitudes resulting from design forward and backward blade forces at the location being studied

$(\sigma_{ice})_{fmax}$ is the principal stress resulting from forward load

$(\sigma_{ice})_{bmax}$ is the principal stress resulting from backward load

In calculation of $(\sigma_{ice})_{max}$, case 1 and case 3 (or case 2 and case 4) in **Table 2.1, 2.2** of **Annex 2** are considered as a pair for $(\sigma_{ice})_{fmax}$, and $(\sigma_{ice})_{bmax}$ calculations. Case 5 is excluded from the fatigue analysis.

(B) Calculation of ρ parameter for two-slope S-N curve

The parameter ρ relates the maximum ice load to the distribution of ice loads according to the regression formulae.

$$\rho = C_1 \cdot (\sigma_{ice})_{max}^{C_2} \cdot \sigma_{fl}^{C_3} \cdot \log(N_{ice})^{C_4}$$

where,

$$\sigma_{fl} = \gamma_{\epsilon 1} \cdot \gamma_{\epsilon 2} \cdot \gamma_v \cdot \gamma_m \cdot \sigma_{exp}$$

where,

$\gamma_{\epsilon 1}$ is the reduction factor due to scatter (equal to one standard deviation)

$\gamma_{\epsilon 2}$ is the reduction factor for test specimen size effect

γ_v is the reduction factor for variable amplitude loading

γ_m is the reduction factor for mean stress

σ_{exp} is the mean fatigue strength of the blade material at 10^8 cycles to failure in seawater. The following values should be used for the reduction factors if actual values are not available: $\gamma_{\epsilon} = \gamma_{\epsilon 1} \cdot \gamma_{\epsilon 2} = 0.67$, $\gamma_v = 0.75$, and $\gamma_m = 0.75$.

The coefficients C_1 , C_2 , C_3 , and C_4 are given in **Table 1.24**. The applicable range of N_{ice} for calculating ρ is $5 \times 10^6 \leq N_{ice} \leq 10^8$.

Table 1.24 The coefficients C_1 , C_2 , C_3 , and C_4

	Open propeller	Ducted propeller
C_1	0.000747	0.000534
C_2	0.0645	0.0533
C_3	- 0.0565	- 0.0459
C_4	2.22	2.584

(C) Calculation of ρ parameter for constant-slope S-N curve

For materials with a constant-slope S-N curve (see Fig 1.14), the ρ factor is to be calculated with the following formula:

$$\rho = \left(G \cdot \frac{N_{ice}}{N_R} \right)^{1/m} (\ln(N_{ice}))^{-1/k}$$

where,

k is the shape parameter of the Weibull distribution $k = 1.0$ for ducted propellers and $k = 0.75$ for open propellers.

N_R is the reference number of load cycles ($=10^8$)

Values for the G parameter are given in Table 1.25.

Linear interpolation may be used to calculate the G value for other m/k ratios than given in the Table 1.25.

Table 1.25 Value for the G parameter for different m/k ratios

m/k	G	m/k	G	m/k	G	m/k	G
3	6	5.5	287.9	8	40320	10.5	11.899E6
3.5	11.6	6	720	8.5	119292	11	39.917E6
4	24	6.5	1871	9	362880	11.5	136.843E6
4.5	52.3	7	5040	9.5	1.133E6	12	479.002E6
5	120	7.5	14034	10	3.623E6		

(4) Acceptability criterion for fatigue

The equivalent fatigue stress at all locations on the blade has to fulfil the following acceptability criterion.

$$\frac{\sigma_{fl}}{\sigma_{fat}} \geq 1.5$$

where,

$$\sigma_{fl} = \gamma_{\epsilon 1} \cdot \gamma_{\epsilon 2} \cdot \gamma_{\nu} \cdot \gamma_m \cdot \sigma_{exp}$$

where,

$\gamma_{\epsilon 1}$ is the reduction factor due to scatter (equal to one standard deviation)

$\gamma_{\epsilon 2}$ is the reduction factor for test specimen size effect

γ_{ν} is the reduction factor for variable amplitude loading

γ_m is the reduction factor for mean stress

σ_{exp} is the mean fatigue strength of the blade material at 10^8 cycles to failure in seawater.

The following values should be used for the reduction factors if actual values are not available: $\gamma_{\epsilon} = \gamma_{\epsilon 1} \cdot \gamma_{\epsilon 2} = 0.67$, $\gamma_{\nu} = 0.75$, and $\gamma_m = 0.75$.

3. Propeller bossing and CP mechanism

The blade bolts, the CP mechanism, the propeller boss, and the fitting of the propeller to the pro-

propeller shaft is to be designed to withstand the maximum and fatigue design loads, as defined in 605. The safety factor against yielding is to be greater than 1.3 and that against fatigue greater than 1.5. In addition, the safety factor for loads resulting from loss of the propeller blade through plastic bending as defined in 605. 7 is to be greater than 1.0 against yielding.

4. Propulsion shaft line

The shafts and shafting components, such as the thrust and stern tube bearings, couplings, flanges and sealings, are to be designed to withstand the propeller/ice interaction loads as given in 605. The safety factor is to be at least 1.3 against yielding for extreme operational loads, 1.5 for fatigue loads and 1.0 against yielding for the blade failure load.

(1) Shafts and shafting components

The ultimate load resulting from total blade failure as defined in 605. 7 should not cause yielding in shafts and shaft components. The loading shall consist of the combined axial, bending, and torsion loads, wherever this is significant. The minimum safety factor against yielding is to be 1.0 for bending and torsional stresses.

5. Azimuth main propulsors

(1) Design principle

In addition to the above requirements considering propeller blade dimensioning, the azimuth thrusters have to be designed for the thruster body/ice interaction loads. The load formulae are given to estimate the once a lifetime extreme loads on the thruster body basing on estimated ice condition and ship operational parameters. Two main ice load scenarios have been selected to define the extreme ice loads. The examples of loads are illustrated in Fig 1.15. In addition, blade order thruster body vibration responses may be estimated for propeller excitation.

- Ice block impact to the thruster body or propeller hub
- Thruster penetration into an ice ridge that has a thick consolidated layer.
- Vibratory response of the thruster at blade order frequency




Fig 1.15 Examples of load scenario to types

The steering mechanism, the fitting of the unit, and the body of the thruster shall be designed to withstand the plastic bending of a blade without damage. The loss of a blade shall be considered for the propeller blade orientation which causes the maximum load on the component being studied. Typically, top-down blade orientation places the maximum bending loads on the thruster body.

(2) Extreme ice impact loads

When the ship is operated in ice conditions the ice blocks formed in channel side walls or from the ridge consolidated layer may impact on the thruster body and also on the propeller hub. The exposure to ice impact is very much dependent on the ship size and ship hull design as well as

location of the thruster. The contact force will grow on the thruster/ice contact until the ice block will reach the ship speed.

The thruster has to withstand the loads obtained when the maximum ice blocks, which are given in **603.**, hit the thruster body when the ship is sailing at a typical ice operating speed. Load cases for impact loads are given in **Table 1.26**. The contact geometry is estimated to be hemisphere in shape. If the actual contact geometry differs from the shape of hemisphere a sphere radius has to be estimated so that the growth of the contact area as a function of penetration to ice corresponds as close as possible to the actual geometrical shape penetration.

Table 1.26 Load cases for azimuth thruster ice impact loads

	Force	Loaded area	
Load case T_{1a} Symmetric longitudinal ice impact on thruster	F_{ti}	Uniform distributed load or uniform pressure, which are applied symmetrically on the impact area.	
Load case T_{1b} Non-symmetric longitudinal ice impact on thruster	50 % of F_{ti}	Uniform distributed load or uniform pressure, which are applied on the other half of the impact area.	
Load case T_{1c} Non-symmetric longitudinal ice impact on nozzle	F_{ti}	Uniform distributed load or uniform pressure, which are applied on the impact area. Contact area is equal to the nozzle thickness (H_{nz})*contact length(H_{ice})	
Load case T_{2a} Symmetric longitudinal ice impact on propeller hub	F_{ti}	Uniform distributed load or uniform pressure, which are applied symmetrically on the impact area.	
Load case T_{2b} Non-symmetric longitudinal ice impact on propeller hub	50 % of F_{ti}	Uniform distributed load or uniform pressure, which are applied on the other half of the impact area.	
Load case T_{3a} Symmetric lateral ice impact on thruster body	F_{ti}	Uniform distributed load or uniform pressure, which are applied symmetrically on the impact area.	

Table 1.26 Load cases for azimuth thruster ice impact loads (continued)

	Force	Loaded area	
Load case T_{3b} Non-symmetric lateral ice impact on thruster body or nozzle	F_{ti}	Uniform distributed load or uniform pressure, which are applied on the impact area. Nozzle contact radius R to be taken from the nozzle length (L_{nz})	

The ice impact contact load has to be calculated with the following formula. The related parameter values are given in **Table 1.27**. The design operation speed in ice can be derived from the **Table 1.28** and **Table 1.29**, or the ship in question's actual design operation speed in ice can be used. The longitudinal impact speed in **Table 1.28** and **Table 1.29** refers to the impact in the thruster's main operational direction. For the pulling propeller configuration, the longitudinal impact speed is used for load case T_2 , impact on hub; and for the pushing propeller unit, the longitudinal impact speed is used for load case T_1 , impact on thruster end cap. For the opposite direction, the impact speed for transversal impact is applied.

$$F_{ti} = C_{DMI} 34.5 R_c^{0.5} (m_{ice} v_s^2)^{0.333} \quad (\text{kN})$$

where,

R_c is impacting part sphere radius, see **Fig. 1.16** (m)

m_{ice} is ice block mass (kg)

v_s is ship speed at the time of contact (m/s)

C_{DMI} is the dynamic magnification factor for impact loads. C_{DMI} is to be taken from **Table 1.27** if unknown.

For impacts on non-hemispherical areas, such as the impact on the nozzle, the equivalent impact sphere radius is to be estimated using the equation below.

$$R_{ceq} = \sqrt{\frac{A}{\pi}} \quad (\text{m})$$

If the $2 \cdot R_{ceq}$ is greater than the ice block thickness, the radius is set to half of the ice block thickness. For the impact on the thruster side, the pod body diameter can be used as a basis for determining the radius. For the impact on the propeller hub, the hub diameter can be used as a basis for the radius.


Fig 1.16 Dimensions used for R_c

Table 1.27 Parameter values for ice dimensions and dynamic magnification

	IA Super	IA	IB	IC
Thickness of the design ice block impacting thruster ($2/3$ of H_{ice})	1.17 m	1.0 m	0.8 m	0.67 m
Extreme ice block mass (m_{ice})	8670 kg	5460 kg	2800 kg	1600 kg
C_{DMI} (if not known)	1.3	1.2	1.1	1

Table 1.28 Impact speeds for aft centerline thruster

	IA Super	IA	IB	IC
Longitudinal impact in main operational direction	6 m/s	5 m/s	5 m/s	5 m/s
Longitudinal impact in reversing direction (pushing unit propeller hub or pulling unit cover end cap impact)	4 m/s	3 m/s	3 m/s	3 m/s
Transversal impact in bow first operation	3 m/s	2 m/s	2 m/s	2 m/s
Transversal impact in stern first operation (double acting ship)	4 m/s	3 m/s	3 m/s	3 m/s

Table 1.29 Impact speeds for aft wing, bow centerline and bow wing thrusters

	IA Super	IA	IB	IC
Longitudinal impact in main operational direction	6 m/s	5 m/s	5 m/s	5 m/s
Longitudinal impact in reversing direction (pushing unit propeller hub or pulling unit cover end cap impact)	4 m/s	3 m/s	3 m/s	3 m/s
Transversal impact	4 m/s	3 m/s	3 m/s	3 m/s

(3) Extreme ice loads on thruster hull when penetrating into an ice ridge

In ice conditions ships operate typically in ice channels. When passing other ships, ships may be subject to loads that are caused by their thrusters penetrating into ice channel walls. There is usually a consolidated layer at the ice surface, below which the ice blocks are loose. In addition, the thruster may penetrate into ice ridges when backing. Such a situation is likely in case of IA Super ships in particular, because they may operate independently in difficult ice conditions. However, the thrusters in ships with lower ice classes may also have to withstand such a situation, but at a remarkably lower ship speed.

In this load scenario, the ship is penetrating a ridge in thruster first mode with an initial speed. This situation occurs when a ship with a thruster at the bow moves forward, or a ship with a thruster astern moves in backing mode. The maximum load during such an event is considered the extreme load. An event of this kind typically lasts several seconds, due to which the dynamic magnification is considered negligible and is not taken into account.

The load magnitude must be estimated for the load cases shown in **Table 1.30** using equation below. The parameter values for calculations are given in **Table 1.31** and **Table 1.32**. The loads are to be applied as uniform distributed load or uniform pressure over the thruster surface. The design operation speed in ice can be derived from **Table 1.31** or **Table 1.32**. Alternatively, the actual design operation speed in ice of the ship in question can be used.

$$F_{tr} = 0.032 \cdot \nu_s^{0.66} \cdot H_r^{0.9} \cdot A_t^{0.74} \quad (\text{kN})$$

where,

ν_s is ship speed (m/s)

H_r is design ridge thickness (the thickness of the consolidated layer is 18 % of the total ridge thickness) (m)

A_t is projected area of the thruster (m²)

When calculating the contact area for thruster-ridge interaction, the loaded area in vertical direction is limited to the ice ridge thickness as shown in **Fig 1.17**.

Table 1.30 Load cases for ridge ice loads

	Force	Loaded area	
Load case T_{4a} Symmetric longitudinal ridge penetration loads	F_{tr}	Uniform distributed load or uniform pressure, which are applied symmetrically on the impact area.	

Table 1.30 Load cases for ridge ice loads (continued)

	Force	Loaded area	
<p>Load case T_{4b} Non-symmetric longitudinal ridge penetration loads</p>	<p>50% of F_{tr}</p>	<p>Uniform distributed load or uniform pressure, which are applied on the other half of the contact area.</p>	
<p>Load case T_{5a} Symmetric lateral ridge penetration loads for ducted azimuthing unit and pushing open propeller unit</p>	<p>F_{tr}</p>	<p>Uniform distributed load or uniform pressure, which are applied symmetrically on the contact area.</p>	
<p>Load case T_{5b} Non-symmetric lateral ridge penetration loads for all azimuthing unit</p>	<p>50% of F_{tr}</p>	<p>Uniform distributed load or uniform pressure, which are applied on the other half of the contact area.</p>	




Fig 1.17 Schematic figure showing the reduction of the contact area by the maximum ridge thickness

Table 1.31 Parameters for calculating maximum loads when thruster penetrates into an ice ridge. Aft thrusters. Bow first operation

	IA Super	IA	IB	IC
Thickness of the design ridge consolidated layer	1.5 m	1.5 m	1.2 m	1.0 m
Total thickness of the design ridge	8 m	8 m	6.5 m	5 m
Initial ridge penetration speed (longitudinal loads)	4 m/s	2 m/s	2 m/s	2 m/s
Initial ridge penetration speed (transversal loads)	2 m/s	1 m/s	1 m/s	1 m/s

Table 1.32 Parameters for calculating maximum loads when thruster penetrates into ice ridge. Thruster first mode such as double acting ships.

	IA Super	IA	IB	IC
Thickness of the design ridge consolidated layer	1.5 m	1.5 m	1.2 m	1.0 m
Total thickness of the design ridge	8 m	8 m	6.5 m	5 m
Initial ridge penetration speed (longitudinal loads)	6 m/s	4 m/s	4 m/s	4 m/s
Initial ridge penetration speed (transversal loads)	3 m/s	2 m/s	2 m/s	2 m/s

(4) Acceptability criterion for static loads

The stresses on the thruster must be calculated for the extreme once in a lifetime loads described in **Par 5**. The nominal von Mises stresses on the thruster body must have a safety margin of 1.3 against yielding strength of the material. At areas of local stress concentrations, stress must have a safety margin of 1.0 against yielding. The slewing bearing, bolt connections and other components must be able to maintain the operability without incurring damage that requires repair when subject to the loads given in (2), (3) multiplied by a safety factor of 1.3.

(5) Thruster body global vibration

Evaluating the global vibratory behavior of the thruster body is important, if the first blade order excitations are in the same frequency range with the thruster global modes of vibration, which occur when the propeller rotational speeds are in the high power range of the propulsion line. This evaluation is mandatory and it must be shown that there is either no global first blade order resonance at high operational propeller speeds (above 50% of maximum power) or that the structure is designed to withstand vibratory loads during resonance above 50% of maximum

power.

When estimating thruster global natural frequencies in the longitudinal and transverse direction, the damping and added mass due to water must be taken into account. In addition to this, the effect of ship attachment stiffness must be modelled. A methodology to estimate the vibratory loads is given in 10.4 of the **Guidelines for the Application of the Finnish–Swedish Ice Class Rules**.

607. Alternative design procedure

1. Scope

As an alternative to 605. and 606., a comprehensive design study may be carried out to the satisfaction of the society. The study has to be based on ice conditions given for different Ice classes in 603. It has to include both fatigue and maximum load design calculations and fulfil the pyramid strength principle, as given in 606. 1.

2. Loading

Loads on the propeller blade and propulsion system are to be based on an acceptable estimation of hydrodynamic and ice loads.

3. Design levels

- (1) The analysis is to indicate that all components transmitting random (occasional) forces, excluding propeller blade, are not subjected to stress levels in excess of the yield stress of the component material, with a reasonable safety margin.
- (2) Cumulative fatigue damage calculations are to indicate a reasonable safety factor. Due account is to be taken of material properties, stress raisers, and fatigue enhancements.
- (3) Vibration analysis is to be carried out and is to indicate that the complete dynamic system is free from harmful torsional resonances resulting from propeller/ice interaction.

608. Design of propulsion shafting for Ice class ID (2020)

1. Application

This regulation applies to the design of propulsion shafting for ships with Ice class ID. However, some or all of propulsion shaft design for Ice class IC in this section may be applied.

2. Propeller shaft and stern tube shaft

The diameter of propeller shaft and stern tube shaft is not to be less than 5% increased from the shaft diameter calculated in accordance with Pt 5, Ch 3, 204. of the Rules for the Classification of Steel Ships.

3. Thickness of Propeller Blade

- (1) The thickness of propeller blade is not to be less than 8% increased from the blade thickness calculated in accordance with Pt 5, Ch 3, 303. of the Rules for the Classification of Steel Ships.
- (2) The thickness $t_{0.95}$ of propeller blades at a radius of $0.95R$ is not to be less than that obtained from the following formula.

$$t_{0.95} = 0.14(t + 57) \sqrt[3]{\frac{430}{T}}$$

$t_{0.95}$: Thickness of propeller blade at a radius of $0.95R$ (mm)

t : Thickness at the root of propeller blade in accordance with Pt 5, Ch 3, 303. of Rules for the Classification of Steel Ships (solid propeller: $0.25R$, controllable pitch propeller: $0.35R$) (mm)

T : Specified minimum tensile strength of propeller material (N/mm^2)

4. Fitting of propeller

Where the propeller is force-fitted to the propeller shaft without the use of a key, the calculations for pull-up length and pull-up load in accordance with Pt 5, Ch 3, 305. 2 (C) of the

Guidance Relating to the Rules for the Classification of Steel Ships is to be carried out using F_V' of the following formula in lieu of F_V .

$$F_V' = F_V + 0.15 \frac{2cQ}{D_s}$$

Section 7 Miscellaneous Machinery Requirements

701. Starting arrangements

1. The capacity of the air receivers is to be sufficient to provide without reloading not less than 12 consecutive starts of the propulsion engine, if this has to be reversed for going astern, or 6 consecutive starts if the propulsion engine does not have to be reversed for going astern.
2. If the air receivers serve any other purposes than starting the propulsion engine, in addition to the capacity required by **Par 1**, they are to have a sufficient capacity for these purposes.
3. The capacity of the air compressors is to be sufficient for charging the air receivers from atmospheric to full pressure in one (1) hour as specified in **Pt 5, Ch 6, 1101. of the Rules for the Classification of Steel Ships**, except for a ship with the Ice class IA Super, if its propulsion engine has to be reversed for going astern, in which case the compressor is to be able to charge the receivers in half an hour.

702. Sea inlet and cooling water systems

1. The cooling water system is to be designed to ensure supply of cooling water when navigating in ice.
2. To satisfy **Par 1**, at least one cooling water inlet chest is to be arranged as follows. However, the ship with Ice class ID may not comply with the requirements in (2), (3) and (5).
 - (1) The sea inlet is to be situated near the centerline of the ship and well aft if possible.
 - (2) As guidance for design, the volume of the chest is to be about 1 m³ for every 750 kW engine output of the ship including the output of auxiliary engines necessary for the ship's service.
 - (3) The chest is to be sufficiently high to allow ice to accumulate above the inlet pipe and the height of sea chest is not less than the value obtained from the following formula.

$$H = 1.5 \sqrt[3]{V}$$

V = volume of sea chest specified in (2) and, inlet pipe is to be not located higher than $H/3$ from the uppermost of sea chest.

- (4) A pipe for discharge cooling water, allowing full capacity circulate, is to be connected to the chest. Here, "full capacity of cooling water" in means that the cooling water is used for the following purposes
 - (1) Main propulsion system (main engine, power train, shafts)
 - (2) prime movers for generator
 - (3) main boiler and primary equipments of auxiliary boiler
- (5) The open area of the strainer plates is not to be less than four (4) times the inlet pipe sectional area.
3. If there are difficulties to meet the requirements of **Par 2** (2) and (3), two smaller chests may be arranged for alternating intake and discharge of cooling water. In this case, the requirements in **Par 2** (1), (4) and (5) are to be complied with. If the volume and height are not comply with **2** (2) and (3), inlet and outlet pipes of cooling water is to be connected to sea chest.
4. Heating coils may be installed in the upper part of the sea chest.
5. Arrangements for using ballast water for cooling purposes may be useful as a reserve in ballast condition but cannot be accepted as a substitute for sea inlet chest as described above. ↓

CHAPTER 2 SHIPS FOR NAVIGATION IN POLAR WATERS

Section 1 Polar Class Descriptions and Application

101. Application

1. This chapter is to apply to ships constructed of steel and intended for independent navigation in ice-infested polar waters.
2. Ships that comply with the requirements in **Sec 2** and **Sec 3** can be considered for a Polar Class notation as listed in **Table 2.1**. The requirements of **Sec 2** and **Sec 3** are in addition to the open water requirements of the Society. If the hull and machinery are constructed such as to comply with the requirements of different Polar Classes, then both the hull and machinery are to be assigned the lower of these classes in the Certificate of Classification. Compliance of the hull or machinery with the requirements of a higher Polar Class is also to be indicated in the Certificate of Classification or equivalent.
3. Ships which are assigned a Polar Class notation and complying with the relevant requirements of **Sec 2** and **Sec 3** may be given the additional notation "Icebreaker". "Icebreaker" refers to any ship having an operational profile that includes escort or ice management functions, having powering and dimensions that allow it to undertake aggressive operations in ice-covered waters. (2017)
4. For ships which are assigned a Polar Class notation, the hull form and propulsion power are to be such that the ship can operate independently and at continuous speed in a representative ice condition, as defined in **Table 2.1** for the corresponding Polar Class. For ships and ship-shaped units which are intentionally not designed to operate independently in ice, such operational intent or limitations are to be explicitly stated in the Certificate of Classification or equivalent. (2017)
5. For ships which are assigned a Polar Class notation PC1 through PC5, bows with vertical sides, and bulbous bows are generally to be avoided. Bow angles should in general be within the range specified in **203. 1 (5)**. (2017)
6. For ships which are assigned a Polar Class notation PC6 and PC7, and are designed with a bow with vertical sides or bulbous bows, operational limitations (restricted from intentional ramming) in design conditions are to be stated in the Certificate of Classification or equivalent. (2017)
7. The ships intended to navigate in polar waters are to be in accordance with the requirements in this Chapter in addition to **the Rules for the Classification of Steel Ships**. (2025)

102. Polar Classes

1. The Polar Class (PC) notations and descriptions are given in **Table 2.1**. It is the responsibility of the Owner to select an appropriate Polar Class. The descriptions in **Table 2.1** are intended to guide owners, designers and administrations in selecting an appropriate Polar Class to match the requirements for the ship with its intended voyage or service.
2. The Polar Class notation is used throughout this chapter to convey the differences between classes with respect to operational capability and strength.

Table 2.1 Polar Class descriptions

Polar Class	Ice Description (based on WMO Sea Ice Nomenclature)
PC1	Year-round operation in all Polar waters
PC2	Year-round operation in moderate multi-year ice conditions
PC3	Year-round operation in second-year ice which may include multi-year ice inclusions.
PC4	Year-round operation in thick first-year ice which may include old ice inclusions
PC5	Year-round operation in medium first-year ice which may include old ice inclusions
PC6	Summer/autumn operation in medium first-year ice which may include old ice inclusions
PC7	Summer/autumn operation in thin first-year ice which may include old ice inclusions

103. Upper and lower ice waterlines

1. The upper and lower ice waterlines upon which the design of the ship has been based is to be indicated in the Certificate of Classification. The upper ice waterline (UIWL) is to be defined by the maximum draughts fore, amidships and aft. The lower ice waterline (LIWL) is to be defined by the minimum draughts fore, amidships and aft.
2. The lower ice waterline is to be determined with due regard to the ship's ice-going capability in the ballast loading conditions. The propeller is to be fully submerged at the lower ice waterline. (2017)

104. Subdivision and stability

1. For the ships to apply this chapter, the followings are to be examined, considering the navigation features in ice-infested polar waters within approved limitations, in addition to the requirements regarding the stability and subdivision for the ships navigating in open waters.

(1) Stability in intact conditions (2017)

(A) In order to comply with the functional requirement of this chapter, for ships operating in areas and during periods where ice accretion is likely to occur, the following icing allowance shall be made in the stability calculations:

- (a) 30 kg/m² on exposed weather decks and gangways
- (b) 7.5 kg/m² for the projected lateral area of each side of the ship above the water plane
- (c) the projected lateral area of discontinuous surfaces of rail, sundry booms, spars (except masts) and rigging of ships having no sails and the projected lateral area of other small objects shall be computed by increasing the total projected area of continuous surfaces by 5% and the static moments of this area by 10%.

(B) Ships operating in areas and during periods where ice accretion is likely to occur shall be:

- (a) designed to minimize the accretion of ice; and
- (b) equipped with such means for removing ice for example, electrical and pneumatic devices, and/or special tools such as axes or wooden clubs for removing ice from bulwarks, rails and erections.

(2) Damage stability to be expected when operated in ice-infested polar waters (2017)

(A) The Ships shall be able to withstand flooding resulting from hull penetration due to ice impact. The residual stability following ice damage shall be such that the factor S_i , as defined in **SOLAS regulations II-1/7-2.2** and **II-1/7-2.3**, is equal to one for all loading conditions used to calculate the attained subdivision index in **SOLAS regulation II-1/7**. However, for cargo ships that comply with subdivision and damage stability regulations in another instrument developed by the Organization, as provided by **SOLAS regulation II- 1/4.1**, the residual stability criteria of that instrument shall be met for each loading condition.

(B) The ice damage extents to be assumed shall be such that:

- (a) the longitudinal extent is 4.5 % of the upper ice waterline length if centred forward of the maximum breadth on the upper ice waterline, and 1.5 % of upper ice waterline length otherwise, and shall be assumed at any longitudinal position along the ship's length
- (b) the transverse penetration extent is 760 mm, measured normal to the shell over the full extent of the damage
- (c) the vertical extent is the lesser of 20 % of the upper ice waterline draught or the longitudinal extent, and shall be assumed at any vertical position between the keel and 120% of the upper ice waterline draught.

(3) Subdivision and watertightness (2017)

(A) In order to comply with the functional requirements of this chapter, the following apply:

- (a) for ships operating in areas and during periods where ice accretion is likely to occur, means shall be provided to remove or prevent ice and snow accretion around hatches and doors
- (b) in addition, for ships intended to operate in low air temperature the following apply:
 - (i) if the hatches or doors are hydraulically operated, means shall be provided to prevent freezing or excessive viscosity of liquids; and
 - (ii) watertight and weathertight doors, hatches and closing devices which are not within an habitable environment and require access while at sea shall be designed to be operated by personnel wearing heavy winter clothing including thick mittens.

-
- (B) For ships with an aggregate oil fuel capacity of less than 600 m³, all oil fuel tanks shall be separated from the outer shell by a distance of not less than 0.76 m. This provision does not apply to small oil fuel tanks with a maximum individual capacity not greater than 30 m³.
 - (C) For ships other than oil tankers, all cargo tanks constructed and utilized to carry oil shall be separated from the outer shell by a distance of not less than 0.76 m.
 - (D) For oil tankers of less than 5,000 tonnes deadweight, the entire cargo tank length shall be protected with:
 - (a) double bottom tanks or spaces complying with the applicable requirements of regulation 19.6.1 of **MARPOL Annex I**
 - (b) wing tanks or spaces arranged in accordance with regulation 19.3.1 of **MARPOL Annex I** and complying with the applicable requirements for distance referred to in regulation 19.6.2 of **MARPOL Annex I**.
 - (E) all oil residue (sludge) tanks and oily bilge water holding tanks shall be separated from the outer shell by a distance of not less than 0.76 m. This provision does not apply to small tanks with a maximum individual capacity not greater than 30 m³.

Section 2 Structural Requirements for Polar Class Ships

201. General (2021)

1. Application

These requirements are to be applied to ships of Polar Class mentioned in **Sec 1**.

2. Definitions

- (1) The length L_{UI} is the distance, in m, measured horizontally from the fore side of the stem at the intersection with the upper ice waterline (UIWL) to the after side of the rudder post, or the centre of the rudder stock if there is no rudder post. L_{UI} is not to be less than 96%, and need not be greater than 97%, of the extreme length of the upper ice waterline (UIWL) measured horizontally from the fore side of the stem. In ships with unusual stern and bow arrangement the length L_{UI} will be specially considered.
- (2) The ship displacement D_{UI} is the displacement, in kt, of the ship corresponding to the upper ice waterline (UIWL). Where multiple waterlines are used for determining the UIWL, the displacement is to be determined from the waterline corresponding to the greatest displacement.

202. Hull areas

1. The ice strengthening regions of all Polar Class ships is divided into regions reflecting the magnitude of the loads that are expected to act upon them. In the longitudinal direction, there are four regions: Bow, Bow Intermediate, Midbody and Stern. The Bow Intermediate, Midbody and Stern regions are further divided in the vertical direction into the Bottom, Lower and Icebelt regions. The extent of each ice strengthening region is illustrated in **Fig 2.1**.
2. The upper ice waterline (UIWL) and lower ice waterline (LIWL) are as defined in **103. 1**.
3. **Fig 2.1** notwithstanding, at no time is the boundary between the Bow and Bow Intermediate regions to be forward of the intersection point of the line of the stem and the ship baseline.
4. **Fig 2.1** notwithstanding, the aft boundary of the Bow region need not be more than $0.45 L_{UI}$ aft of the fore side of the stem at the intersection with the upper ice waterline (UIWL). (2021)
5. The boundary between the bottom and lower regions is to be taken at the point where the shell is inclined 7° from horizontal.
6. If a ship is intended to operate astern in ice regions, the aft section of ships is to be designed using the Bow and Bow Intermediate ice strengthening region requirements.
7. **Fig 2.1** notwithstanding, if the ship is assigned the additional notation "Icebreaker", the forward boundary of the stern region is to be at least $0.04 L_{UI}$ forward of the section where the parallel ship side at the upper ice waterline (UIWL) ends. (2021)




Fig 2.1 Ice strengthening region extents

203. Design ice loads

1. General

- (1) A glancing impact on the bow is the design scenario for determining the scantlings required to resist ice loads.
- (2) The design ice load is characterized by an average pressure (P_{avg}) uniformly distributed over a rectangular load patch of height (b) and width (w).
- (3) Within the Bow region of all Polar Classes and within the Bow Intermediate ice strengthening region of Polar Classes PC6 and PC7, the ice load parameters (P_{avg} , b and w) are functions of the actual bow shape. To determine the ice load parameters, it is required to calculate the following ice load characteristics for sub-region of the bow region; shape coefficient (f_{a_i}), total glancing impact force (F_i), line load (Q_i) and pressure (P_i).
- (4) In other ice-strengthened regions the ice load parameters (P_{avg} , b_{NonBow} and w_{NonBow}) are determined independently of the hull shape. Accordingly, calculation of the glancing impact force (F_{NonBow}) and line load (Q_{NonBow}) are based on a standard hull shape coefficient ($f_a = 0.36$) and a fixed load patch aspect ratio ($AR = 3.6$).
- (5) Design ice forces calculated according to 2. (1) (C) are applicable for bow forms where the buttock angle, γ at the stem is positive and less than 80 deg, and the normal frame angle, β' at the centre of the foremost sub-region, as defined in 2. (1) (B), is greater than 10 deg. (2017)
- (6) Design ice forces calculated according to 2. (1) (D) are applicable for ships which are assigned the Polar Class PC6 or PC7 and have a bow form with vertical sides. This includes bows where the normal frame angles, β' at the considered sub-regions, as defined in 2. (1) (A), are between 0 and 10 deg. (2017)
- (7) For ships which are assigned the Polar Class PC6 or PC7, and equipped with bulbous bows, the design ice forces on the bow are to be determined according to 2. (1) (D). In addition, the design forces are not to be taken less than those given in 2. (1) (C), assuming $f_a = 0.6$ and $AR = 1.3$. (2017)
- (8) For ships with bow forms other than those defined in (5) to (7), design forces are to be specially considered by the Classification Society. (2017)

- (9) Ship structures that are not directly subjected to ice loads may still experience inertial loads of stowed cargo and equipment resulting from ship/ice interaction. These inertial loads, based on accelerations determined by the Society, are to be considered in the design of these ship structures.

2. Glancing impact load characteristics

The parameters defining the glancing impact load characteristics are reflected in the Class Factors listed in **Table 2.2** and **Table 2.2-1**. (2017)

Table 2.2 Class factors to be used in 203. 2.(1)(C)

Polar Class	Crushing Failure Class Factor (CF_C)	Flexural Failure Class Factor (CF_F)	Load Patch Dimensions Class Factor (CF_D)	Displacement Class Factor (CF_{DIS})	Longitudinal Strength Class Factor (CF_L)
PC1	17.69	68.60	2.01	250	7.46
PC2	9.89	46.80	1.75	210	5.46
PC3	6.06	21.17	1.53	180	4.17
PC4	4.50	13.48	1.42	130	3.15
PC5	3.10	9.00	1.31	70	2.50
PC6	2.40	5.49	1.17	40	2.37
PC7	1.80	4.06	1.11	22	1.81

Table 2.2-1 Class factors to be used in 203. 2.(1)(D) (2017)

Polar Class	Crushing Failure Class Factor (CF_{CV})	Line Load Class Factor (CF_{QV})	Pressure Class Factor (CF_{PV})
PC6	3.43	2.82	0.65
PC7	2.60	2.33	0.65

(1) Bow area

- (A) In the Bow area, the force (F), line load (Q), pressure (P) and load patch aspect ratio (AR) associated with the glancing impact load scenario are functions of the hull angles measured at the upper ice waterline. The influence of the hull angles is captured through calculation of a bow shape coefficient (fa). The hull angles are defined in **Fig 2.2**.
- (B) The waterline length of the bow region is generally to be divided into 4 sub-regions of equal length. The force (F), line load (Q), pressure (P) and load patch aspect ratio (AR) are to be calculated with respect to the mid-length position of each sub-region (each maximum of F , Q and P is to be used in the calculation of the ice load parameters P_{avg} , b and w).
- (C) The Bow area load characteristics for bow forms defined in **203. 1. (5)** are determined as follows: (2017)

- (a) Shape coefficient, fa_i , is to be taken as

$$fa_i = \min(fa_{i,1}; fa_{i,2}; fa_{i,3})$$

where

$$fa_{i,1} = (0.097 - 0.68(x/L_{UL} - 0.15)^2) \times \alpha_i / \sqrt{\beta'_i}$$

$$fa_{i,2} = 1.2 \times CF_F / (\sin\beta'_i \times CF_C \times D_{UI}^{0.64})$$

$$fa_{i,3} = 0.60$$

(b) Force, F_i

$$F_i = fa_i \times CF_C \times D_{UI}^{0.64} \quad (\text{MN})$$

(c) Load patch aspect ratio, AR_i

$$AR_i = 7.46 \times \sin\beta'_i \geq 1.3$$

(d) Line load, Q_i

$$Q_i = F_i^{0.61} \times CF_D / AR_i^{0.35} \quad (\text{MN/m})$$

(e) Pressure, P_i

$$P_i = F_i^{0.22} \times CF_D^2 \times AR_i^{0.3} \quad (\text{MPa})$$

where

i = sub-region considered

L_{UI} = length as defined in **201. 2** (m)

x = distance from the forward fore side of the stem at the intersection with the upper ice waterline (UIWL) to station under consideration (m)

α = waterline angle (deg), see **Fig 2.2**


β' = normal frame angle (deg), see **Fig 2.2**

D_{UI} = ship displacement (kt), not to be taken less than 5 kt

CF_C = crushing failure class factor from **Table 2.2**

CF_F = flexural failure class factor from **Table 2.2**

CF_D = load patch dimensions class factor from **Table 2.2**



Note:

β' = normal frame angle at upper ice waterline [deg]

α = upper ice waterline angle [deg]

γ = buttock angle at upper ice waterline (angle of buttock line measured from vertical) [deg]

$$\tan\beta = \tan\gamma / \tan\alpha$$

$$\tan\beta' = \tan\beta / \cos\alpha$$

Fig 2.2 Definition of hull angles

(D) The Bow area load characteristics for bow forms defined in **203. 1. (6)** are determined as follows: (2017)

(a) Shape coefficient, fa_i , is to be taken as

$$fa_i = \alpha_i / 30$$

(b) Force, F_i

$$F_i = fa_i \times CF_{CV} \times D_{UI}^{0.47} \quad (\text{MN})$$

(c) Line load, Q_i

$$Q_i = F_i^{0.22} \times CF_{QV} \quad (\text{MN/m})$$

(d) Pressure, P_i

$$P_i = F_i^{0.56} \times CF_{PV} \quad (\text{MPa})$$

where

i = sub-region considered

α = waterline angle (deg), see **Fig 2.2**

D_{UI} = displacement (kt), not to be taken less than 5 kt

CF_{CV} = crushing failure class factor from **Table 2.2-1**

CF_{QV} = flexural failure class factor from **Table 2.2-1**

CF_{PV} = pressure class factor from **Table 2.2-1**

(2) Hull areas other than the bow

(A) In the hull area other than the bow, the force (F_{NonBow}) and line load (Q_{NonBow}) used in the determination of the load patch dimensions (b_{NonBow} , w_{NonBow}) and design pressure (P_{avg}) are determined as follows: (2017)

(a) Force, F_{NonBow}

$$F_{NonBow} = 0.36 \times CF_C \times DF \quad (\text{MN})$$

(b) Line Load, Q_{NonBow}

$$Q_{NonBow} = 0.639 \times F_{NonBow}^{0.61} \times CF_D \quad (\text{MN/m})$$

where

CF_C = crushing failure class factor from **Table 2.2**

DF = ship displacement factor

$$= D_{UI}^{0.64} \quad \text{if } D_{UI} \leq CF_{DIS}$$

$$= CF_{DIS}^{0.64} + 0.10(D - CF_{DIS}) \quad \text{if } D_{UI} > CF_{DIS}$$

D_{UI} = ship displacement (kt), not to be taken less than 10 kt

CF_{DIS} = displacement class factor from **Table 2.2**

CF_D = load patch dimension class factor from **Table 2.2**

3. Design load patch

(1) In the Bow area, and the Bow Intermediate icebelts area for ships with class notation PC6 and PC7, the design load patch has dimensions of width, w_{Bow} , and height, b_{Bow} , defined as follows: (2017)

$$w_{Bow} = F_{Bow} / Q_{Bow} \quad (\text{m})$$

$$b_{Bow} = Q_{Bow} / P_{Bow} \quad (\text{m})$$

where

F_{Bow} = maximum force F_i in the Bow area (MN)

Q_{Bow} = maximum line load Q_i in the Bow area (MN/m)

P_{Bow} = maximum pressure P_i in the Bow area (MPa)

- (2) In hull areas other than those covered by (1), the design load patch has dimensions of width, w_{NonBow} , and height, b_{NonBow} , defined as follows: (2017)

$$w_{NonBow} = F_{NonBow} / Q_{NonBow} \quad (\text{m})$$

$$b_{NonBow} = w_{NonBow} / 3.6 \quad (\text{m})$$

where

F_{NonBow} = force as defined in 2. (2) (A) (a) (MN)

Q_{NonBow} = line load as defined in 2. (2) (A) (b) (MN/m)

4. Pressure within the design load patch

- (1) The average pressure, P_{avg} , within a design load patch is determined as follows:

$$P_{avg} = F / (b \times w) \quad (\text{MPa})$$

where

$F = F_{Bow}$ or F_{NonBow} as appropriate for the ice strengthening region under consideration (MN)

$b = b_{Bow}$ or b_{NonBow} as appropriate for the ice strengthening region under consideration (m)

$w = w_{Bow}$ or w_{NonBow} as appropriate for the ice strengthening region under consideration (m)

- (2) Regions of higher, concentrated pressure exist within the load patch. In general, smaller regions have higher local pressures. Accordingly, the peak pressure factors listed in **Table 2.3** are used to account for the pressure concentration on localized structural members.

Table 2.3 Peak pressure factors (2017)

Structural Member		Peak Pressure Factor (PPF_i)
Plating	Transversely-Framed	$PPF_p = (1.8 - S) \geq 1.2$
	Longitudinally-Framed	$PPF_p = (2.2 - 1.2 \times S) \geq 1.5$
Frames in Transverse Framing Systems	With Stringers	$PPF_t = (1.6 - S) \geq 1.0$
	No Stringers	$PPF_t = (1.8 - S) \geq 1.2$
Frames in Bottom Structures		$PPF_s = 1.0$
Load Carrying Stringers Side Longitudinals Web Frames		$PPF_s = 1$ if $S_w \geq 0.5 \times w$ $PPF_s = 2.0 - 2.0 \times S_w / W$ if $S_w < (0.5 \times w)$
where, S = frame or longitudinal spacing (m) S_w = web frame spacing (m) w = ice load patch width (m)		

5. Hull area factors

- (1) Associated with each ice strengthening region is an region Factor that reflects the relative magnitude of the load expected in that region. The region Factor (AF) for each ice strengthening region is listed in **Table 2.4**.
- (2) In the event that a structural member spans across the boundary of a ice strengthening region, the largest ice strengthening region factor is to be used in the scantling determination of the member.
- (3) Due to their increased manoeuvrability, ships having propulsion arrangements with azimuth thruster(s) or “podded” propellers are to have specially considered Stern Icebelt (S_i) and Stern Lower (S_l) hull area factors.
- (4) For ships assigned the additional notation “Icebreaker”, the Area Factor (AF) for each hull area is listed in **Table 2.4–1. (2017)**

Table 2.4 Ice strengthening region factors (AF)

Ice strengthening region		region	Polar Class						
			PC1	PC2	PC3	PC4	PC5	PC6	PC7
Bow (B)	All	B	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Bow Intermediate (BI)	Icebelt	BI_i	0.90	0.85	0.85	0.80	0.80	1.00*	1.00*
	Lower	BI_l	0.70	0.65	0.65	0.60	0.55	0.55	0.50
	Bottom	BI_b	0.55	0.50	0.45	0.40	0.35	0.30	0.25
Midbody (M)	Icebelt	M_i	0.70	0.65	0.55	0.55	0.50	0.45	0.45
	Lower	M_l	0.50	0.45	0.40	0.35	0.30	0.25	0.25
	Bottom	M_b	0.30	0.30	0.25	**	**	**	**
Stern (S)	Icebelt	S_i	0.75	0.70	0.65	0.60	0.50	0.40	0.35
	Lower	S_l	0.45	0.40	0.35	0.30	0.25	0.25	0.25
	Bottom	S_b	0.35	0.30	0.30	0.25	0.15	**	**

Note to Table 2.4: * See 203.1.(3)

** Indicates that strengthening for ice loads is not necessary.

Table 2.4-1 Hull Area Factors (AF) for ships with additional notation "Icebreaker" (2017)

Hull area		Area	Polar Class						
			PC1	PC2	PC3	PC4	PC5	PC6	PC7
Bow (B)	All	B	1.00						
Bow Intermediate (BI)	Icebelt	BI_i	0.90	0.85	0.85	0.85	0.85	1.00	1.00
	Lower	BI_l	0.70	0.65	0.65	0.65	0.65	0.65	0.65
	Bottom	BI_b	0.55	0.50	0.45	0.45	0.45	0.45	0.45
Midbody (M)	Icebelt	M_i	0.70	0.65	0.55	0.55	0.55	0.55	0.55
	Lower	M_l	0.50	0.45	0.40	0.40	0.40	0.40	0.40
	Bottom	M_b	0.30	0.30	0.25	0.25	0.25	0.25	0.25
Stern (S)	Icebelt	S_i	0.95	0.90	0.80	0.80	0.80	0.80	0.80
	Lower	S_l	0.55	0.50	0.45	0.45	0.45	0.45	0.45
	Bottom	S_b	0.35	0.30	0.30	0.30	0.30	0.30	0.30

204. Shell plate requirements

- The required minimum shell plate thickness, t , is given by:

$$t = t_{net} + t_s \quad (\text{mm})$$

where

t_{net} = plate thickness(mm) required to resist ice loads according to **204. 2**

t_s = corrosion and abrasion allowance (mm) according to **207**

- The thickness of shell plating required to resist the design ice load, t_{net} , depends on the orientation of the framing. (2017)

(1) In the case of transversely-framed plating ($\Omega \geq 70^\circ$, see **Fig 2.3**), the net thickness is given by:

$$t_{net} = 500 \times S((AF \times PPF_p \times P_{avg}) / \sigma_y)^{0.5} / (1 + S/2b) \quad (\text{mm})$$

(2) In the case of longitudinally-framed plating ($\Omega \leq 20^\circ$), when $b \geq S$, the net thickness is given by:

$$t_{net} = 500 \times S((AF \times PPF_p \times P_{avg}) / \sigma_y)^{0.5} / (1 + S/2a) \quad (\text{mm})$$

(3) In the case of longitudinally-framed plating ($\Omega \leq 20^\circ$, see **Fig 2.3**), when $b < S$, the net thickness is given by:

$$t_{net} = 500 \times S((AF \times PPF_p \times P_{avg}) / \sigma_y)^{0.5} (2b/S - (b/S)^2)^{0.5} / (1 + S/2a) \quad (\text{mm})$$

(4) In the case of obliquely-framed plating ($70^\circ > \Omega > 20^\circ$), linear interpolation is to be used.

where

Ω = smallest angle (deg.) between the chord of the waterline and the line of the first level framing as illustrated in **Fig 2.3**

S = transverse frame spacing in transversely-framed ships or longitudinal spacing in longitudinally-framed ships (m)

- AF = ice strengthening region factor from **Table 2.4**
- PPF_p = peak pressure factor from **Table 2.3**
- P_{avg} = average patch pressure according to **203. 4 (1)** (MPa)
- σ_y = minimum yield stress of the material (N/mm²)
- b = height of design load patch (m), where b is to be taken not greater than $(a - s/4)$ in the case of determination of the net thickness for transversely framed plating
- a = distance between frame supports, i.e. equal to the frame span as given in **205. 1 (5)**, but not reduced for any fitted end brackets (m). When a stringer is fitted, the a need not be taken larger than the distance from the stringer to the most distant frame support.




Fig 2.3 Shell framing angle Ω

205. Framing

1. General

- (1) Framing of Polar Class ships are to be designed to withstand the ice loads defined in **203**.
- (2) The term "framing" refers to transverse and longitudinal local frames, load carrying stringers and web frames in the areas of the hull exposed to ice pressure, see **Fig 2.1**. Where load-distributing stringers have been fitted, the arrangement and scantlings of these are to be in accordance with the requirements of the Society. (2017)
- (3) The strength of a framing member is dependent upon the fixity that is provided at its supports. Fixity can be assumed where framing members are either continuous through the support or attached to a supporting section with a connection bracket. In other cases, simple support is to be assumed unless the connection can be demonstrated to provide significant rotational restraint. Fixity is to be ensured at the support of any framing which terminates within an ice-strengthened area.
- (4) The details of framing member intersection with other framing members, including plated structures, as well as the details for securing the ends of framing members at supporting sections are to be in accordance with the requirements of the Society.
- (5) The effective span of a framing is to be determined on the basis of its moulded length. If brackets are fitted, the effective span may be reduced in accordance with the usual practice of the Society. Brackets are to be configured to ensure stability in the elastic and post-yield response regions.
- (6) When calculating the section modulus and shear area of a framing member, net thicknesses of the web, flange (if fitted) and attached shell plating are to be used. The shear area of a framing member may include that material contained over the full depth of the member, i.e. web area including portion of flange, if fitted, but excluding attached shell plating.
- (7) The actual net effective shear area, A_w , of a transverse or longitudinal local frame is given by: (2017)

$$A_w = h t_{wn} \sin \varphi_w / 100 \quad (\text{cm}^2)$$

where

h = height of stiffener including thickness of face plate (mm) (see **Fig 2.4**)

t_{wn} = net web thickness (mm)

$$= t_w - t_c$$

t_w = as built web thickness (mm) (see **Fig 2.4**)

t_c = corrosion deduction (mm) to be subtracted from the web and flange thickness (as specified the Society, but not less than t_s as required by **207. 3**).

φ_w = smallest angle between shell plate and stiffener web, measured at the midspan of the stiffener. (see **Fig 2.4**) The angle may be taken as 90 degrees provided the smallest angle is not less than 75 degrees.

- (8) When the cross-sectional area of the attached plate exceeds the cross-sectional area of the frame, the actual net effective plastic section modulus, Z_p of transverse or longitudinal frame is given by: (2017)

$$Z_p = A_{pn} t_{pn} / 20 + \frac{h_w^2 t_{wn} \sin \varphi_w}{2000} + A_{fn} (h_{fc} \sin \varphi_w - b_w \cos \varphi_w) / 10 \quad (\text{cm}^3)$$

where

h , t_{wn} , t_c and w are as given in **205. 1 (7)** and S as given in **204. 2**

A_{pn} = net cross-sectional area of shell plating (cm²)

t_{pn} = net shell plate thickness (mm) (complying with t_{net} as required by **204. 2**)

h_w = height of frame web (mm) (see **Fig 2.4**)

A_{fn} = net cross-sectional area of frame flange (cm²)

h_{fc} = height of frame measured to centre of the flange area (mm) (see **Fig 2.4**)

b_w = distance from mid thickness plane of frame web to the centre of the flange area (mm) (see Fig 2.4)




Fig 2.4 Stiffener geometry

- (9) When the cross-sectional area of the frame exceeds the cross-sectional area of the attached plate flange, the plastic neutral axis is located a distance Z_{na} above the shell plate, given by: (2017)

$$Z_{na} = (100A_{fn} + h_w t_{wn} - 1000 t_{pn} S) / (2 t_{wn}) \text{ (mm)}$$

and the net effective plastic section modulus, Z_p transverse or longitudinal frame is given by:

$$Z_p = t_{pn} S \left(Z_{na} + \frac{t_{pn}}{2} \right) \sin \phi_w + \left(\frac{((h_w - Z_{na})^2 + Z_{na}^2) t_{wn} \sin \phi_w}{2000} + \frac{A_{fn} ((h_{fc} - Z_{na}) \sin \phi_w - b_w \cos \phi_w)}{10} \right) \text{ (cm}^3\text{)}$$

- (10) In the case of oblique framing arrangement ($70 \text{ deg} > \Omega > 20 \text{ deg}$), where Ω is defined as given in 204. 2), linear interpolation is to be used.

2. Local frames in bottom structures and transverse local frame in side structures

- (1) The local frames in bottom structures (i.e. ice strengthening regions B_b , M_b and S_b) and transverse frames in side structures are to be dimensioned such that the combined effects of shear and bending do not exceed the plastic strength of the member. Plastic strength is defined as the magnitude of midspan load that causes the development of a plastic collapse mechanism. For bottom structure the patch load shall be applied with the dimension (b) parallel with the frame direction. (2017)
- (2) The actual net effective shear area of the frame, A_w is shall not be less than the following calculation:

$$A_w = 100^2 \times 0.5 \times LL \times S \times (AF \times PPF \times P_{avg}) / (0.577 \sigma_y) \text{ (cm}^2\text{)}$$

where

LL = length of loaded portion of span

= lesser of a and b (m)

a = local frame span (m)

b = height of design ice load patch as defined in 203. 3 (1) or (2) (m)

S = local frame spacing (m)

AF = hull area factor from Table 2.4 or Table 2.4-1

PPF = peak pressure factor, PPF_t or PPF_s as appropriate from Table 2.3

P_{avg} = average pressure within load patch as defined in 203. 4 (1) (MPa)

σ_y = minimum yield stress of the material (N/mm²)

- (3) The actual net effective plastic section modulus of the frame, Z_p is shall not be less than the following calculation (where Z_{pm} is to be the greater calculated on the basis of following two load conditions). The A_1 parameter in the equation reflects the two conditions: (2017)

- (a) ice load acting at the midspan of the local frame.
 (b) ice load acting near a support.

$$Z_{pm} = 100^3 \times LL \times Y \times S \times (AF \times PPF \times P_{avg}) a \times A_1 / (4\sigma_y) \quad (\text{cm}^3)$$

where

LL , a , b , S , AF , PPF_t , P_{avg} and σ_y , are given in (2)

$$Y = 1 - 0.5(LL/a)$$

A_1 = maximum of

$$A_{1A} = \frac{1}{(1 + \frac{j}{2} + k_w \frac{j}{2} ((1 - a_1^2)^{0.5} - 1))}$$

$$A_{1B} = \frac{1 - 1/(2a_1 Y)}{0.275 + 1.44 k_z^{0.7}}$$

j = 1 for local frame with one simple support outside the ice strengthened regions

= 2 for local frame without any simple supports

$$a_1 = A_t / A_w$$

A_t = minimum shear area of the local frame as given in (2) (cm^2)

A_w = active net shear area of the local frame (calculated according to **205. 1 (7)**) (cm^2)

$k_w = 1/(1 + 2A_{fn}/A_w)$ with A_{fn} as given in **205. 1 (8)**

$k_z = z_p/Z_p$ in general

= 0.0 when the frame is arranged with end bracket

z_p = sum of individual plastic section modulus of flange and shell plate (cm^3)

$$= (b_f \frac{t_{fn}^2}{4} + b_{eff} \frac{t_{pm}^2}{4}) / 1000$$

b_f = flange breadth (mm) (see **Fig 2.4**)

t_{fn} = net flange thickness (mm)

($t_{fn} = t_f - t_c$, t_c as given in **205. 1 (7)**)

t_{pm} = the fitted net shell plate thickness (mm)

(not to be less than t_{net} as given in **204.**)

b_{eff} = effective width of shell plate flange (mm) = $500s$

Z_p = plastic section modulus of local frame (cm^2) (calculated according to **205. 1 (8)**)

- (4) The scantlings of the local frame are to meet the requirements of **Par 5.**

3. Longitudinal local frames in side structures

- (1) Longitudinal local frames in side structures are to be dimensioned such that the combined effects of shear and bending do not exceed the plastic strength of the member. Plastic strength is defined as the magnitude of midspan load that causes the development of a plastic collapse mechanism. (2017)
- (2) The actual net effective shear area of the side longitudinal is shall not be less than the following calculation : (2017)

$$A_L = 100^2 \times \frac{0.5b_1 \times c \times (AF \times PPF_s \times P_{avg})}{0.577\sigma_y} \quad (\text{cm}^2)$$

where

AF = hull area factor from **Table 2.4** or **Table 2.4-1**

PPF_s = peak pressure factor from **Table 2.3**

P_{avg} = average pressure within load patch as defined in **203. 4 (1)** (MPa)

$$b_1 = k_0 b_2$$

$$k_o = 1 - 0.3/b'$$

$$b' = b/S$$

b = height of design ice load patch as defined in **203. 3 (1)** or **(2)** (m)

S = main frame spacing (m)

$$b_2 = \begin{cases} b(1 - 0.25b') & \text{if } b' < 2 \\ S & \text{if } b' \geq 2 \end{cases}$$

a = effective span of longitudinal local frames as given **205.1 (5)**

σ_y = minimum yield stress of the material (N/mm²)

- (3) The actual net effective plastic section modulus of the plate/stiffener combination, Z_p , is shall not be less than the following calculation :

$$(Z_{pL}) = 100^3 \times \frac{b_1 \times a^2 \times A_4 \times (AF \times PPF_s \times P_{avg})}{8 \sigma_y} \quad (\text{cm}^3)$$

where

AF , PPF_s , P_{avg} , b_1 , a , and σ_y are as given in (2)

$$A_4 = \frac{1}{2 + k_{wl}((1 - a_4^2)^{0.5} - 1)}$$

$$a_4 = \frac{A_L}{A_w}$$

A_L = required shear area for longitudinal as given in (2) (cm²)

A_w = actual net effective shear area of longitudinal as given in (7) (cm²)

$$k_{wl} = 1 / (1 + 2A_{fn} / A_w) \text{ with } A_{fn} \text{ as given in (8)}$$

- (4) The scantlings of the longitudinals are to meet the requirements of **Par 5**.

4. Web frame and stringers

- (1) Web frames and stringers are to be designed to withstand the ice load patch as defined in 203. The load patch is to be applied at locations where the capacity of these members under the combined effects of bending and shear is minimized.
- (2) Web frames and stringers are to be dimensioned such that the combined effects of shear and bending do not exceed the limit state(s) defined by the Classification Society. Where the structural configuration is such that members do not form part of a grillage system, the appropriate peak pressure factor (PPF) from **Table 2.3** is to be used. Special attention is to be paid to the shear capacity in way of lightening holes and cut-outs in way of intersecting members.
- (3) For determination of scantlings of load carrying stringers, web frames supporting local frames, or web frames supporting load carrying stringers forming part of a structural grillage system, appropriate methods as outlined in 217. are normally to be used.
- (4) The scantlings of web frames and stringers are to meet the requirements of **Par 5**.

5. Structural stability

- (1) To prevent local buckling in the web, the ratio of web height (h_w) to net web thickness (t_w) of any framing member is not to exceed:

$$\text{For flat bar sections:} \quad h_w / t_w \leq 282 / \sigma^{0.5}$$

$$\text{For bulb, tee and angle sections:} \quad h_w / t_w \leq 805 / \sigma^{0.5}$$

where

h_w = web height

t_w = net web thickness

σ_y = minimum yield stress of the material (N/mm²)

- (2) Framing members for which it is not practicable to meet the requirements of (1) (e.g. stringers or deep web frames) are required to have their webs effectively stiffened. The scantlings of the web stiffeners are to ensure the structural stability of the framing member. The minimum net web thickness for these framing members is given by the following equation:

$$t_w = 2.63 \times 10^{-3} c_1 \sqrt{\frac{\sigma_y}{5.34 + 4(c_1/c_2)^2}} \quad (\text{mm})$$

where

t_w = net web thickness (mm)

$c_1 = h_w - 0.8h_f$ (mm)

h_w = web height of stringer / web frame (mm) (see Fig 2.5)

h_f = height of framing member penetrating the member under consideration (0 if no such framing member) (mm) (see Fig 2.5)

c_2 = spacing between supporting structure oriented perpendicular to the member under consideration (mm) (see Fig 2.5)

σ_y = minimum yield stress of the material (N/mm²)




Fig 2.5 Parameter definition for web stiffening

- (3) In addition, the following is to be satisfied:

$$t_w \geq 0.35 t_{net} \sqrt{\frac{\sigma_y}{235}}$$

where

σ_y = minimum upper yield stress of the shell plate in way of the framing member (N/mm²)

t_w = net thickness of the web

t_{net} = thickness of the shell plate in way the framing member

- (4) To prevent local flange buckling of welded profiles, the following are to be satisfied:
- The flange width (b_f) is not to be less than five times the net thickness of the web (t_w).
 - The flange outstand (b), is to meet the following requirement:

$$\frac{b}{t_f} \leq \frac{155}{\sqrt{\sigma_y}}$$

where

t_f = net thickness of flange

σ_y = minimum upper yield stress of the material (N/mm²)

206. Plated structures

1. Plated structures are those stiffened plate elements in contact with the hull and subject to ice loads. These requirements are applicable to an inboard extent which is the lesser of:
 - (1) web height of adjacent parallel web frame or stringer; or
 - (2) 2.5 times the depth of framing that intersects the plated structure
2. The thickness of the plating and the scantlings of attached stiffeners are to be such that the degree of end fixity necessary for the shell framing is ensured.
3. The stability of the plated structure is to adequately withstand the ice loads defined in **203**.

207. Corrosion/abrasion additions and steel renewal

1. Effective protection against corrosion and ice-induced abrasion is recommended for all external surfaces of the shell plating for all Polar Class ships.
2. The values of corrosion/abrasion additions, t_s , to be used in determining the shell plate thickness are listed in **Table 2.5**.
3. Polar Class ships are to have a minimum corrosion/abrasion addition of $t_s = 1.0$ mm applied to all internal structures within the ice-strengthened regions, including plated members adjacent to the shell, as well as stiffener webs and flanges.
4. Steel renewal for ice strengthened structures is required when the gauged thickness is less than $t_{net} + 0.5$ mm.

Table 2.5 Corrosion/Abrasion additions for shell plating

Hull Area	t_s (mm)					
	With Effective Protection			Without Effective Protection		
	PC1 - PC3	PC4 & PC5	PC6 & PC7	PC1 - PC3	PC4 & PC5	PC6 & PC7
Bow; Bow Intermediate Icebelt	3.5	2.5	2.0	7.0	5.0	4.0
Bow Intermediate Lower; Midbody & Stern Icebelt	2.5	2.0	2.0	5.0	4.0	3.0
Midbody & Stern Lower; Bottom	2.0	2.0	2.0	4.0	3.0	2.5

208. Materials (2017)

1. Steel grades of plating for hull structures are to be not less than those given in **Tables 2.7** based on the as built thickness, the Polar Class and the material class of structural members given in **2**.
2. Material classes specified in **Pt 3, Ch 1 of the Rules for the Classification of Steel Ships, Table 3.1.4** are applicable to Polar Class ships regardless of the ship's length. In addition, material classes for weather and sea exposed structural members and for members attached to the weather and sea exposed shell plating of polar ships are given in **Table 2.6**. Where the material classes in **Table 2.6**, and those in **Pt 3, Ch 1 Table 3.1.4 of the Rules for the Classification of Steel Ships** differ, the higher material class is to be applied.
3. Steel grades for all plating and attached framing of hull structures and appendages situated below the level of 0.3 m below the lower waterline, as shown in **Fig 2.6**, are to be obtained from **Pt 3 Ch 1, Table 3.1.9 and Table 3.1.10 of the Rules for the Classification of Steel Ships** based on the ma-

material class for structural members in **Table 2.6**, above, regardless of Polar Class.

4. Steel grades for all weather exposed plating of hull structures and appendages situated above the level of 0.3 m below the lower ice waterline, as shown in **Fig 2.6**, are to be not less than given in **Table 2.7**.
5. Castings are to have specified properties consistent with the expected service temperature for the cast component.

Table 2.6 Material classes for structural members of polar ships

Structural Members	Material Class
Shell plating within the bow and bow intermediate icebelt hull regions (B, Bli)	II
All weather and sea exposed SECONDARY and PRIMARY, as defined in Pt 2, Ch 1 Table 3.1.4 of the Rules for the Classification of Steel Ships , structural members outside $0.4 L$ amidships	I
Plating materials for stem and stern frames, rudder horn, rudder, propeller nozzle, shaft brackets, ice skeg, ice knife and other appendages subject to ice impact loads	II
All inboard framing members attached to the weather and sea-exposed plating including any contiguous inboard member within 600 mm of the shell plating	I
Weather-exposed plating and attached framing in cargo holds of ships which by nature of their trade have their cargo hold hatches open during cold weather operations	I
All weather and sea exposed SPECIAL, as defined in Pt 2, Ch 1 Table 3.1.4 of the Rules for the Classification of Steel Ships , structural members within $0.2 L$ from FP	II

Table 2.7 Steel grades for weather exposed plating

Thickness, t (mm)	Material Class I				Material Class II				Material Class III					
	PC1-5		PC6&7		PC1-5		PC6&7		PC1-3		PC4&5		PC6&7	
	MS	HT	MS	HT	MS	HT	MS	HT	MS	HT	MS	HT	MS	HT
$t \leq 10$	B	AH	B	AH	B	AH	B	AH	E	EH	E	EH	B	AH
$10 < t \leq 15$	B	AH	B	AH	D	DH	B	AH	E	EH	E	EH	D	DH
$15 < t \leq 20$	D	DH	B	AH	D	DH	B	AH	E	EH	E	EH	D	DH
$20 < t \leq 25$	D	DH	B	AH	D	DH	B	AH	E	EH	E	EH	D	DH
$25 < t \leq 30$	D	DH	B	AH	E	EH	D	DH	E	EH	E	EH	E	EH
$30 < t \leq 35$	D	DH	B	AH	E	EH	D	DH	E	EH	E	EH	E	EH
$35 < t \leq 40$	D	DH	D	DH	E	EH	D	DH	F	FH	E	EH	E	EH
$40 < t \leq 45$	E	EH	D	DH	E	EH	D	DH	F	FH	E	EH	E	EH
$45 < t \leq 50$	E	EH	D	DH	E	EH	D	DH	F	FH	F	FH	E	EH

Notes :

- 1) Includes weather-exposed plating of hull structures and appendages, as well as their outboard framing members, situated above a level of 0.3 m below the lowest ice waterline.
- 2) Grades D, DH are allowed for a single strake of side shell plating not more than 1.8 m wide from 0.3 m below the lowest ice waterline.




Fig 2.6 Steel grade requirements for submerged and weather exposed shell plating

209. Longitudinal strength

1. Application

- (1) A ramming impact on the bow is the design scenario for the evaluation of the longitudinal strength of the hull. (2017)
- (2) Intentional ramming is not considered as a design scenario for ships which are designed with vertical or bulbous bows, (see 101. 6). Hence the longitudinal strength requirements given in 209. is not to be considered for ships with stem angle, γ_{stem} equal to or larger than 80 deg. (2017)
- (3) Ice loads are only to be combined with still water loads. The combined stresses are to be compared against permissible bending and shear stresses at different locations along the ship's length. In addition, sufficient local buckling strength is also to be verified.

2. Design vertical ice force at the bow

The design vertical ice force at the bow, F_{IB} , is to be taken as:

$$F_{IB} = \min(F_{IB,1}; F_{IB,2}) \quad (\text{MN})$$

where

$$F_{IB,1} = 0.534 K_I^{0.15} \sin^{0.2} \gamma_{stem} (DK_h)^{0.5} CF_L \quad (\text{MN})$$

$$F_{IB,2} = 1.2 CF_F \quad (\text{MN})$$

$$K_I = \text{indentation parameter} = K_f / K_h$$

- (1) for the case of a blunt bow form

$$K_f = \left(\frac{2CB^{(1-e_b)}}{(1+e_b)} \right)^{0.9} \tan(\gamma_{stem})^{-0.9(1+e_b)}$$

- (2) for the case of wedge bow form ($\alpha_{stem} < 80 \text{ deg}$), $e_b = 1$ and the above simplifies to

$$K_f = \left(\frac{\tan(\alpha_{stem})}{\tan^2(\gamma_{stem})} \right)^{0.9}$$

$$K_h = 0.01 A_{wp} \quad (\text{MN/m})$$

CF_L = Longitudinal Strength Class Factor from **Table 2.2**

e_b = bow shape exponent which best describes the waterplane (see **Fig 2.7** and **2.8**)

= 1.0 for a simple wedge bow form

= 0.4 to 0.6 for a spoon bow form

= 0 for a landing craft bow form

An approximate e_b determined by a simple fit is acceptable.

γ_{stem} = stem angle to be measured between the horizontal axis and the stem tangent at the upper ice waterline (deg) (buttock angle as per Fig 2.2 measured on the centerline)

α_{stem} = waterline angle measured in way of the stem at the upper ice waterline (UIWL) [deg] (see Fig 2.2)

$$C = \frac{1}{2 (L_B / B)^{e_b}}$$

B_{UI} = moulded breadth corresponding to the upper ice waterline (UIWL) (m)

L_B = bow length used in the equation $y = B/2 (x/L_B)^{e_b}$ (m) (see Fig 2.7 and 2.8)

D_{UI} = displacement (kt), where $D_{min} = 10$ kt

A_{wp} = waterplane area corresponding to the upper ice waterline (UIWL) (m²)

CF_F = Flexural Failure Class Factor from Table 2.2




Fig 2.7 Bow shape definition




Fig 2.8 Illustration of e_b effect on the bow shape for $B = 20$ and $L_B = 16$

3. Design vertical ice shear force

(1) The design vertical ice shear force, F_I , along the hull girder is to be taken as:

$$F_I = C_f F_{IB} \quad (\text{MN})$$

where

C_f = longitudinal distribution factor to be taken as follows:

(a) Positive shear force

$C_f = 0.0$ between the aft end of L_{UI} and $0.6 L_{UI}$ from aft

$C_f = 1.0$ between $0.9 L_{UI}$ from aft and the forward end of L_{UI}

(b) Negative shear force

$C_f = 0.0$ at the aft end of L_{UI}

$C_f = -0.5$ between $0.2 L_{UI}$ and $0.6 L_{UI}$ from aft

$C_f = 0.0$ between $0.8 L_{UI}$ from aft and the forward end of L_{UI}

Intermediate values are to be determined by linear interpolation

(2) The applied vertical shear stress, τ_a , is to be determined along the hull girder in a similar manner as in **Pt 2 Ch 3, 402. 2 of the Rules for the Classification of Steel Ships** of the Rules by substituting the design vertical ice shear force for the design vertical wave shear force.

4. Design vertical ice bending moment

(1) The design vertical ice bending moment, M_I , along the hull girder is to be taken as:

$$M_I = 0.1 C_m L \sin^{-0.2}(\psi) F_{IB} \quad (\text{MN-m})$$

where

L_{UI} = length (rule length as defined in **202. 2**) (m)

ψ = stem angle to be measured between the horizontal axis and the stem tangent at the upper ice waterline (deg)

F_{IB} = design vertical ice force at the bow (MN)

C_m = longitudinal distribution factor for design vertical ice bending moment to be taken as follows:

$C_m = 0.0$ at the aft end of L_{UI}

$C_m = 1.0$ between $0.5 L_{UI}$ and $0.7 L_{UI}$ from aft

$C_m = 0.3$ at $0.95 L_{UI}$ from aft

$C_m = 0.0$ at the forward end of L_{UI}

Intermediate values are to be determined by linear interpolation

(2) The applied vertical bending stress, σ_a , is to be determined along the hull girder in a similar manner as in **Pt 2, Ch 1, 402. 1 of the Rules for the Classification of Steel Ships**. of the Rules, by substituting the design vertical ice bending moment for the design vertical wave bending moment. The ship still water bending moment is to be taken as the permissible still water bending moment in sagging condition.

5. Longitudinal strength criteria

(1) The strength criteria provided in **Table 2.9** are to be satisfied. The design stress is not to exceed the permissible stress.

Table 2.9 Longitudinal strength criteria

Failure Mode	Applied Stress	Permissible Stress (when $\sigma_y/\sigma_u \leq 0.7$)	Permissible Stress (when $\sigma_y/\sigma_u > 0.7$)
Tension	σ_a	$\eta \times \sigma_y$	$\eta \times 0.41(\sigma_u + \sigma_y)$
Shear	τ_a	$\eta \times \frac{\sigma_y}{\sqrt{3}}$	$\eta \times \frac{0.41(\sigma_u + \sigma_y)}{\sqrt{3}}$
Buckling	σ_a	σ_c for plating and for web plating of stiffeners $\sigma_c/1.1$ for stiffeners	
	τ_a	τ_c	

where

σ_a = applied vertical bending stress (N/mm²)

τ_a = applied vertical shear stress (N/mm²)

σ_y = minimum upper yield stress of the material (N/mm²)

σ_u = ultimate tensile strength of material (N/mm²)

σ_c = critical buckling stress in compression, according to Pt 3, Ch 4 of the Rules for the Classification of Steel Ships (N/mm²)

τ_c = critical buckling stress in shear, according to Pt 3, Ch 4 of the Rules for the Classification of Steel Ships (N/mm²)

$\eta = 0.8$

$\eta = 0.6$ for ships which are assigned the additional notation "Icebreaker"

210. Stem and stern frames

The stem and stern frame are to be designed according to the requirements of the Society. For PC6/PC7 ships requiring IA SUPER/IA equivalency, the stem and stern requirements of Ch 1, 406. 1 and 407. of the Rules may need to be additionally considered.

211. Appendages (2017)

1. All appendages are to be designed to withstand forces appropriate for the location of their attachment to the hull structure or their position within a hull area.
2. Load definition and response criteria are to be determined by the Society.

212. Local details

1. For the purpose of transferring ice loads to supporting structure (bending moments and shear forces), local design details are to comply with the requirements by the Society. (2017)
2. The loads carried by a member in way of cut-outs are not to cause instability. Where necessary, the structure is to be stiffened.

213. Direct calculations (2017)

1. Direct calculations are not to be utilized as an alternative to the analytical procedures for the shell plating and local frame requirements given in 204, 205. 2, and 205. 3.
2. Direct calculations are to be used for load carrying stringers and web frames forming part of a grillage system.
3. Where direct calculation is used to check the strength of structural systems, the load patch specified in 203. is to be applied without being combined with any other loads. The load patch is to be applied at locations where the capacity of these members under the combined effects of bending

and shear is minimised. Special attention is to be paid to the shear capacity in way of lightening holes and cut-outs in way of intersecting members.

4. The strength evaluation of web frames and stringers may be performed based on linear or non-linear analysis. Recognized structural idealisation and calculation methods are to be applied, but the detailed requirements are to be in accordance with the discretion of the Society. In the strength evaluation, the guidance given in **5.** and **6.** may generally be considered.
5. If the structure is evaluated based on linear calculation methods, the following are to be considered:
 - (1) Web plates and flange elements in compression and shear to fulfil relevant buckling criteria as specified by the Society
 - (2) Nominal shear stresses in member web plates to be less than $\sigma_y/\sqrt{3}$
 - (3) Nominal von Mises stresses in member flanges to be less than $1.15\sigma_y$
6. If the structure is evaluated based on non-linear calculation methods, the following are to be considered:
 - (1) The analysis is to reliably capture buckling and plastic deformation of the structure
 - (2) The acceptance criteria are to ensure a suitable margin against fracture and major buckling and yielding causing significant loss of stiffness
 - (3) Permanent lateral and out-of plane deformation of considered member are to be minor relative to the relevant structural dimensions
 - (4) Detailed acceptance criteria to be in accordance with the discretion of the Society.

214. Welding

1. All welding within ice-strengthened regions is to be of the double-sided continuous type.
2. Continuity of strength is to be ensured at all structural connections.

Section 3 Machinery Requirements for Polar Class Ships (2024)

301. Application

1. The contents of this Section apply to main propulsion, steering gear, emergency and auxiliary systems essential for the safety of the ship and the crew.
2. The vessel operating conditions are defined in **Sec 1.**
3. The requirements herein are additional to those applicable for the basic open water class of the vessel.

302. Drawings & particulars to be submitted and system design

1. Drawings & particulars to be submitted

- (1) Details of the intended environmental operational conditions and the required ice strengthening for the machinery, if different from ship's ice class.
- (2) Detailed drawings and descriptions of the main propulsion, steering, emergency and auxiliary machinery and information on the essential main propulsion load control functions. The descriptions are to include operational limitations.
- (3) Description detailing where main, emergency and auxiliary systems are located and how they are protected to prevent problems from freezing, ice and snow accumulation and evidence of their capability to operate in the intended environmental conditions.
- (4) Calculations and documentation indicating compliance with the requirements of this Section.

2. System design

- (1) Systems subject to damage by freezing, shall be drainable.
- (2) Vessels classed PC1 to PC5 inclusive shall have means provided to ensure sufficient vessel operation in the case of propeller damage including the Controllable Pitch (CP) mechanism. Sufficient vessel operation means that the vessel should be able to reach safe haven (safe location) where repairs can be undertaken. This may be achieved either by a temporary repair at

- sea, or by towing, assuming assistance is available. This would lead however to a condition of approval.
- (3) Means shall be provided to free a stuck propeller by turning it in reverse direction. This shall also be possible for a propulsion plant intended for unidirectional rotation.
 - (4) The propeller shall be fully submerged at the ships LIWL.

303. Materials

Materials shall be of an approved ductile material. Ferritic nodular cast iron may be used for parts other than bolts. For nodular cast iron an averaged impact energy value of 10 J at testing temperature is regarded as equivalent to the Charpy V test requirements defined below.

1. Materials exposed to sea water

Materials exposed to sea water, such as propeller blades, propeller hubs and cast thruster bodies shall have an elongation not less than 15% on a test specimen according to **Pt 2, Ch 1, Sec 2 of the Rules for the Classification of Steel Ships**. Charpy V-notch impact testing is to be carried out for materials other than bronze and austenitic steel. The tests shall be carried out on three specimens at minus 10°C, and the average energy value is to be not less than 20 J. However, Charpy V impact test requirements of **Pt 2, Ch 1, 505. or 601. of the Rules for the Classification of Steel Ships** as applicable for ships with ice class notation, shall also be applied to ships covered by this Section.

2. Materials exposed to sea water temperature

Charpy V-notch impact testing is to be carried out for materials other than bronze and austenitic steel. The tests shall be carried out on three specimens at minus 10 °C, and the average energy value is to be not less than 20 J. However, the Charpy V impact test requirements of **Pt 2, Ch 1, 601. of the Rules for the Classification of Steel Ships** as applicable for ships with ice class notation, shall also be applied to ships covered by this Section. This requirement applies to components such as but not limited to blade bolts, CP-mechanisms, shaft bolts, propeller shaft, strut-pod connecting bolts, etc. This requirement does not apply to surface hardened components, such as bearings and gear teeth or sea water cooling lines (heat exchangers, pipes, valves, fittings etc.). For a definition of structural boundaries exposed to sea water temperature see **Sec 2, Fig 2.6**.

3. Material exposed to low air temperature

Materials of exposed machinery and foundations shall be manufactured from steel or other approved ductile material. An average impact energy value of 20 J taken from three Charpy V tests is to be obtained at 10°C below the lowest design temperature. Charpy V impact tests are not required for bronze and austenitic steel. This requirement does not apply to surface hardened components, such as bearings and gear teeth. For a definition of structural boundaries exposed to air temperature see **Sec 2, Fig 2.6**.

304. Definitions

1. Definition of Symbols

c	= chord length of blade section (m)
$c_{0.7}$	= chord length of blade section at 0.7R propeller radius (m)
CP	= controllable pitch
D	= propeller diameter (m)
d	= external diameter of propeller hub (at propeller plane) (m)
d_{pin}	= diameter of shear pin (mm)
D_{limit}	= limit value for propeller diameter (m)
EAR	= expanded blade area ratio
F_b	= maximum backward blade force for the ship's service life (negative sign) (kN)
F_{ex}	= ultimate blade load resulting from blade loss through plastic bending (kN)
F_f	= maximum forward blade force for the ship's service life (positive sign) (kN)
F_{ice}	= ice load (kN)

$(F_{ice})_{max}$	= maximum ice load for the ship's service life (kN)
FP	= fixed pitch
h_0	= depth of the propeller centerline from lower ice waterline (LIWL) (m)
H_{ice}	= ice block dimension for propeller load definition (m)
I	= equivalent mass moment of inertia of all parts on engine side of component under consideration (kgm^2)
I_t	= equivalent mass moment of inertia of the whole propulsion system (kgm^2)
k	= shape parameter for Weibull distribution
$LIWL$	= lower ice waterline (m)
m	= slope for S-N curve in log/log scale
M_{BL}	= blade bending moment ($kN \cdot m$)
MCR	= maximum continuous rating
N	= number of ice load cycles
n	= propeller rotational speed (rev./s)
n_n	= nominal propeller rotational speed at MCR in free running condition (rev./s)
N_{class}	= reference number of impacts per propeller revolution per ice class
N_{ice}	= total number of ice loads cycles on propeller blade for the ship's service life
N_R	= reference number of ice load cycles for equivalent fatigue stress (10^8 cycles)
N_Q	= number of propeller revolutions during a milling sequence
$P_{0.7}$	= propeller pitch at 0.7R radius (m)
$P_{0.7n}$	= propeller pitch at 0.7R radius at MCR in free running condition (m)
$P_{0.7b}$	= propeller pitch at 0.7R radius at MCR in bollard condition (m)
PCD	= pitch circle diameter
$Q(\varphi)$	= torque ($kN \cdot m$)
Q_{Amax}	= maximum response torque amplitude as a simulation result ($kN \cdot m$)
Q_{emax}	= maximum engine torque ($kN \cdot m$)
$Q_F(\varphi)$	= ice torque excitation for frequency domain calculations ($kN \cdot m$)
Q_{fr}	= friction torque in pitching mechanism; reduction of spindle torque ($kN \cdot m$)
Q_{max}	= maximum torque on the propeller resulting from propeller-ice inter action ($kN \cdot m$)
Q_{motor}	= electric motor peak torque ($kN \cdot m$)
Q_n	= nominal torque at MCR in free running condition ($kN \cdot m$)
$Q_r(t)$	= response torque along the propeller shaft line ($kN \cdot m$)
Q_{peak}	= maximum of the response torque $Q_r(t)$ ($kN \cdot m$)
Q_{smax}	= maximum spindle torque of the blade for the ship's service life ($kN \cdot m$)
Q_{sex}	= maximum spindle torque due to blade failure by plastic bending ($kN \cdot m$)
Q_{vib}	= Vibratory torque at considered component, taken from frequency domain open water TVC ($kN \cdot m$)
R	= propeller radius (m)
S	= safety factor
S_{fat}	= safety factor for fatigue
S_{ice}	= ice strength index for blade ice force
r	= blade section radius (m)
T	= hydrodynamic propeller thrust in bollard condition (kN)
T_b	= maximum backward propeller ice thrust for the ship's service life (kN)
T_f	= maximum forward propeller ice thrust for the ship's service life (kN)
T_n	= propeller thrust at MCR in free running condition (kN)

T_r	= maximum response thrust along the shaft line (kN)
T_{kmax}	= maximum torque capacity of flexible coupling (kN·m)
T_{kmax2}	= T_{kmax} at $N=1$ load cycle (kN·m)
T_{kmax1}	= T_{kmax} at $N=5 \times 10^4$ load cycles (kN·m)
T_{kv}	= vibratory torque amplitude at $N=10^6$ load cycles (kN·m)
ΔT_{kmax}	= maximum range of T_{kmax} at $N=5 \times 10^4$ load cycles (kN·m)
t	= maximum blade section thickness (m)
Z	= number of propeller blades
α_i	= duration of propeller blade/ice interaction expressed in rotation angle (deg)
γ_ϵ	= the reduction factor for fatigue; scatter and test specimen size effect
γ_ν	= the reduction factor for fatigue; variable amplitude loading effect
γ_m	= the reduction factor for fatigue; mean stress effect
ρ	= a reduction factor for fatigue correlating the maximum stress amplitude to the equivalent fatigue stress for 10^8 stress cycles
$\sigma_{0.2}$	= proof yield strength (at 0.2% plastic strain) of material (MPa)
σ_{exp}	= mean fatigue strength of blade material at 10^8 cycles to failure in sea water (MPa)
σ_{fat}	= equivalent fatigue ice load stress amplitude for 10^8 stress cycles (MPa)
σ_{fl}	= characteristic fatigue strength for blade material (MPa)
σ_{ref1}	= reference stress $\sigma_{ref1} = 0.6 \cdot \sigma_{0.2} + 0.4 \cdot \sigma_u$ (MPa)
σ_{ref2}	= reference stress $\sigma_{ref2} = 0.7 \cdot \sigma_u$ or $\sigma_{ref2} = 0.6 \cdot \sigma_{0.2} + 0.4 \cdot \sigma_u$ whichever is less (MPa)
σ_{st}	= maximum stress resulting from F_b or F_f (MPa)
σ_u	= ultimate tensile strength of blade material (MPa)
$(\sigma_{ice})_{bmax}$	= principal stress caused by the maximum backward propeller ice load (MPa)
$(\sigma_{ice})_{fmax}$	= principal stress caused by the maximum forward propeller ice load (MPa)
$(\sigma_{ice})_{Amax}$	= maximum ice load stress amplitude at the considered location on the blade (MPa)
σ_{mean}	= mean stress (MPa)
$(\sigma_{ice})_A(N)$	= blade stress amplitude distribution (MPa)

2. Definition of Loads

The definitions of loads are given in **Table 2.10**.

Table 2.10 Definition of loads

	Definition	Use of the load in design process
F_b	The maximum lifetime backward force on a propeller blade resulting from propeller/ice interaction, including hydrodynamic loads on that blade. The direction of the force is perpendicular to chord line. See Fig 2.9 .	Design force for strength calculation of the propeller blade.
F_f	The maximum lifetime forward force on a propeller blade resulting from propeller/ice interaction, including hydrodynamic loads on that blade. The direction of the force is perpendicular to 0.7R chord line.	Design force for calculation of strength of the propeller blade.
Q_{smax}	The maximum lifetime spindle torque on a propeller blade resulting from propeller/ice interaction, including hydrodynamic loads on that blade.	In designing the propeller strength, the spindle torque is automatically taken into account because the propeller load is acting on the blade as distributed pressure on the leading edge or tip area.
T_b	The maximum lifetime thrust on propeller (all blades) resulting from propeller/ice interaction. The direction of the thrust is the propeller shaft direction and the force is opposite to the hydrodynamic thrust.	Is used for estimation of the response thrust T_r . T_b can be used as an estimate of excitation for axial vibration calculations. However, axial vibration calculations are not required in the Rules.
T_f	The maximum lifetime thrust on propeller (all blades) resulting from propeller/ice interaction. The direction of the thrust is the propeller shaft direction acting in the direction of hydrodynamic thrust.	Is used for estimation of the response thrust T_r . T_f can be used as an estimate of excitation for axial vibration calculations. However, axial vibration calculations are not required in the Rules.
Q_{max}	The maximum ice-induced torque resulting from propeller/ice interaction on one propeller blade, including hydrodynamic loads on that blade.	Is used for estimation of the response torque Q_r along the propulsion shaft line and as excitation for torsional vibration calculations.
F_{ex}	Ultimate blade load resulting from blade loss through plastic bending. The force that is needed to cause total failure of the blade so that plastic hinge is caused to the root area. The force is acting on 0.8R.	Blade failure load is used to dimension the blade bolts, pitch control mechanism, propeller shaft, propeller shaft bearing and trust bearing. The objective is to guarantee that total propeller blade failure should not cause damage to other components.
Q_{se}	Maximum spindle torque resulting from blade failure load.	Is used to ensure pyramid strength principle for the pitching mechanism.
Q_r	Maximum response torque along the propeller shaft line, taking into account the dynamic behaviour of the shaft line for ice excitation (torsional vibration) and hydrodynamic mean torque on propeller.	Design thrust for propeller shaft line components.
T_r	Maximum response thrust along shaft line, taking into account the dynamic behaviour of the shaft line for ice excitation (axial vibration) and hydrodynamic mean thrust on propeller.	Design thrust for propeller shaft line components.




Fig 2.9 Direction of the backward blade force resultant taken perpendicular to the chord line at radius $0.7R$. Ice contact pressure at leading edge is shown with small arrows.

305. Design Ice Loads

1. General

- (1) These Rules cover open and ducted type propellers situated at the stern of a vessel having controllable pitch or fixed pitch blades. Ice loads on bow-mounted propellers shall receive special consideration at the discretion of the Society. The given loads are expected, single occurrence, maximum values for the whole ship's service life for normal operational conditions, including loads resulting from directional change of rotation where applicable.
- (2) These loads do not cover off-design operational conditions, for example when a stopped propeller is dragged through ice. These Rules also cover loads due to propeller ice interaction for azimuthing and fixed thrusters with geared transmission or an integrated electric motor ("geared or podded propulsors"). However, the load models of the regulations do not include propeller/ice interaction loads when ice enters the propeller of a turned azimuthing thruster from the side (radially) or loads when ice blocks hit on the propeller hub of a pulling propeller.
- (3) Ice loads resulting from ice impacts on the body of thrusters shall be estimated on a case by case basis, however are not included within the this section.
- (4) The loads given in **Par 3** are total loads including ice-induced loads and hydrodynamic loads (unless otherwise stated) during ice interaction and are to be applied separately (unless otherwise stated) and are intended for component strength calculations only.
- (5) F_b is the maximum force experienced during the lifetime of the ship that bends a propeller blade backwards when the propeller mills an ice block while rotating ahead. F_f is the maximum force experienced during the lifetime of the ship that bends a propeller blade forwards when the propeller mills an ice block while rotating ahead. F_b and F_f originate from different propeller/ice interaction phenomena, which do not act simultaneously. Hence they are to be applied separately.

2. Ice class factors

The dimensions of the considered design ice block are $H_{ice} \times 2H_{ice} \times 3H_{ice}$. The design ice block and ice strength index (S_{ice}) are used for the estimation of propeller ice loads. Both H_{ice} and S_{ice} are defined for each Ice class in **Table 2.11** below.

Table 2.11 Ice class factors

Ice class	H_{ice} [m]	S_{ice} [-]
PC1	4.0	1.2
PC2	3.5	1.1
PC3	3.0	1.1
PC4	2.5	1.1
PC5	2.0	1.1
PC6	1.75	1
PC7	1.5	1

3. Propeller Ice Interaction Loads

(1) Maximum backward blade force, F_b for open propellers

$$\text{when } D < D_{limit}, \quad F_b = 27 \cdot S_{ice} \cdot [nD]^{0.7} \cdot \left[\frac{EAR}{Z} \right]^{0.3} \cdot D^2 \quad (\text{kN})$$

$$\text{when } D \geq D_{limit}, \quad F_b = 23 \cdot S_{ice} \cdot [nD]^{0.7} \cdot \left[\frac{EAR}{Z} \right]^{0.3} \cdot [H_{ice}]^{1.4} \cdot D \quad (\text{kN})$$

where:

$$D_{limit} = 0.85 \cdot [H_{ice}]^{1.4} \quad (\text{m})$$

Here n is the nominal rotational speed at MCR in the free running open water condition for CP-propellers and 85% of the nominal rotational speed (at MCR free running condition) for a FP-propeller (regardless driving engine type) (rps)

For vessels with the additional notation "Icebreaker", the above stated backward blade force F_b shall be multiplied by a factor of 1.1.

(2) Maximum forward blade force F_f for open propellers

$$\text{when } D < D_{limit}, \quad F_f = 250 \cdot \left[\frac{EAR}{Z} \right] \cdot D^2 \quad (\text{kN})$$

$$\text{when } D \geq D_{limit}, \quad F_f = 500 \cdot \left[\frac{1}{\left(1 - \frac{d}{D}\right)} \right] \cdot H_{ice} \cdot \left[\frac{EAR}{Z} \right] \cdot D \quad (\text{kN})$$

where:

$$D_{limit} = \left[\frac{2}{\left(1 - \frac{d}{D}\right)} \right] \cdot H_{ice} \quad (\text{m})$$

(3) Loaded area on the blade for open propellers

Load cases 1 ~ load cases 4 shall be covered, as given in **Table 2.1** of **Annex 2** for CP and FP propellers. In order to obtain blade ice loads for a reversing propeller, load case 5 shall also be covered for propellers where reversing is possible.

(4) Maximum backward blade ice force F_b for ducted propellers

$$\text{when } D < D_{limit}, \quad F_b = 9.5 \cdot S_{ice} \cdot [nD]^{0.7} \cdot \left[\frac{EAR}{Z} \right]^{0.3} \cdot D^2 \quad (\text{kN})$$

$$\text{when } D \geq D_{limit}, \quad F_b = 66 \cdot S_{ice} \cdot [nD]^{0.7} \cdot \left[\frac{EAR}{Z} \right]^{0.3} \cdot [H_{ice}]^{1.4} \cdot D^{0.6} \quad (\text{kN})$$

where:

$$D_{limit} = 4 \cdot H_{ice}$$

n is to be taken as in (1)

For vessels with the additional notation "Icebreaker", the above stated backward blade force F_b shall be multiplied by a factor 1.1.

- (5) Maximum forward blade ice force F_f for ducted propellers

$$\text{when } D \leq D_{limit}, \quad F_f = 250 \cdot \left[\frac{EAR}{Z} \right] \cdot D^2 \quad (\text{kN})$$

$$\text{when } D > D_{limit}, \quad F_f = 500 \cdot \left[\frac{EAR}{Z} \right] \cdot D \cdot \frac{1}{\left[1 - \frac{d}{D} \right]} \cdot H_{ice} \quad (\text{kN})$$

where:

$$D_{limit} = \frac{2}{\left[1 - \frac{d}{D} \right]} \cdot H_{ice} \quad (\text{m})$$

- (6) Loaded area on the blade for ducted propellers

Load cases 1 and 3 shall be covered as given in **Table 2.2** of **Annex 2** for all propellers. In order to obtain blade ice loads for a reversing propeller, load case 5 shall also be covered for propellers, where reversing is possible.

- (7) Maximum blade spindle torque Q_{smax} for open and ducted propellers

The spindle torque Q_{smax} around the axis of the blade fitting shall be determined both for the maximum backward blade force F_b and forward blade force F_f , which are applied as per **Table 2.1** and **Table 2.2** of **Annex 2**. If the above method gives a value which is less than the default value given by the formula below, the default value shall be used.

$$\text{Default Value } Q_{smax} = 0.25 \cdot F \cdot c_{0.7} \quad (\text{kN} \cdot \text{m})$$

where:

F is either F_b or F_f which ever has the greater absolute value.

The blade failure spindle torque Q_{sec} is defined under **Par 4**.

- (8) Load distributions (spectra) for blade loads

The Weibull-type distribution (probability that F_{ice} exceeds $(F_{ice})_{max}$), as given in **Fig 2.10** is used for the fatigue design of the blade.

$$P\left(\frac{F_{ice}}{(F_{ice})_{max}} \geq \frac{F}{(F_{ice})_{max}}\right) = e^{-\left(\frac{F}{(F_{ice})_{max}}\right)^k \cdot \ln(N_{ice})}$$

where:

k = shape parameter of the spectrum

N_{ice} = number of load cycles in the spectrum, see (9)

F_{ice} = random variable for ice loads on the blade, $0 \leq F_{ice} \leq (F_{ice})_{max}$

This results in a blade stress amplitude distribution

$$(\sigma_{ice})_A(N) = (\sigma_{ice})_{Amax} \cdot \left(1 - \frac{\log(N)}{\log(N_{ice})}\right)^{\frac{1}{k}}$$

where:

$$(\sigma_{ice})_{Amax} = \frac{(\sigma_{ice})_{fmax} - (\sigma_{ice})_{bmax}}{2}$$

The shape parameter $k = 0.75$ shall be used for the ice force distribution of an open propeller and the shape parameter $k = 1.0$ for that of a ducted propeller blade.




Fig 2.10 The Weibull-type distribution (probability that F_{ice} exceeds $(F_{ice})_{max}$) that is used for fatigue design.

(9) Number of ice loads

Number of load cycles N_{ice} in the load spectrum per blade is to be determined according to the formula:

$$N_{ice} = k_1 \cdot k_2 \cdot k_3 \cdot N_{class} \cdot n$$

where:

N_{class} = reference number of impacts per propeller revolution for each ice class (Table 2.12)

Table 2.12 Reference number of impacts

Ice class	PC1	PC2	PC3	PC4	PC5	PC6	PC7
N_{class}	21×10^6	17×10^6	15×10^6	13×10^6	11×10^6	9×10^6	6×10^6

- $k_1 = 1$ for centre propeller
- $= 2$ for wing propeller
- $= 3$ for pulling propeller (wing and centre)

$$\begin{aligned}
 k_2 &= 0.8 - f && \text{when } f < 0 \\
 &= 0.8 - 0.4 \cdot f && \text{when } 0 \leq f \leq 1 \\
 &= 0.6 - 0.2 \cdot f && \text{when } 1 < f \leq 2.5 \\
 &= 0.1 && \text{when } f > 2.5
 \end{aligned}$$

$$\begin{aligned}
 k_3 &= 1 && \text{for fixed propulsors} \\
 &= 1.2 && \text{for azimuthing propulsors}
 \end{aligned}$$

where the immersion function f is:

$$f = \frac{h_0 - H_{ice}}{D/2} - 1$$

If h_0 is not known, $h_0 = D/2$

For vessels with the additional notation “Icebreaker”, the above stated number of load cycles N_{ice} shall be multiplied by a factor of 3. For components that are subject to loads resulting from propeller/ice interaction with all the propeller blades, the number of load cycles N_{ice} is to be multiplied by the number of propeller blades Z .

4. Blade Failure Load for both Open and Ducted Propellers

(1) Bending Force, F_{ex}

The minimum load required resulting in blade failure through plastic bending. This shall be calculated iteratively along the radius of the blade from blade root to 0.5R using below Equation with the ultimate load assumed to be acting at 0.8R in the weakest direction.

The blade failure load is:

$$F_{ex} = \frac{0.3 \cdot c \cdot t^2 \cdot \sigma_{ref1}}{0.8 \cdot D - 2 \cdot r} 10^3 \quad (\text{kN})$$

where:

$$\sigma_{ref1} = 0.6 \cdot \sigma_{0.2} + 0.4 \cdot \sigma_u$$

σ_u (minimum ultimate tensile strength to be specified on the drawing) and $\sigma_{0.2}$ (minimum yield or 0.2% proof strength to be specified on the drawing) are representative values for the blade material

c , t and r (see **Ch 1, 605. Fig 1.11**) are respectively the actual chord length, maximum thickness and radius of the cylindrical root section of the blade, which is the weakest section outside the root fillet located typically at the termination of the fillet into the blade profile.

The Society may approve alternative means of failure load calculation by means of an appropriate stress analysis reflecting the non-linear plastic material behaviour of the actual blade. A blade is regarded as having failed, if the tip is bent by more than 10% of the propeller diameter D .

(2) Spindle Torque, Q_{sex}

The maximum spindle torque due to a blade failure load acting at 0.8R shall be determined. The force that causes blade failure typically reduces when moving from the propeller centre towards the leading and trailing edges. At a certain distance from the blade centre of rotation the maximum spindle torque will occur. This maximum spindle torque shall be defined by an appropriate stress analysis or using equation below.

$$Q_{sex} = \max(C_{LE0.8} \cdot 0.8 \cdot C_{TE0.8}) \cdot C_{spex} \cdot F_{cx} \quad (\text{kN} \cdot \text{m})$$

where:

$$C_{spex} = C_{sp} \cdot C_{fex} = 0.7 \cdot \left(1 - \left(4 \cdot \frac{EAR}{Z}\right)^3\right)$$

C_{sp} is non-dimensional parameter taking into account the spindle arm

C_{fex} is non-dimensional parameter taking into account the reduction of blade failure force at the location of maximum spindle torque.

If C_{spex} is below 0.3, a value of 0.3 shall be used for C_{spex} .

$C_{LE0.8}$ is the leading edge portion of the chord length at 0.8R

$C_{TE0.8}$ is the trailing edge portion of the chord length at 0.8R

The Fig 2.11 illustrates the spindle torque values due to blade failure loads across the whole chord length.




Fig 2.11 Schematic figure showing blade failure load and related spindle torque when the force acts at different location on the chord line at radius 0.8R.

5. Axial design loads acting on open and ducted propellers

- (1) Maximum ice thrust on propeller T_f and T_b acting on open and ducted propellers
The maximum forward and backward ice thrusts are given by the following formula:

$$T_f = 1.1 \cdot F_f \quad (\text{kN})$$

$$T_b = 1.1 \cdot F_b \quad (\text{kN})$$

However, the load models within this UR do not include propeller/ice interaction loads where an ice block hits the propeller hub of a pulling propeller.

- (2) Design thrust along the propulsion shaft line for open and ducted propellers
The design thrust along the propeller shaft line is to be calculated with the formulae below. The greater value of the forward and backward directional load shall be taken as the design load for both directions. The factors 2.2 and 1.5 take into account the dynamic magnification resulting from axial vibration.

In a forward direction: $T_r = T + 2.2 \cdot T_f$ (kN)

In a backward direction: $T_r = 1.5 \cdot T_b$ (kN)

If the hydrodynamic bollard thrust, T , is not known, T is to be taken as follows:

Table 2.13 Guidance for bollard thrust values

Propeller Type	T
CP propellers (open)	$1.25 \cdot T_n$
CP propellers (ducted)	$1.1 \cdot T_n$
FP propellers driven by turbine or electric motor	T_n
FP propellers driven by reciprocating internal combustion engine (open)	$0.85 \cdot T_n$
FP propellers driven by reciprocating internal combustion engine (ducted)	$0.75 \cdot T_n$
Here, T_n is the nominal propeller thrust at MCR in the free running open water condition.	

For pulling type propellers ice interaction loads on propeller hub must be considered in addition to the above. These will be specially considered by the Society.

6. Torsional design loads acting on open and ducted propellers

(1) Design ice torque on propeller Q_{\max} for open propellers

Q_{\max} is the maximum torque on a propeller resulting from ice/propeller interaction.

when $D < D_{limit}$:

$$Q_{\max} = k_{open} \cdot \left[1 - \frac{d}{D}\right] \cdot \left[\frac{P_{0.7}}{D}\right]^{0.16} \cdot [nD]^{0.17} \cdot D^3 \quad (\text{kN}\cdot\text{m})$$

where:

$$k_{open} = 14.7 \quad \text{PC1} \sim \text{PC5}; \text{ and}$$

$$k_{open} = 10.9 \quad \text{PC6} \sim \text{PC7}$$

when $D \geq D_{limit}$:

$$Q_{\max} = 1.9 \cdot k_{open} \cdot \left[1 - \frac{d}{D}\right] \cdot [H_{ice}]^{1.1} \cdot \left[\frac{P_{0.7}}{D}\right]^{0.16} \cdot [nD]^{0.17} \cdot D^{1.9} \quad (\text{kN}\cdot\text{m})$$

where:

$$D_{limit} = 1.8 \cdot H_{ice} \quad (\text{m})$$

n is the rotational propeller speed in rev/s in bollard condition. If not known, n is to be taken as following **Table 2.14**.

Table 2.14 Guidance for rotational speeds to calculate torsional loads

Propeller type	n
CP propellers	n_n
FP propellers driven by turbine or electric motor	n_n
FP propellers driven by reciprocating internal combustion engine	$0.85 \cdot n_n$

For CP propellers, the propeller pitch $P_{0.7}$ shall correspond to MCR in bollard condition. If not known, $P_{0.7}$ is to be taken as $0.7 \cdot P_{0.7n}$, where $P_{0.7n}$ is the propeller pitch at MCR in free running condition.

- (2) Design ice torque on propeller Q_{\max} for ducted propellers

when $D < D_{limit}$:

$$Q_{\max} = k_{ducted} \cdot \left[1 - \frac{d}{D}\right] \cdot \left[\frac{P_{0.7}}{D}\right]^{0.16} \cdot [nD]^{0.17} \cdot D^3 \quad (\text{kN}\cdot\text{m})$$

where:

$$k_{ducted} = 10.4 \quad \text{PC1} \sim \text{PC5}; \text{ and}$$

$$k_{ducted} = 7.7 \quad \text{PC6} \sim \text{PC7}$$

when $D \geq D_{limit}$:

$$Q_{\max} = 1.9 \cdot k_{ducted} \cdot \left[1 - \frac{d}{D}\right] \cdot [H_{ice}]^{1.1} \cdot \left[\frac{P_{0.7}}{D}\right]^{0.16} \cdot [nD]^{0.17} \cdot D^{1.9} \quad (\text{kN}\cdot\text{m})$$

where:

$$D_{limit} = 1.8 \cdot H_{ice} \quad (\text{m})$$

n shall be taken as in (1)

For CP propellers, the propeller pitch $P_{0.7}$ shall correspond to MCR in bollard condition. If not known, $P_{0.7}$ is to be taken as $0.7 \cdot P_{0.7n}$, where $P_{0.7n}$ is the propeller pitch at MCR in free running condition.

- (3) Ice torque excitation for open and ducted propellers

The given excitations are used to estimate the maximum torque likely to be experienced once during the service life of the ship. The following load cases are intended to reflect the operational loads on the propulsion system when the propeller interacts with ice and the corresponding reaction of the complete system. The ice impact and system response cause loads in the individual shaft line components. The ice torque Q_{\max} may be taken as a constant value in the complete speed range. When considerations at specific shaft speeds are performed a relevant Q_{\max} may be calculated using the relevant speed.

Diesel engine plants without an elastic coupling shall be calculated at the least favourable phase angle for ice versus engine excitation, when calculated in time domain. The engine firing pulses shall be included in the calculations and their standard steady state harmonics can be used. A phase angle between ice and gas force excitation does not need to be regarded in frequency domain analysis. Misfiring does not need to be considered.

If there is a blade order resonance just above MCR speed, calculations shall cover the rotational speeds up to 105% of MCR speed.

See also Guidelines for calculations given in **Par 7**.

- (A) Excitation for the time domain calculation

The propeller ice torque excitation for shaft line transient dynamic analysis (time domain) is defined as a sequence of blade impacts which are of half sine shape and occur at the blade. The torque due to a single blade ice impact as a function of the propeller rotation angle is then defined as:

when φ rotates from 0 to α_i plus integer revolutions:

$$Q(\varphi) = C_q \cdot Q_{\max} \cdot \sin(\varphi(180/\alpha_i))$$

when φ rotates from α_i to 360 plus integer revolutions:

$$Q(\varphi) = 0$$

where:

φ : rotation angle starting when the first impact occurs

α_i : the duration of propeller blade/ice interaction expressed in propeller rotation angle.

C_q and α_i parameters are given in the **Table 2.15** below.

Table 2.15 Ice impact magnification and duration factors for different blade numbers

Torque excitation	Propeller-ice interaction	C_q	α_i [deg.]			
			Z=3	Z=4	Z=5	Z=6
Excitation Case 1	Single ice block	0.75	90	90	72	60
Excitation Case 2	Single ice block	1.0	135	135	135	135
Excitation Case 3	Two ice blocks (phase shift $360^\circ/2 \cdot Z$)	0.5	45	45	36	30
Excitation Case 4	Single ice block	0.5	45	45	36	30

The total ice torque is obtained by summing the torque of single blades, taking into account the phase shift $360^\circ/Z$.

At the beginning and at the end of the milling sequence (within calculated duration) linear ramp functions shall be used to increase C_q to its maximum within one propeller revolution and vice versa to decrease it to zero (see examples for different Z numbers in **Fig 2.1** of **Annex 2**).

The number of propeller revolutions during a milling sequence N_Q shall be obtained from the formula:

$$N_Q = 2 \cdot H_{ice}$$

The number of impacts is $Z \cdot N_Q$ for blade order excitation.

An illustration of all excitation cases for different blade numbers is given in **Fig 2.1** of **Annex 2**.

The dynamic simulation shall be performed for all excitation cases starting at MCR nominal, MCR bollard condition and just above all resonance speeds (1st engine and 1st blade harmonic), so that the resonant vibration responses can be obtained. For a fixed pitch propeller plant the dynamic simulation shall also cover bollard pull condition with a corresponding speed assuming maximum possible output of the engine.

If a speed drop occurs down to stand still of the main engine, it indicates that the engine may not be sufficiently powered for the intended service task. For the consideration of loads, the maximum occurring torque during the speed drop process shall be applied. On these cases, the excitation shall follow the shaft speed.

(B) Frequency domain excitation

For frequency domain calculations the following torque excitation may be used. The excitation has been derived so that the time domain half sine impact sequences have been assumed to be continuous and the Fourier series components for blade order and twice the blade order components have been derived. The frequency domain analysis is generally considered as conservative compared to the time domain simulation provided there is a first blade order resonance in the considered speed range.

$$Q_F(\varphi) = Q_{\max} \cdot (C_{q0} + C_{q1} \cdot \sin(Z \cdot E_0 \cdot \varphi + \alpha_1) + C_{q2} \cdot \sin(2 \cdot Z \cdot E_0 \cdot \varphi + \alpha_2)) \quad (\text{kN} \cdot \text{m})$$

$$C_{q0} \quad = \text{mean torque component}$$

- C_{q1} = first blade order excitation amplitude
- C_{q2} = second blade order excitation amplitude
- φ = angle of rotation
- α_1, α_2 = phase angle of excitation component
- E_0 = number of ice blocks in contact

Above coefficients for frequency domain excitation calculation are to be taken as given in **Table 2.16**.

Table 2.16 Coefficients for simplified excitation torque estimation

Torque excitation	Z=3					
	C_{q0}	C_{q1}	α_1	C_{q2}	α_2	E_0
Excitation Case 1	0.375	0.375	-90	0	0	1
Excitation Case 2	0.7	0.33	-90	0.05	-45	1
Excitation Case 3	0.25	0.25	-90	0	0	2
Excitation Case 4	0.2	0.25	0	0.05	-90	1
Torque excitation	Z=4					
	C_{q0}	C_{q1}	α_1	C_{q2}	α_2	E_0
Excitation Case 1	0.45	0.36	-90	0.06	-90	1
Excitation Case 2	0.9375	0	-90	0.0625	-90	1
Excitation Case 3	0.25	0.251	-90	0	0	2
Excitation Case 4	0.2	0.25	0	0.05	-90	1
Torque excitation	Z=5					
	C_{q0}	C_{q1}	α_1	C_{q2}	α_2	E_0
Excitation Case 1	0.45	0.36	-90	0.06	-90	1
Excitation Case 2	1.19	0.17	-90	0.02	-90	1
Excitation Case 3	0.3	0.25	-90	0.048	-90	2
Excitation Case 4	0.2	0.25	0	0.05	-90	1
Torque excitation	Z=6					
	C_{q0}	C_{q1}	α_1	C_{q2}	α_2	E_0
Excitation Case 1	0.45	0.375	-90	0.05	-90	1
Excitation Case 2	1.435	0.1	-90	0	0	1
Excitation Case 3	0.3	0.25	-90	0.048	-90	2
Excitation Case 4	0.2	0.25	0	0.05	-90	1

Torsional vibration responses shall be calculated for all excitation cases. The results of the relevant excitation cases at the most critical rotational speeds are to be used in the following way:

The highest response torque (between the various lumped masses in the system) is in the following referred to as peak torque Q_{peak} .

The highest torque amplitude during a sequence of impacts is to be determined as half of

the range from max to min torque and is referred to as Q_{Amax} . An illustration of Q_{Amax} is given in Fig 2.12. It can be determined by

$$Q_{Amax} = \left(\frac{\max(Q_r(\text{time})) - \min(Q_r(\text{time}))}{2} \right) \quad (\text{kN}\cdot\text{m})$$




Fig 2.12 Interpretation of different torques in a measured curve, as example

(4) Design torque along shaft line

- (A) If there is no relevant first order propeller torsional resonance in the range 20% (of n_n) above and 20% below the maximum operating speed in bollard condition (see Table 2.14), the following estimation of the maximum response torque can be used to calculate the design torque along the propeller shaft line.

For directly coupled two stroke reciprocating internal combustion engine without flexible coupling.

$$Q_r = Q_{emax} + Q_{vib} + Q_{max} \cdot \frac{I}{I_t} \quad (\text{kN}\cdot\text{m})$$

For all other plants:

$$Q_r = Q_{emax} + Q_{max} \cdot \frac{I}{I_t} \quad (\text{kN}\cdot\text{m})$$

I = equivalent mass moment of inertia of all parts on engine side of component under consideration

I_t = equivalent mass moment of inertia of the whole propulsion system

All the torques and the inertia moments shall be reduced to the rotation speed of the component being examined. If the maximum torque, Q_{emax} , is not known, it shall be taken as following Table 2.17:

Table 2.17 Guideline for the determination of maximum motor torque

Propeller type	Q_{emax}
Propellers driven by electric motor	Q_{motor}
CP propellers driven by prime movers other than electric motor	Q_n
FP propellers driven by turbine	Q_n
FP propellers driven by reciprocating internal combustion engine	$0.75 \cdot Q_n$
NOTE: Here, Q_{motor} is the electric motor peak torque.	

- (B) If there is a first blade order torsional resonance in the range 20% (of n_n) above and 20% below the maximum operating speed (bollard condition), the design torque (Q_r) of the shaft component shall be determined by means of a dynamic torsional vibration analysis of the entire propulsion line in the time domain or alternatively in the frequency domain. It is then assumed that the plant is sufficiently designed to avoid harmful operation in barred speed range.

7. Guideline for torsional vibration calculation

- (1) The aim of torsional vibration calculations is to estimate the torsional loads for individual shaft line components over the life time in order to determine scantlings for safe operation. The model can be taken from the normal lumped mass elastic torsional vibration model (frequency domain) including the damping. Standard harmonics may be used to consider the gas forces. The engine torque – speed curve of the actual plant shall be applied.
- (2) For time domain analysis the model should include the ice excitation at propeller, the mean torques provided by the prime mover and the hydrodynamic mean torque produced by the propeller as well as any other relevant excitations. The calculations should cover the variation of phase between the ice excitation and prime mover excitation. This is extremely relevant for propulsion lines with direct driven combustion engines.
- (3) For frequency domain calculations the load should be estimated as a Fourier component analysis of the continuous sequence of half sine load peaks. The first and second order blade components should be used for excitation. The calculation should cover the whole relevant shaft speed range. The analysis of the responses at the relevant torsional vibration resonances may be performed for open water (without ice excitation) and ice excitation separately. The resulting maximum torque can be obtained for directly coupled plants by the following superposition:

$$Q_{peak} = Q_{emax} + Q_{opw} + Q_{ice}$$

where:

Q_{emax} is the maximum engine torque at considered rotational speed

Q_{opw} is the maximum open water response of engine excitation at considered shaft speed and determined by frequency domain analysis

Q_{ice} is the calculated torque using frequency domain analysis for the relevant shaft speeds, ice excitation cases 1~ cases 4, resulting in the maximum response torque due to ice excitation

306. Design

1. Design Principle

- (1) The propulsion line shall be designed according to the pyramid strength principle in terms of its strength. This means that the loss of the propeller blade shall not cause any significant damage to other propeller shaft line components.

- (2) The propulsion line components shall withstand maximum and fatigue operational loads with the relevant safety margin. The loads do not need to be considered for shaft alignment or other calculations of normal operational conditions.

2. Fatigue design in general

- (1) The design loads shall be based on the ice excitation and where necessary (shafting) dynamic analysis, described as a sequence of blade impacts (305. 6 (3) (A)). The shaft response torque shall be determined according 305. 6 (4).
- (2) The propulsion line components are to be designed so as to prevent accumulated fatigue failure when considering the relevant loads using the linear elastic Miner's rule as defined below.

$$D = \frac{n_1}{N_1} + \frac{n_2}{N_2} + \dots + \frac{n_k}{N_k} \leq 1 \quad \text{or} \quad D = \sum_{j=1}^k \frac{n_j}{N_j} \leq 1$$

where:

k is the number of stress levels.

$N_{1...k}$ is the number of load cycles to failure of the individual stress level class.

$n_{1...k}$ is the accumulated number of load cycles of the case under consideration, per class.

D is Miners damage sum

The stress distribution should be divided into a frequency load spectrum having minimum 10 stress blocks (every 10 % of the load). Calculation with 5 stress blocks has been found to be too conservative. The maximum allowable load is limited by σ_{ref2} for propeller blades and yield strength for all other components. The load distribution (spectrum) should be in accordance with the Weibull distribution.

3. Propeller blades

- (1) Calculation of blade stresses due to static loads

The blade stresses (equivalent and principal stresses) shall be calculated for the design loads given in section 305. 3 Finite element analysis (FEA) shall be used for stress analysis as part of the final approval for all propeller blades. The von Mises stresses, taken as σ_{st} , shall comply with equation in (2).

Alternatively, the following simplified equation can be used in estimating the blade stresses for all propellers in the root area ($r/R < 0.5$) for final approval.

$$\sigma_{st} = C_1 \cdot \frac{M_{BL}}{100 \cdot ct^2} \quad (\text{MPa})$$

where:

constant C_1 is the $\frac{\text{actual stress}}{\text{stress obtained with beam equation}}$

If the actual value is not available, C_1 should be taken as 1.6.

$$M_{BL} = (0.75 - r/R) \cdot R \cdot F, \quad \text{for relative radius } r/R < 0.5$$

F is the maximum of F_b and F_f , whichever is greater.

- (2) Acceptability criterion for static loads

The following criterion for calculated blade stresses shall be fulfilled:

$$\frac{\sigma_{ref2}}{\sigma_{st}} \geq 1.3$$

σ_{st} = calculated stress for the design loads. If FE analysis is used in estimating the stresses, von Mises stresses shall be used.

(3) Fatigue design of propeller blade

(A) General

For materials with a two slope S–N curve (**Fig 2.13**) the fatigue calculations defined in this chapter are not required if the following criterion is fulfilled.

$$\sigma_{\text{exp}} \geq B_1 \cdot \sigma_{\text{ref}2}^{B_2} \cdot \log(N_{\text{ice}})^{B_3}$$

where:

B_1 , B_2 and B_3 are coefficients for open and ducted propellers, given in the **Table 2.18** below.

Table 2.18 Coefficients to check a dispense from fatigue calculation

	Open propeller	Ducted propeller
B_1	0.00328	0.00223
B_2	1.0076	1.0071
B_3	2.101	2.471

Where the above criterion is not fulfilled the fatigue requirements defined below shall be applied:

The fatigue design of the propeller blade is based on an estimated load distribution for the service life of the ship and the S–N curve for the blade material. An equivalent stress σ_{fat} that produces the same fatigue damage as the expected load distribution shall be calculated according to Miner's rule and the acceptability criterion for fatigue should be fulfilled as given in this section. The equivalent stress is normalised for 10^8 cycles.

The blade stresses at various selected load levels for fatigue analysis are to be taken proportional to the stresses calculated for maximum loads given in section **305. 3**.

The peak principal stresses σ_f and σ_b are determined from F_f and F_b using FEA. The peak stress range $\Delta\sigma_{max}$ and the maximum stress amplitude σ_{Amax} are determined on the basis of load cases 1 and 3, 2 and 4.

$$\Delta\sigma_{max} = 2 \cdot \sigma_{Amax} = |(\sigma_{ice})_{fmax}| + |(\sigma_{ice})_{bmax}|$$

The load spectrum for backward loads is normally expected to have a lower number of cycles than the load spectrum for forward loads. Taking this into account in a fatigue analysis introduces complications that are not justified considering all uncertainties involved. For the calculation of equivalent stress two types of S–N curves are available.

Two slope S–N curve (slopes 4.5 and 10), see **Fig 2.13**.

One slope S–N curve (the slope can be chosen), see **Fig 2.14**.

The type of the S–N-curve shall be selected to correspond with the material properties of the blade. If the S–N-curve is not known the two slope S–N curve shall be used.




Fig 2.13 Two-slope S-N curve




Fig 2.14 Constant-slope S-N curve

(B) Equivalent fatigue stress

A more general method of determining the equivalent fatigue stress of propeller blades is described in **Par 5**, where the principal stresses are considered according to **305. 3** using the Miner's rule. For a total number of load blocks $n_{bl} > 100$, both methods deliver the same result. Therefore, they are regarded as equivalent.

The equivalent fatigue stress for 10^8 cycles which produces the same fatigue damage as the load distribution is:

$$\sigma_{fat} = \rho \cdot (\sigma_{ice})_{max}$$

where:

$(\sigma_{ice})_{max}$: mean value of the principal stress amplitudes resulting from design forward and backward blade forces at the location being studied.

$$(\sigma_{ice})_{max} = 0.5 \cdot [(\sigma_{ice})_{fmax} - (\sigma_{ice})_{bmax}]$$

$(\sigma_{ice})_{fmax}$: principal stress resulting from forward load

$(\sigma_{ice})_{bmax}$: principal stress resulting from backward load

In the calculation of $(\sigma_{ice})_{max}$, case 1 and case 3 or case 2 and case 4 in **Table 2.1**, **Table 2.2** of **Annex 2** are considered as pairs for $(\sigma_{ice})_{fmax}$, and $(\sigma_{ice})_{bmax}$ calculations. Case 5 is excluded from the fatigue analysis.

Calculation of parameter ρ for two-slope S-N curve

The error of the following method to determine the parameter ρ is sufficiently small, if the number of load cycles N_{ice} is in the range $5 \cdot 10^6 \leq N_{ice} \leq 10^8$

The parameter ρ relates the maximum ice load to the distribution of ice loads according to the regression formula

$$\rho = C_1 \cdot (\sigma_{ice})_{max}^{C_2} \cdot \sigma_{fl}^{C_3} \cdot \log(N_{ice})^{C_4}$$

where:

$\sigma_{fl} = \gamma_{\epsilon 1} \cdot \gamma_{\epsilon 2} \cdot \gamma_v \cdot \gamma_m \cdot \sigma_{exp}$ is the blade material fatigue strength at 10^8 load cycles, see (C).

The coefficients C_1 , C_2 , C_3 , and C_4 are given in **Table 2.19**.

Table 2.19 Coefficients to evaluate material fatigue strength

	Open propeller	Ducted propeller
C_1	0.000747	0.000534
C_2	0.0645	0.0533
C_3	- 0.0565	- 0.0459
C_4	2.22	2.584

Calculation of parameter ρ for constant-slope S-N curve

For materials with a constant-slope S-N curve, see Fig 2.14, the factor ρ shall be calculated from the following formula:

$$\rho = \left(G \cdot \frac{N_{ice}}{N_R} \right)^{\frac{1}{m}} (\ln(N_{ice}))^{-\frac{1}{k}}$$

where:

k = shape parameter of the Weibull distribution

$k = 1.0$ for ducted propellers and

$k = 0.75$ for open propellers

N_R = reference number of load cycles (=10⁸)

Values for the parameter G are given in Table 2.20 below. Linear interpolation may be used to calculate the value of G for m/k ratios other than those given in the Table 2.20.

Table 2.20 Value for the parameter G for different m/k ratios (2025)

m/k	G	m/k	G	m/k	G	m/k	G
3	6	5.5	287.9	8	40320	10.5	11.899 × 10 ⁶
3.5	11.6	6	720	8.5	119292	11	39.917 × 10 ⁶
4	24	6.5	1871	9	362880	11.5	136.843 × 10 ⁶
4.5	52.3	7	5040	9.5	1.133 × 10 ⁶	12	479.002 × 10 ⁶
5	120	7.5	14034	10	3.629 × 10 ⁶	-	-

(C) Acceptability criterion for fatigue

The equivalent fatigue stress σ_{fat} at all locations on the blade shall fulfil the following acceptability criterion:

$$\frac{\sigma_{fl}}{\sigma_{fat}} \geq 1.5$$

where:

$$\sigma_{fl} = \gamma_{\epsilon 1} \cdot \gamma_{\epsilon 2} \cdot \gamma_{\nu} \cdot \gamma_m \cdot \sigma_{exp}$$

σ_{fl} = the blade material fatigue strength at 10⁸ load cycles

$\gamma_{\epsilon 1}$ = reduction factor due to scatter (equal to one standard deviation)

$\gamma_{\epsilon 2}$ = reduction factor for test specimen size effect

The geometrical size factor ($\gamma_{\epsilon 2}$) is:

$$\gamma_{\epsilon 2} = 1 - a \cdot \ln\left(\frac{t}{0.025}\right)$$

where:

“ a ” is as given in **Table 2.21** below and “ t ” is the maximum blade thickness at the considered point

γ_{ν} = reduction factor for variable amplitude loading

γ_m = reduction factor for mean stress

The mean stress effect (γ_m) is

$$\gamma_m = 1.0 - \left(\frac{1.4 \cdot \sigma_{mean}}{\sigma_u}\right)^{0.75}$$

σ_{exp} = mean fatigue strength of the blade material at 10^8 cycles to failure in sea-water

σ_{exp} in **Table 2.21** has been defined from the results of constant amplitude loading fatigue tests at 10^7 load cycles and 50% survival probability and has been extended to 10^8 load cycles.

Fatigue strength values and correction factors other than those given in **Table 2.21** may be used, provided the values are determined under conditions approved by the Society.

The following values should be used for the reduction factors if actual values are not available:

$$\gamma_{\epsilon 1} = 0.85, \gamma_{\nu} = 0.75, \text{ 및 } \gamma_m = 0.75.$$

The S-N curve characteristics are based on two slopes, the first slope 4.5 is from 1000 to 10^8 load cycles; the second slope 10 is above 10^8 load cycles.

The maximum allowable stress for one or low number of cycles is limited to σ_{ref2}/S , with $S=1.3$ for static loads.

Table 2.21 Mean fatigue strength σ_{exp} for different material types at 10^8 load cycles and stress ratio $R = -1$ with a survival probability of 50%

Mean fatigue strength σ_{exp} for different material types at 10^8 load cycles			
Bronze and brass ($a = 0.10$)		Stainless steel ($a = 0.05$)	
Mn-Bronze, CU1 (high tensile brass)	84 MPa	Ferritic (12Cr 1Ni)	144 MPa ⁽¹⁾
Mn-Ni-Bronze, CU2 (high tensile brass)	84 MPa	Martensitic (13Cr 4Ni/13Cr 6Ni)	156 MPa
Ni-Al-Bronze, CU3	120 MPa	Martensitic (16Cr 5Ni)	168 MPa
Mn-Al-Bronze, CU4	113 MPa	Austenitic (19Cr 10Ni)	132 MPa
(Note)			
(1) This value may be used, provided a perfect galvanic protection is active. Otherwise a reduction of about 30 MPa shall be applied.			

4. Blade bolts, propeller hub and CP mechanism

(1) General

The blade bolts, CP mechanism, propeller boss and the fitting of the propeller to the propeller shaft shall be designed to withstand the maximum static and fatigue design loads (as applicable), as defined in **305. 3** and **306. 3**. The safety factor S against yielding due to static loads and against fatigue shall be greater than 1.5, if not stated otherwise. The safety factor S for loads, resulting from propeller blade failure as defined in **305. 4** shall be greater than 1.0 against yielding.

Provided that calculated stresses duly considering local stress concentrations are less than yield strength, or maximum of 70% of σ_u of respective materials, detailed fatigue analysis is not required. In all other cases components shall be analysed for cumulative fatigue. An approach similar to that used for shafting assessment may be applied (see **Par 5**).

(2) Blade bolts

Blade bolts shall withstand the following bending moment considered around a tangent on bolt pitch circle, or any other relevant axis for non-circular joints, parallel to considered root section:

$$M_{bolt} = S \cdot F_{cx} \left(0.8 \frac{D}{2} - r_{bolt}\right) \quad (\text{kN}\cdot\text{m})$$

where:

r_{bolt} = radius to the bolt plane (m)

S = 1.0 safety factor

Blade bolt pre-tension shall be sufficient to avoid separation between mating surfaces when the maximum forward and backward ice loads defined in **305. 3** (open and ducted propellers respectively) are applied. For conventional arrangements, the following formula may be applied:

$$d_{bb} = 41 \cdot \sqrt{\frac{F_{cx} \cdot (0.8D - d) \cdot S \cdot \alpha}{\sigma_{0.2} \cdot Z_{bb} \cdot PCD}} \quad (\text{mm})$$

where:

α = 1.6 torque guided tightening

= 1.3 elongation guided

= 1.2 angle guided

= 1.1 elongated by other additional means

other factors may be used, if evidence is demonstrated.

d_{bb} = effective diameter of blade bolt in way of thread (mm)

Z_{bb} = number of blade bolts

S = 1.0 safety factor

(3) CP mechanism

Separate means, e.g. dowel pins, shall be provided in order to withstand the spindle torque resulting from blade failure Q_{sec} (see **305. 4** (2)) or ice interaction Q_{smax} (see **305. 3** (7)), whichever is greater. Other components of the CP mechanism shall not be damaged by the maximum spindle torques (Q_{smax} , Q_{sec}). One third of the spindle torque is assumed to be consumed by friction, if not otherwise documented through further analysis.

The diameter of fitted pins d_{fp} between the blade and blade carrier can be calculated using the formula:

$$d_{fp} = 66 \cdot \sqrt{\frac{(Q_S - Q_{fr})}{PCD \cdot Z_{pin} \cdot \sigma_{0.2}}} \quad (\text{mm})$$

where:

$Q_S = \max(S \cdot Q_{smax}; S \cdot Q_{sec})$ (kN·m)

$$S = 1.3 \text{ for } Q_{smax} \text{ and}$$

$$S = 1.0 \text{ for } Q_{sex}$$

$$Q_{fr} = \text{friction between connected surfaces} = 0.33 \cdot Q_S$$

The Society may approve alternative Q_{fr} calculation according to reaction forces due to F_{ex} , or F_f , F_b whichever is relevant, utilising a friction coefficient = 0.15.

The stress in the actuating pin can be estimated by

$$\sigma_{vMses} = \sqrt{\left(\frac{\left(F \cdot \frac{h_{pin}}{2} \right)^2}{\frac{\pi \cdot d_{pin}^3}{32}} \right) + 3 \cdot \left(\frac{F}{\frac{\pi}{4} d_{pin}^2} \right)^2} \quad (\text{MPa})$$

where:

$$F = \frac{Q_S - Q_{fr}}{l_m} \quad (\text{kN})$$

l_m = distance pitching centre of blade - axis of pin (m)

Q_{fr} = friction torque in blade bearings acting on the blade palm and caused by the reaction forces due to F_{ex} , or F_f , F_b whichever is relevant; taken to one third of spindle torque Q_S

h_{pin} = height of actuating pin (mm)

d_{pin} = diameter of actuating pin (mm)

The blade failure spindle torque Q_{sex} shall not lead to any consequential damage.

Fatigue strength is to be considered for parts transmitting the spindle torque from the blade to a servo system considering the ice spindle torque acting on one blade. The maximum amplitude Q_{samax} is defined as:

$$Q_{samax} = \frac{Q_{sb} + Q_{sf}}{2} \quad (\text{kN}\cdot\text{m})$$

where:

Q_{sb} = spindle torque due to $|F_b|$ (kN·m)

Q_{sf} = spindle torque due to $|F_f|$ (kN·m)

(4) Servo pressure

The design pressure for the servo system shall be taken as the pressure caused by Q_{samax} or, Q_{sex} when not protected by relief valves on the hydraulic actuator side, reduced by relevant friction losses in bearings caused by the respective ice loads. The design pressure shall in any case not be less than relief valve set pressure.

5. Propulsion line components

The ultimate load resulting from total blade failure F_{ex} as defined in **305. 4** shall consist of combined axial and bending load components, wherever this is significant. The minimum safety factor against yielding is to be 1.0 for all shaft line components. The shafts and shafting components, such as bearings, couplings and flanges shall be designed to withstand the operational propeller/ice interaction loads as given in **305**. The given loads are not intended to be used for shaft alignment calculation. Cumulative fatigue calculations shall be conducted according to the Miner's rule. A fatigue calculation is not necessary, if the maximum stress is below fatigue strength at 10^8 load cycles.

The torque and thrust amplitude distribution (spectrum) in the propulsion line is to be taken as (because Weibull exponent $k = 1$):

$$Q_A(N) = Q_{Amax} \cdot \left(1 - \frac{\log(N)}{\log(Z \cdot N_{ice})} \right)$$

This is illustrated by the example in the Fig 2.15.




Fig 2.15 Cumulative torque distribution

The number of load cycles in the load spectrum is defined as $Z \cdot N_{ice}$. The Weibull exponent should be considered as $k = 1.0$ for both open and ducted propeller torque and bending forces. The load distribution is an accumulated load spectrum, and the load spectrum should be divided into a minimum of ten load blocks when using the Miner summation method. The load spectrum used counts the number of cycles for 100% load to be the number of cycles above the next step, e.g. 90% load. This ensures that the calculation is on the conservative side. Consequently, the fewer stress blocks used the more conservative the calculated safety margin.




Fig 2.16 Example of ice load distribution (spectrum) for the shafting ($k=1$)

The load spectrum is divided into number of load blocks n_{bl} for the Miner summation method. The following formula can be used for calculation of the number of cycles for each load block.

$$n_i = N_{ice} \left(1 - \frac{i}{n_{bl}} \right)^k - \sum_{i=1}^i n_{i-1}$$

where:

- i = single load block
- n_{bl} = the number of load blocks

(1) Propeller fitting to the shaft

(A) Keyless cone mounting

The friction capacity (at 0° C) shall be at least $S = 2.0$ times the highest peak torque Q_{peak} as determined in **305. 6** without exceeding the permissible hub stresses.

The necessary surface pressure $P_{\sigma C}$ can be determined as:

$$P_{\sigma C} = \frac{2 \cdot S \cdot Q_{peak}}{\pi \cdot \mu \cdot D_S^2 \cdot L \cdot 10^3} \quad (\text{MPa})$$

where:

$$\begin{aligned} \mu &= 0.15 && \text{for steel-steel,} \\ &= 0.13 && \text{for steel-bronze} \end{aligned}$$

Above friction coefficients may be increased by 0.04 if glycerine is used in wet mounting.

D_S = the shrinkage diameter at the mid-length of the taper (m)

L = the effective length of taper (m)

(B) Key mounting

Key mounting is not permitted.

(C) Flange mounting

The flange thickness is to be at least 25% of the required aft end shaft diameter. Any additional stress raisers such as recesses for bolt heads shall not interfere with the flange fillet unless the flange thickness is increased correspondingly. The flange fillet radius is to be at least 10% of the required shaft diameter.

The diameter of shear pins shall be calculated according to the following equation:

$$d_{pin} = 66 \cdot \sqrt{\frac{Q_{peak} \cdot S}{PCD \cdot Z_{pin} \cdot \sigma_{0.2}}} \quad (\text{mm})$$

where:

Z_{pin} = number of shear pins

S = 1.3 safety factor

The bolts are to be designed so that the blade failure load F_{ex} (see **305. 4**) in backward direction does not cause yielding of the bolts. The following equation should be applied:

$$d_b = 41 \cdot \sqrt{\frac{F_{ex} \cdot \left(0.8 \cdot \frac{D}{PCD} + 1\right) \cdot \alpha}{\sigma_{0.2} \cdot Z_b}} \quad (\text{mm})$$

where:

$$\begin{aligned} \alpha &= 1.6 && \text{torque guided tightening} \\ &= 1.3 && \text{elongation guided} \\ &= 1.2 && \text{angle guided} \\ &= 1.1 && \text{elongated by other additional means} \end{aligned}$$

other factors may be used, if evidence is demonstrated.

d_b = diameter flange bolt (mm)

Z_b = number of flange bolts

(2) Propeller shaft

The propeller shaft is to be designed to fulfil the following:

(A) The blade failure load F_{ex} (see **305. 4**) applied parallel to the shaft (forward or backwards)

shall not cause yielding. The bending moment need not to be combined with any other loads. The diameter d_p in way of the aft stern tube bearing shall not be less than:

$$d_p = 160 \cdot \sqrt[3]{\frac{F_{ex} \cdot D}{\sigma_{0.2} \cdot \left(1 - \frac{d_i^4}{d_p^4}\right)}} \quad (\text{mm})$$

where:

d_p = propeller shaft diameter (mm)

d_i = propeller shaft inner diameter (mm)

Forward from the aft stern tube bearing the shaft diameter may be reduced based on direct calculation of the actual bending moment, or by the assumption that the bending moment caused by F_{ex} is linearly reduced to 25% at the next bearing and in front of this linearly to zero at third bearing. Bending due to maximum blade forces F_b and F_f have been disregarded since the resulting stress levels are much lower than the stresses caused by the blade failure load.

- (B) The stresses due to the peak torque Q_{peak} shall have a minimum safety factor of $S=1.5$ against yielding in plain sections and $S=1.0$ in way of stress concentrations in order to avoid bent shafts.

plain shaft:

$$d_p = 210 \cdot \sqrt[3]{\frac{Q_{peak} \cdot S}{\sigma_{0.2} \cdot \left(1 - \frac{d_i^4}{d_p^4}\right)}} \quad (\text{mm})$$

notched shaft:

$$d_p = 210 \cdot \sqrt[3]{\frac{Q_{peak} \cdot S \cdot \alpha_t}{\sigma_{0.2} \cdot \left(1 - \frac{d_i^4}{d_p^4}\right)}} \quad (\text{mm})$$

where:

α_t = local stress concentration factor in torsion.

Notched shaft diameter shall in any case not be less than the required plain shaft diameter.

- (C) The torque amplitudes (see **305. 6** (4)) with the corresponding number of load cycles shall be used in an accumulated fatigue evaluation where the safety factor is $S_{fat}=1.5$. If the plant has high engine excited torsional vibrations (e.g. direct coupled 2-stroke internal combustion engines), this shall also be considered.
- (D) The fatigue strengths σ_F and τ_F (3 million cycles) of shaft materials may be assessed on the basis of the material's yield or 0.2% proof strength as:

$$\sigma_F = 0.436 \cdot \sigma_{0.2} + 77 = \tau_F \cdot \sqrt{3} \quad (\text{MPa})$$

This is valid for small polished specimens (no notch) and reversed stresses, see "VDEH 1983 Bericht Nr. ABF11 Berechnung von Wöhlerlinien für Bauteile aus Stahl". The high cycle fatigue (HCF) is to be assessed based on the above fatigue strengths, notch factors (i.e. geometrical stress concentration factors and notch sensitivity), size factors, mean stress influence and the required safety factor of 1.6 at 3×10^6 cycles increasing to 1.8 at 10^9 cycles. The low cycle fatigue (LCF) representing 10^4 cycles is to be based on the smaller value of yield or 0.7 of tensile strength/ $\sqrt{3}$. The criterion utilises a safety factor of 1.25. The LCF and HCF as given above represent the upper and lower knees in a stress-cycle diagram. Since the re-

quired safety factors are included in these values, a Miner sum of unity is acceptable.

- (3) Intermediate shafts
The intermediate shafts are to be designed to fulfil (2) (B) to (D).
- (4) Shaft connections
- (A) Shrink fit couplings (keyless)
See (1) (A). A safety factor of $S=1.8$ shall be applied.
- (B) Key mounting is not permitted.
- (C) Flange mounting
The flange thickness is to be at least 20% of the required shaft diameter. Any additional stress raisers such as recesses for bolt heads shall not interfere with the flange fillet unless the flange thickness is increased correspondingly. The flange fillet radius is to be at least 8% of the required shaft diameter. The diameter of ream fitted (light press fit) bolts shall be chosen so that the peak torque is transmitted with a safety factor of 1.9. This accounts for a prestress. Pins shall transmit the peak torque with a safety factor of 1.5 against yielding (see equation in (1) (C)). The bolts are to be designed so that the blade failure load (see **305. 4**) in backward direction does not cause yielding.
- (D) Splined shaft connections
Splined shaft connections can be applied where no axial or bending loads occur. A safety factor of $S=1.5$ against allowable contact and shear stress resulting from Q_{peak} shall be applied.
- (5) Gear transmissions
- (A) Shafts
Shafts in gear transmissions shall meet the same safety level as intermediate shafts, but where relevant, bending stresses and torsional stresses shall be combined (e.g. by von Mises for static loads). Maximum permissible deflection in order to maintain sufficient tooth contact pattern shall be considered for the relevant parts of the gear shafts.
- (B) Gearing
- (a) The gearing shall fulfil following three acceptance criteria:
- Tooth root stresses
 - Pitting of flanks
 - Scuffing
- In addition to above 3 criteria subsurface fatigue may need to be considered.
- (b) Common for all criteria is the influence of load distribution over the face width. All relevant parameters are to be considered, such as elastic deflections (of mesh, shafts and gear bodies), accuracy tolerances, helix modifications, and working positions in bearings (especially for multiple input single output gears).
- (c) The load spectrum (see **Par 5**) may be applied in such a way that the numbers of load cycles for the output wheel are multiplied by a factor of (number of pinions on the wheel / number of propeller blades Z). For pinions and wheels operating at higher speeds the numbers of load cycles are found by multiplication with the gear ratios. The peak torque (Q_{peak}) is also to be considered during calculations.
- (d) Cylindrical gears can be assessed on the basis of the international standard ISO 6336 series (i.e. ISO 6336-1:2019, ISO 6336-2:2019, ISO 6336-3:2019, ISO 6336-4:2019, ISO 6336-5:2016 and ISO 6336-6:2019), provided that "method B" is used. Standards within the Societies can also be applied provided that they are considered equivalent to the above mentioned ISO 6336.
- (e) For Bevel Gears the methods or standards used or acknowledged by the Society can be applied provided that they are properly calibrated.
- (f) Tooth root safety shall be assessed against the peak torque, torque amplitudes (with the pertinent average torque) as well as the ordinary loads (open water free running) by means of accumulated fatigue analyses. The resulting factor of safety is to be at least 1.5. (Ref ISO 6336 Pt 1, 3 and 6 and **Pt 5, Annex 5-4 of Guidance Relating to the Rules for the Classification of Steel Ships**)
- (g) The safety against pitting shall be assessed in the same way as tooth root stresses, but with a minimum resulting safety factor of 1.2. (Ref ISO 6336-1:2019, ISO 6336-2:2019 and ISO 6336-6:2019 as well as **Pt 5, Annex 5-4 of Guidance Relating to the Rules for the Classification of Steel Ships**).
- (h) The scuffing safety (flash temperature method - ref. ISO/TR 13989-1:2000 and ISO/TR 13989-2:2000) based on the peak torque shall be at least 1.2 when the FZG class of the oil is assumed one stage below specification.

- (i) The safety against subsurface fatigue of flanks for surface hardened gears (oblique fracture from active flank to opposite root) is to be assessed at the discretion of each Society. (It should be noted that high overloads can initiate subsurface fatigue cracks that may lead to a premature failure. In lieu of analyses UT inspection intervals may be used.)
- (C) Bearings
See (9).
- (D) Gear wheel shaft connections
The torque capacity shall be at least 1.8 times the highest peak torque Q_{peak} (at considered rotational speed) as determined in **Par 5** without exceeding the permissible hub stresses of 80% yield.
- (6) Clutches
Clutches shall have a static friction torque of at least 1.3 times the peak torque Q_{peak} and dynamic friction torque 2/3 of the static. Emergency operation of clutch after failure of e.g. operating pressure shall be made possible within reasonably short time. If this is arranged by bolts, it shall be on the engine side of the clutch in order to ensure access to all bolts by turning the engine.
- (7) Elastic couplings
There shall be a separation margin of at least 20% between the peak torque and the torque where any twist limitation is reached.

$$Q_{peak} < 0.8 \cdot T_{kmax}(N=1) \quad (\text{kN}\cdot\text{m})$$

There shall be a separation margin of at least 20% between the maximum response torque Q_{peak} (see **Fig 2.12**) and the torque where any mechanical twist limitation and/or the permissible maximum torque of the elastic coupling, valid for at least a single load cycle (=1), is reached.

A sufficient fatigue strength shall be demonstrated at design torque level $Q_r(N=x)$ and $Q_A(N=x)$. This may be demonstrated by interpolation in a Weibull torque distribution (similar to **Fig 2.15**):

$$\frac{Q_r(N=x)}{Q_r(N=1)} = 1 - \frac{\log(x)}{\log(Z \cdot N_{ice})}$$

respectively

$$\frac{Q_A(N=x)}{Q_A(N=1)} = 1 - \frac{\log(x)}{\log(Z \cdot N_{ice})}$$

where $Q_r(N=1)$ corresponds to Q_{peak} and $Q_A(N=1)$ to Q_{Amax} .

$$Q_r(N=5 \cdot 10^4) \cdot S < T_{Kmax}(N=5 \cdot 10^4) \quad (\text{kN}\cdot\text{m})$$

$$Q_r(N=1 \cdot 10^6) \cdot S < T_{KV} \quad (\text{kN}\cdot\text{m})$$




$$Q_r(N=5 \cdot 10^4) \cdot S < \Delta T_{max}(N=5 \cdot 10^4) \quad (\text{kN}\cdot\text{m})$$

S is the general safety factor for fatigue, equal to 1.5.

See illustration in below **Fig 2.17**, **Fig 2.18**, **Fig 2.19**.

The torque amplitude (or range Δ) shall not lead to fatigue cracking, i.e. exceeding the permissible vibratory torque. The permissible torque may be determined in a Weibull torque distribution where T_{Kmax1} respectively ΔT_{Kmax} refer to $5 \cdot 10^4$ cycles and T_{KV} refer to 10^6 cycles. See illustration in below **Fig 2.17**, **Fig 2.18**, **Fig 2.19**.

$$T_{Kmax1} \geq Q_r \text{ at } 5 \cdot 10^4 \text{ load cycles} \quad (\text{kN}\cdot\text{m})$$

Fig 2.17 Example of T_{Kmax1} Fig 2.18 Example of ΔT_{Kmax} Fig 2.19 Example of T_{KV}

(8) Crankshafts

Special considerations apply for plants with large inertia (e.g. flywheel, tuning wheel or PTO) in the non-driving end front of the engine (opposite to main power take off).

(9) Bearings

The aft stern tube bearing as well as the next shaft line bearing are to withstand F_{ex} as given in **305. 4**, in such a way that the ship can maintain operational capability. Rolling bearings are to have an L_{10a} lifetime of at least 40000 hours according to ISO 281:2007. Thrust bearings and their housings are to be designed to withstand with a safety factor $S=1.0$ the maximum response thrust in **305. 5** and the axial force resulting from the blade failure load F_{ex} in **305. 4**. For the purpose of calculation, except for F_{ex} , the shafts are assumed to rotate at rated speed. For pulling propellers special consideration is to be given to loads from ice interaction on the propeller hub.

(10) Seals

Seals are to prevent egress of pollutants and be suitable for the operating temperatures. Contingency plans for preventing the egress of pollutants under failure conditions are to be documented. Seals installed are to be suitable for the intended application. The manufacturer is to provide service experience in similar applications and/or testing results for consideration.

6. Azimuthing main propulsors

- (1) In addition to the above requirements, special consideration shall be given to those loading cases which are extraordinary for propulsion units when compared with conventional propellers. The estimation of load cases shall reflect the way the thrusters are intended to operate on the specific ship. In this respect, for example, the loads caused by the impacts of ice blocks on the propeller hub of a pulling propeller shall be considered. Furthermore, loads resulting from the thrusters operating at an oblique angle to the flow shall be considered. The steering mechanism, the fitting of the unit, and the body of the thruster shall be designed to withstand the loss of a blade without damage. The loss of a blade shall be considered for the propeller blade orientation which causes the maximum load on the component being studied. Typically, top-down blade orientation places the maximum bending loads on the thruster body.
- (2) Azimuth thrusters shall also be designed for estimated loads caused by thruster body/ice interaction. The thruster body shall withstand the loads obtained when the maximum ice blocks, which are given in section 305. 2, strike the thruster body when the ship is at a typical ice operating speed. In addition, the design situation in which an ice sheet glides along the ship's hull and presses against the thruster body should be considered. The thickness of the sheet should be taken as the thickness of the maximum ice block entering the propeller, as defined in section 305. 2.

307. Prime Movers

1. Propulsion engines

Engines are to be capable of being started and running the propeller in bollard condition. Propulsion plants with CP propeller are to be capable being operated even when the CP system is at full pitch as limited by mechanical stoppers.

2. Starting arrangements

The capacity of the air receivers shall be sufficient to provide, without recharging, not less than 12 consecutive starts of the propulsion engine, if this has to be reversed for going astern or 6 consecutive starts if the propulsion engine does not have to be reversed for going astern. If the air receivers serve any other purposes than starting the propulsion engine, they shall have additional capacity sufficient for these purposes. The capacity of the air compressors shall be sufficient for charging the air receivers from atmospheric to full pressure in one hour, except for a ship with the ice class PC6 to PC1, if its propulsion engine has to be reversed for going astern, in which case the compressor shall be able to charge the receivers in half an hour.

3. Emergency power units

Provisions shall be made for heating arrangements to ensure ready starting from cold of the emergency power units at an ambient temperature applicable to the Polar Class of the ship. Emergency power units shall be equipped with starting devices with a stored energy capability of at least three consecutive starts at the above mentioned temperature. The source of stored energy shall be protected to preclude critical depletion by the automatic starting system, unless a second independent mean of starting is provided. A second source of energy shall be provided for an additional three starts within 30 min., unless manual starting can be demonstrated to be effective.

308. Equipment fastening loading accelerations

1. Essential equipment and supports shall be suitable for the accelerations as indicated in the following paragraphs. Accelerations are to be considered as acting independently.
2. Longitudinal impact accelerations, a_1

Maximum longitudinal impact acceleration at any point along the hull girder,

$$a_1 = \left(\frac{F_{IB}}{A} \right) \left\{ [1.1 \cdot \tan(\gamma + \phi)] + \left[7 \cdot \frac{H}{L} \right] \right\} \quad (\text{m/s}^2)$$

3. Vertical acceleration, a_v

Combined vertical impact acceleration at any point along the hull girder,

$$a_v = 2.5 \cdot \left(\frac{F_{IB}}{\Delta}\right) F_X \quad (\text{m/s}^2)$$

$$\begin{aligned} F_X &= 1.3 \quad \text{at FP} \\ &= 0.2 \quad \text{at midships} \\ &= 0.4 \quad \text{at AP} \\ &= 1.3 \quad \text{at AP for vessels conducting ice breaking astern} \end{aligned}$$

Intermediate values to be interpolated linearly

4. Transverse impact acceleration, a_i

Combined transverse impact acceleration at any point along hull girder,

$$a_i = 3F_i \frac{F_X}{\Delta} \quad (\text{m/s}^2)$$

$$\begin{aligned} F_X &= 1.5 \quad \text{at FP} \\ &= 0.25 \quad \text{at midships} \\ &= 0.5 \quad \text{at AP} \\ &= 1.5 \quad \text{at AP for ships conducting ice breaking astern} \end{aligned}$$

Intermediate values to be interpolated linearly

where

- ϕ : maximum friction angle between steel and ice, normally taken as 10° [deg.]
- γ : bow stem angle at waterline [deg.]
- Δ : displacement
- L : length between perpendiculars (m)
- H : distance in meters from the water line to the point being considered (m)
- F_{IB} : vertical impact force, defined in **209. 2**
- F_i : total force normal to shell plating in the bow area due to oblique ice impact, defined in **209. 3**

309. Auxiliary Systems

1. Machinery shall be protected from the harmful effects of ingestion or accumulation of ice or snow. Where continuous operation is necessary, means should be provided to purge the system of accumulated ice or snow.
2. Means should be provided to prevent damage to tanks containing liquids due to freezing.
3. Vent pipes, intake and discharge pipes and associated systems shall be designed to prevent blockage due to freezing or ice and snow accumulation.

310. Sea chest and cooling water systems

1. Cooling water systems for machinery that are essential for the propulsion and safety of the vessel, including sea chests inlets, shall be designed for the environmental conditions applicable to the ice class.
2. At least two sea chests are to be arranged as ice boxes (sea chests for water intake in severe ice conditions) for ice class PC1 to PC5 inclusive. The calculated volume for each of the ice boxes shall be at least 1m^3 for every 750 kW of the totally installed power. For PC6 and PC7 there shall be at least one ice box located preferably near centre line.
3. Ice boxes are to be designed for an effective separation of ice and venting of air.

4. Sea inlet valves are to be secured directly to the ice boxes. The valve shall be a full bore type.
5. Ice boxes and sea bays are to have vent pipes and are to have shut off valves connected direct to the shell.
6. Means are to be provided to prevent freezing of sea bays, ice boxes, ship side valves and fittings above the load water line.
7. Efficient means are to be provided to re-circulate cooling seawater to the ice box. Total sectional area of the circulating pipes is not to be less than the area of the cooling water discharge pipe.
8. Detachable gratings or manholes are to be provided for ice boxes. Manholes are to be located above the deepest load line. Access is to be provided to the ice box from above.
9. Openings in ship sides for ice boxes are to be fitted with gratings, or holes or slots in shell plates. The net area through these openings is to be not less than 5 times the area of the inlet pipe. The diameter of holes and width of slot in shell plating is to be not less than 20 mm. Gratings of the ice boxes are to be provided with a means of clearing. The means of clearing is to be of a type using low pressure steam. Clearing pipes are to be provided with screw-down type non return valves.

311. Ballast Tanks

1. Efficient means are to be provided to prevent freezing in fore and after peak tanks and wing tanks located above the water line and where otherwise found necessary.

312. Ventilation Systems

1. The air intakes for machinery and accommodation ventilation are to be located on both sides of the ship at locations where manual de-icing is possible. Anti-icing protection of the air inlets may be accepted as an equivalent solution to location on both sides of the ship and manual de-icing at the Society's discretion. Notwithstanding the above, multiple air intakes are to be provided for the emergency generating set and are to be as far apart as possible.
2. The temperature of the inlet air shall be suitable for:
 - the safe operation of the machinery; and
 - the thermal comfort in the accommodation.
 Accommodation and ventilation air intakes shall be provided with means of heating, if needed.

313. Steering Systems

1. Rudder stops are to be provided. The design ice force on rudder shall be transmitted to the rudder stops without damage to the steering system. An ice knife shall in general be fitted to protect the rudder in centre position. The ice knife shall extend below BWL. Design forces shall be determined according to the **211..**
2. The rudder actuator is to comply with the following requirements.
 - (1) The rudder actuator is to be designed for a holding torque obtained by multiplying the open water torque resulting from the application of **Pt 5, Ch 7, 202. of the Rules for the Classification of Steel Ships** (considering however a maximum speed of 18 knots, by following factors)

Ice Class	PC1	PC2	PC3	PC4	PC5	PC6	PC7
Factor	5	5	3	3	3	1.5	1.5

- (2) The design pressure for calculations to determine the scantlings of the rudder actuator is to be at least 1.25 times the maximum working pressure corresponding to the holding torque defined in (1) (Derived from **Pt 5, Ch 7, 403. 3 of the Rules for the Classification of Steel Ships**).

3. The rudder actuator is to be protected by torque relief arrangements, assuming the turning speeds of following **Table 2.22** (deg/s] without an undue pressure rise (refer to **Pt 5, Ch 7, 204. 4** of the **Rules for the Classification of Steel Ships** for undue pressure rise).

Table 2.22 Steering gear turning speeds

Ice Class	PC1 and PC2	PC3, PC4 and PC5	PC6 and PC7
Turning speeds (deg/s)	10	7.5	6

If the rudder and actuator design can withstand such rapid loads, this special relief arrangement is not necessary and a conventional one may be used instead (refer to **Pt 5, Ch 7, 204. 4** of the **Rules for the Classification of Steel Ships**).

4. Additionally for icebreakers, fast-acting torque relief arrangements are to be fitted in order to provide effective protection of the rudder actuator in case of the rudder being pushed rapidly hard over against the stops. For hydraulically operated steering gear, the fast-acting torque relief arrangement is to be so designed that the pressure cannot exceed 115% of the set pressure of the safety valves when the rudder is being forced to move at the speed indicated in **Table 2.23**, also when taking into account the oil viscosity at the lowest expected ambient temperature in the steering gear compartment. For alternative steering systems the fast-acting torque relief arrangement is to demonstrate an equivalent degree of protection to that required for hydraulically operated arrangements. The turning speeds to be assumed for each ice class are shown in **Table 2.23** below.

Table 2.23 Steering gear turning speeds for icebreakers

Ice Class	PC1 and PC2	PC3, PC4 and PC5	PC6 and PC7
Turning speeds (deg/s)	40	20	15

The arrangement is to be designed such that steering capacity can be speedily regained.

314. Alternative design

1. As an alternative, a comprehensive design study may be submitted and may be requested to be validated by an agreed test programme. ↓

CHAPTER 3 SHIPS WITH ICE BREAKING CAPABILITY FOR NAVIGATION IN POLAR WATERS

Section 1 General

101. General

1. The requirements in this chapter apply to ships with ice breaking capability and Icebreakers intended for navigation in the arctic seas.
2. For those not defined in this Chapter, the requirements of **the Rules for the Classification of Steel Ships** are to be applied.

102. Class of a ship and Class notation

1. Class notations are assigned to Icebreakers and Arctic class ships in compliance with the requirements of **Par 2 to 4**. At the owner's discretion, class notations of **Ch 1, Ch 2** and of this chapter may be assigned simultaneously, provided such ships comply with the requirements for both.
2. If an Icebreaker complies with the requirements of this chapter, one of the class notations Icebreaker3 ~ Icebreaker6 described below can be assigned. Icebreaker have the following characteristics as **Table 3.1**.

Table 3.1 Characteristics of Icebreakers

Icebreaker3	<ul style="list-style-type: none"> - Intended for ice breaking operation in harbour and roadstead water areas as well as in non-arctic freezing seas where the ice is up to 1.5m thick. - Ice breaking capability in ice up to 1 m thick.
Icebreaker4	<ul style="list-style-type: none"> - Intended for ice breaking operation in the arctic seas on coastal routes during winter/spring navigation in ice up to 2.0 m thick and summer/autumn navigation in ice up to 2.5 m thick; in non-arctic freezing seas and mouths of rivers flowing into arctic seas in ice up to 2.0 m thick. - Ice breaking capability in ice up to 1.5 m thick. - The total shaft power not less than 11 MW.
Icebreaker5	<ul style="list-style-type: none"> - Intended for ice breaking operations in the arctic seas on coastal routes during winter/spring navigation in ice up to 3.0m thick and summer/autumn navigation without restrictions. - Ice breaking capability in ice up to 2.0m thick. - The total shaft power not less than 22 MW.
Icebreaker6	<ul style="list-style-type: none"> - Intended for ice breaking operation on coastal routes in arctic seas during winter/spring navigation in ice up to 4.0 m thick and summer/autumn navigation without restrictions. - Ice breaking capability in ice over 2.0 m thick. - The total shaft power not less than 48 MW.

3. If a ship complies with the relevant requirements of this Chapter and intended for navigation in arctic seas, one of the Arctic7 ~ Arctic9 class notations shall be assigned. At the owner's discretions, a ship which perform icebreaking operations periodically and complies with the relevant requirements of Icebreaker, one of Icebreaker3 or Icebreaker4 class notations may be assigned.
4. **Table 3.2** shows, for Arctic class ships, limiting type and thickness of ice enabling a ship to navigate in a channel following an Icebreaker at a low speed(3 to 5 knots) without running a heightened risk of damage through contact of hull with ice. **Table 3.3** shows, Arctic class ships operating independently, permissible speeds which a ship under the ice conditions set out in the table may reach when navigating in fractures between floes or surmounting ice isthmuses without running a heightened risk of damage through contact of hull with ice.

Table 3.2 Permitted type and thickness of ice(icebreaker escorted navigation)

Arctic class	Permitted type and thickness of ice	
	Winter/spring navigation	Summer/autumn navigation
Arctic4	First-year	Medium first-year up to 0.9 m
Arctic5	Medium first-year up to 0.8 m thick	Medium first-year
Arctic6	Medium first-year	Thick first-year up to 1.5 m
Arctic7	Thick first-year up to 1.8 m	Second-year
Arctic8	Multi-year up to 3.4 m	Multi-year
Arctic9	Multi-year	Multi-year

Note : The classification of ice adopted according to the "Sea Ice Nomenclature: of the World Meteorological Organization (WMO)"

Ice type	Ice thickness
Multi-year	> 3.0 m
Second-year	> 2.0 m
Thick first-year	> 1.2 m
Medium first-year	0.7 - 1.2 m
Thin first-year	< 0.7 m

Table 3.3 Permitted type and thickness of ice(Independent navigation)

Arctic class	Permitted speed, in knots	Ice concentration and type	Ice thickness, in m		Methods of surmounting ice ridges
			Winter/spring navigation	Summer/autumn navigation	
Arctic4	6-8	open floating first-year ice	0.6	0.8	Continuous motion
Arctic5		open floating first-year ice	0.8	1.0	
Arctic6		open floating first-year ice	1.1	1.3	
Arctic7		close floating first-year ice	1.4	1.7	Episodic ramming
Arctic8	10	close floating second-year ice	2.1	3.0	Regular ramming
Arctic9	12	very close floating and compact multi-year ice	3.5	4.0	Surmount of ice ridges and episodic ramming of compact ice fields

103. Documentation

- Forward region, forward intermediate region, midship region, aft region and UIWL, LIWL of **Par 3** defined in **203**. are to be indicated in the Shell Expansion.
- UIWL and LIWL
 - (1) The upper ice waterline (UIWL) shall be the envelop of the highest points of the waterline at which the ship is intended to operate in ice.
 - (2) The lower ice waterline (LIWL) shall be the envelop of the lowest points of the waterline at which the ship is intended to operate in ice.
 - (3) The maximum and minimum ice draughts at fore and aft perpendiculars shall be determined in accordance with the upper and lower ice waterlines.
 - (4) An ice loadline shall be disregarded heel and mass of ice in case of icing during ice navigation.
- Restrictions on draughts when operating in ice shall be documented and kept on board readily available to the master. The maximum and minimum ice draughts fore, amidships and aft shall be indicated in the classification certificate.

Section 2 Strengthening of Arctic class ships and Icebreakers

201. General

The requirements of this section apply to Arctic class ships and Icebreakers having standard hull form that comply with the requirements of 202. below.

202. Requirements to hull configuration

1. The hull configuration factor α, β, φ (deg) shall be measured in conformity with Fig 3.1 to 3.4.




Fig 3.1 Slope of UIWL at the section considered, α (deg)




Fig 3.2 Slope of frame on the level of UIWL at the section considered, β (deg)





Fig 3.3 Slope of UIWL at the fore perpendicular, α_0 (deg)

Fig 3.4 Slope of stem on the level of UIWL, φ (deg)

2. The hull configuration factors of Arctic class ships are recommended to be within the limits stated in Table 3.4.

Table 3.4 Hull configuration factor(max. value)

Arctic class	Arctic8, Arctic9	Arctic6, Arctic7	Arctic5	Arctic4
φ	25°	30°	45°	60°
α_0	30°	30°	40°	40°
β within 0,05L from fore perpendicular	45°	40°	25°	20°
β amidships	15°	-	-	-

3. The value of hull configuration factors in Icebreakers shall comply with the following requirements.
- (1) At 0 – 0.25L from fore perpendicular at service draughts, straight and convex waterlines shall be used. The entrance angle for above waterlines shall be 22° to 30°.
 - (2) At service draughts, the angle shall not exceed : 30° for Icebreaker3, Icebreaker4 class ice breakers, 25° for Icebreaker5, Icebreaker6.
 - (3) The cross section of stem shall be executed in the form of a trapezoid with a bulging forward face.
 - (4) For Icebreakers with standard bow lines, slop angles of frames shall be adopted from Table 3.5.
 - (5) In way of construction water line, frames shall have a straight-lined or moderately convex shape.

Table 3.5 The angle β of Icebreaker

Distance from section to fore perpendicular	0.1L	0.2 – 0.25L	0.4 – 0.6L	0.8 – 1.0L
β (deg)	40° – 55°	23° – 32°	15° – 20°	Approximately coinciding with the angles of within 0 – 0.2L

4. The lower ice waterline shall cover the blade tips of side propellers(refer to Fig 3.5), the tip clearance shall not be less than stated in Table 3.6.




Fig 3.5 The position of blade tips of side propellers

Table 3.6 The tip clearance

Class of Icebreaker	Icebreaker6	Icebreaker5	Icebreaker4	Icebreaker3
Clearance, δ (mm)	1500	1250	750	500

5. In the afterbody of Icebreakers and Arctic class (Arctic4 ~ Arctic9) ships, there shall be appendage(ice knife) aft of the rudder to protect the latter on the sternway.
6. For Icebreakers and Arctic6 ~ Arctic9 class ships, the transom stern is not permitted. But transom stern where placed in out of ice strengthening regions is permitted.
7. For Icebreakers and Arctic6 ~ Arctic9 class ships, there shall be a ice skeg(refer to Fig 3.6) in the lower part of the stem. The height of the ice skeg shall be $0.1d$ at least. The transition from the ice skeg to the lower part of the stem shall be smooth.
8. In Arctic5 ~ Arctic9 class ships, bulbous bow is not permitted. In Arctic4 class ships, this kind of bow is subject to special consideration by the Society.




Fig 3.6 Ice skeg

203. Region of ice strengthening

1. There are ice strengthening regions lengthwise as follows.
 - Region A : forward region
 - Region B : forward intermediate region
 - Region C : midship region
 - Region D : aft region
2. There are ice strengthening regions transversely as follows.
 - Region 1 : region from h_1 , the upper of UIWL to h_3 , the lower of LIWL
 - Region 2 : region from the lower edge of region 1 to the upper edge of bilge strake
 - Region 3 : bilge strake
 - Region 4 : region from the lower edge of bilge strake to the center line

3. The scope of regions of ice strengthening in Arctic class ships shall be determined on the basis of Fig 3.7 and Table 3.7.




Fig 3.7 Region of ice strengthening of Arctic class ships

Table 3.7 Ice strengthening in Arctic class ship

Arctic class		Arctic7, Arctic8, Arctic9	Arctic5, Arctic6	Arctic4
$h_1(m)$	where $B \leq 20$ m	0.75		0.60
	where $B > 20$ m	$\frac{0.5B+8}{24}$		$\frac{0.5B+8}{30}$
$h_2(m)$		1.4	0.8	0.6
$h_3(m)$		$1.6h_1$	$1.35h_1$	$1.20h_1$
$L_2(m)$		$0.15L$	$0.1L$	$0.05L$
$L_3(m)$		$0.06L$	$0.05L$	$0.045L$
k_1		0.84	0.69	0.55

4. The scope of regions of ice strengthening in Icebreakers shall be determined on the basis of Fig 3.8 and Table 3.8.

Table 3.8 Ice strengthening in Icebreaker

Icebreakers		Icebreaker6	Icebreaker5	Icebreaker4	Icebreaker3
h_1 , in m	where $B \leq 20$ m	1.00	0.80	0.75	
	where $B > 20$ m	$\frac{0.5B+12}{22}$	$\frac{0.5B+7.6}{22}$	$\frac{0.5B+8}{24}$	
h_2 , in m		2	1.7	1.4	1.1
h_3 , in m		$1.9 + 1.6h_1 \geq 3.5$	$1.72 + 1.6h_1 \geq 3.0$	$1.6 + 1.6h_1 \geq 2.8$	$0.4 + 1.6h_1 \geq 1.6$

5. The requirements of the Chapter apply to the regions of ice strengthening marked with "○" in Table 3.9. For the purpose of Table 3.9, the absence of this mark means that the particular region of ice strengthening is not covered by the requirements of the section.

Table 3.9 The requirements of 203. apply to the regions

Ship class	Regions transversely															
	1				2				3				4			
	Regions lengthwise															
	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
Icebreaker4, Icebreaker5, Icebreaker6, Arctic8, Arctic9	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Arctic7	○	○	○	○	○	○	○	○	○	○	○	○	○	○		○
Icebreaker3, Arctic6	○	○	○	○	○	○	○	○	○	○	○	○	○	○		○
Arctic5	○	○	○	○	○	○	○	○	○	○	○		○	○		
Arctic4	○	○	○	○	○	○	○		○	○			○	○		




Fig 3.8 Region of ice strengthening of Icebreakers

204. Material and Welding

1. Design temperatures

The design temperatures for steel grades to be used in hull structure members in accordance with this chapter are to be determined as follows. Where the builder specified the design temperature lower than below temperature, the steel grades are to be based on the temperature are specified by the builder.

- (1) Arctic5 ~ Arctic9 and Icebreaker4 ~ Icebreaker6 class ships : -40°C
- (2) Arctic4 and Icebreaker3 class ships : -30°C

2. Application of steels

- (1) Materials for ships applied by the requirements of this chapter in accordance with this chapter in the various strength members above the LIWL exposed to air are not to be of lower grades than those corresponding to classes as given in **Table 3.10**, For non-exposed structures and structures below the LIWL, see **Pt 3, Ch 1, 405. of the Rules for the Classification of Steel Ships**.
- (2) The material grade requirements for hull members of each class depending on thickness and design temperature are defined in **Table 3.11**.
- (3) Single strakes required to be of class III or of grade *E*, *EH32/EH36/EH40* and *FH32/FH36/FH40* are to have breadths not less than the values given by the following formula, maximum 1800 mm.

$$b = 5L + 800 \quad (\text{mm})$$

- (4) Plating materials for stern frames, rudder horns, rudders and shaft brackets are not to be of lower grades than those corresponding to the material classes given in **Pt 3, Ch 1, 405. 3 of the Rules for the Classification of Steel Ships**.

3. Welding

- (1) All welding within ice strengthened regions is to be of the double continuous type.
- (2) Continuity of strength is to be ensured at all structural connections.

Table 3.10 Application of material classes and grades – Structures exposed at low temperatures

Structural member category	Material class	
	Within $0.4L$ amidships	Outside $0.4L$ amidships
○ SECONDARY: – Deck plating exposed to weather, in general – Side plating above LIWL – Transverse bulkheads above LIWL	I	I
○ PRIMARY: – Strength deck plating [1] – Continuous longitudinal members above strength deck, excluding longitudinal hatch coamings – Longitudinal bulkhead above LIWL – Top wing tank bulkhead above LIWL	II	I
○ SPECIAL: – Sheer strake at strength deck [2] – Stringer plate in strength deck [2] – Deck strake at longitudinal bulkhead [3] – Continuous longitudinal hatch coamings [4]	III	II
○ Shell plating, frame and welded stem/sten of ice strengthening region 1 for Arctic7 class ships	I	I
○ Shell plating, frame and welded stem/sten of ice strengthening region 1 for Arctic8 ~ Arctic9 class ships and Icebreakers	II	II
Notes : [1] Plating at corners of large hatch openings to be specially considered. Class III or grade <i>E</i> , <i>EH32</i> , <i>EH36</i> and <i>EH40</i> to be applied in positions where high local stresses may occur. [2] Not to be less than grade <i>E</i> , <i>EH32</i> , <i>EH36</i> and <i>EH40</i> within $0.4L$ amidships in ships with length exceeding 250 m [3] In ships with a breadth exceeding 70 m at least three deck strakes to be class III. [4] Not to be less than grade <i>D</i> , <i>DH32</i> , <i>DH36</i> and <i>DH40</i> .		

Table 3.11 Material grade requirements for classes I, II and III at low temperatures

Class I

Plate thickness in (mm)	-16/-25 °C		-26/-35 °C		-36/-45 °C		-46/-55 °C	
	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>
$t \leq 10$	<i>A</i>	<i>AH</i>	<i>B</i>	<i>AH</i>	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>
$10 < t \leq 15$	<i>B</i>	<i>AH</i>	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>
$15 < t \leq 20$	<i>B</i>	<i>AH</i>	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>
$20 < t \leq 25$	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>
$25 < t \leq 30$	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>
$30 < t \leq 35$	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>
$35 < t \leq 45$	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	-	<i>FH</i>
$45 < t \leq 50$	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>

Class II

Plate thickness in (mm)	-16/-25 °C		-26/-35 °C		-36/-45 °C		-46/-55 °C	
	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>
$t \leq 10$	<i>B</i>	<i>AH</i>	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>
$10 < t \leq 20$	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>
$20 < t \leq 30$	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	-	<i>FH</i>
$30 < t \leq 40$	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>
$40 < t \leq 45$	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>	-	-
$45 < t \leq 50$	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>	-	-

Class III

Plate thickness in (mm)	-16/-25 °C		-26/-35 °C		-36/-45 °C		-46/-55 °C	
	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>
$t \leq 10$	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>
$10 < t \leq 20$	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	-	<i>FH</i>
$20 < t \leq 25$	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>FH</i>	-	<i>FH</i>
$25 < t \leq 30$	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>
$30 < t \leq 35$	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>	-	-
$35 < t \leq 40$	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>	-	-
$40 < t \leq 50$	-	<i>FH</i>	-	<i>FH</i>	-	-	-	-

Notes : The symbols in the table mean the grades of steel as follows :

AH : *AH32*, *AH36* and *AH40*,

DH : *DH32*, *DH36* and *DH40*,

EH : *EH32*, *EH36* and *EH40*,

FH : *FH32*, *FH36* and *FH40*

MS : Mild steels,

HT : High tensile steels

205. Structure

1. Side grillage structure transversely framed

- (1) Side grillage structure transversely framed include conventional frames, deep frames and stringers.
Conventional frame are subdivided into :
 - main frames in plane of floors or bilge brackets
 - intermediate frame not in plane as floors or bilge brackets. The intermediate frames are not mandatory within a side grillage. Not more than one intermediate frame may be fitted between main frames.
 Stringer are subdivided into :
 - side stringers by which a transition of forces is ensured from conventional frames which directly take up the ice load to deep frames or to transverse bulkhead
 - intercostal stringers by which joint taking-up of local ice loads by the frames is ensured. It is recommended that the stringer shall be inter-costal
- (2) Side grillage structures are permitted as follows :
 - grillage with transverse main frames which is formed by conventional frames of the same section and by intercostal stringer
 - grillage with transverse web frames which is formed by conventional frames, side stringers and deep frames. Intercostal stringers may be fitted together with side stringers
- (3) With a double-bottom structure available, the functions of deep frames are taken over by vertical diaphragms, and those of the side stringers, by horizontal diaphragms.
- (4) In Icebreakers and Arctic5 ~ Arctic9 class ships, frames shall be attached to decks and platforms with brackets; if a frame is intercostal in way of deck, platform or side stringer, brackets shall be fitted on both sides of it.
- (5) The end attachments of main frames shall not less than their section modulus. In Icebreakers solid floors shall be fitted on each main frame. In Arctic8, Arctic9 class ships, solid floors shall be fitted on every other main frame.
- (6) In Icebreakers and Arctic class ships, the bottom ends of intermediate frames shall be secured at margin plate stiffened with a lightened margin bracket(or a system of stiffeners) reaching up to longitudinal stiffeners or intercostal members and welded thereto(**Fig 3.9**)




Fig 3.9 a – lighted margin bracket, b – system of stiffeners

- (7) Where there is no double bottom, the intermediate frames shall extend as far as longitudinal stiffeners or intercostal structure and welded thereto. The particular longitudinal stiffener or intercostal structure shall be fitted not higher than the floor face-plate level.
- (8) In Icebreakers and Arctic class ships, the upper ends of intermediate frames shall be secured on a deck or platform lying above the upper boundary of region I.
- (9) In region I and II of Icebreakers and Arctic class ships, intercostal and/or side stringers shall be fitted the distance between which or the stringer-to-deck or platform distance shall not exceed 2 m, as measured on a chord at side.
Side stringers shall be fitted in the UIWL and LIWL regions. If there is a deck or platform lying on the same level, the side stringer may be omitted. Stringers shall be attached to bulkhead by means of brackets.





2. Supporting sections of frames in grillage with transverse framing

- (1) For frames, horizontal grillages(decks, platforms, bottom) are considered to be supporting structures. A supporting structure consists of plating(decks, platforms, double bottom) and framing connected thereto(beams, half-beams, floors, tank-side brackets). Where there is no double

bottom, the formulate to be found below shall be used on the assumption that the plating lies level with floor face plates.

- (2) The supporting section of a conventional frame is considered to be fixed, if one of the following conditions is met at least.(refer to **Table 3.12**)
 - 1) the frame is connected to the framing of a supporting structure
 - 2) the frame crossed the plating of a supporting structure
- (3) A supporting section is considered to be simply supported, if one of the following conditions is met at least.(refer to **Table 3.12**)
 - 1) a conventional frame is not connected to supporting structure framing
 - 2) a conventional frame is terminated on the structure plating
- (4) Where a conventional frame terminates on an intercostal longitudinal(intercostal stringer), its end is considered to be free, i.e. with no supporting section.
- (5) The position of a supporting section of a frame(conventional or deep frame) is determined in the following way.(refer to **Table 3.12**)
 - 1) Where the frame is connected to the supporting structure plating only, the supporting section coincides with the plating surface.
 - 2) Where the frame is connected to the supporting structure framing, the supporting section coincides with the face plate surface of the supporting structure frame in case of bracketless joint.
 - 3) Where the frame is connected to the supporting structure framing, the supporting section lies at bracket end where brackets with a straight or rounded and stiffened edge are connected.
 - 4) Where the frame is connected to the supporting structure framing, the supporting section lies in the middle of the bracket side where brackets with a rounded free edge are connected.

Table 3.12 Structure and the position of supporting section of frames in grillage with transverse framing

Type of joint in way supporting section of the frame	Type of supporting section	Sketch showing structure and the position of supporting section therein
Intersection of supporting structure	Fixed	
Securing on supporting structure with connection to its framing	Fixed	
Securing on supporting structure without connection to its framing	Simply supported	
Securing on intercostal longitudinal	Free end	 No supporting section

4. Plate structures

- (1) By plate structures, the sections of deck, platform and double bottom plating, of transverse bulkhead plating, deep frame plates and bilge brackets which adjoin the shell plating are meant.
- (2) For hull members mentioned under (1), the areas to be covered by the requirements for plate structure shall be established as **Table 3.13**.

Table 3.13 Application area of the requirements for plate structure

Area	Ship class	Distance from the shell plating
fore peak and after peak bulkheads	Icebreakers and Arctic5 ~ Arctic9	throughout their breadth
other bulkheads in region 1 and 2	Icebreakers and Arctic4 ~ Arctic9	on a breadth of 1.2m
decks and platforms		
other hull members		on a breadth of 0.6m

- (3) In the areas of plate structures mentioned under (2), corrugated structures with corrugations arranged along the shell plating (i.e. vertical corrugations on transverse bulkheads and longitudinal corrugations on decks or platforms) are not permitted.
- (4) The plate structures of icebreakers, Arctic5 ~ Arctic9 class ships and region 1 of Arctic5 class ships shall be provided with stiffeners fitted at right angles approximately to the shell plating. The stiffeners shall be spaced not farther apart than stipulated in **Table 3.14**.




Table 3.14 Maximum spacing of stiffeners

Orientation of main framing fitted at shell plating	Maximum spacing of stiffeners	
	Icebreaker, Arctic5(region 1) Arctic6 ~ Arctic9	Arctic5(except region 1), Arctic4(region 1)
Main framing lies across a plate structure	a , but not greater than 0.5 m	$2a$, but not greater than 1.0 m
Main framing lies parallel to plate structure	0.6 m	0.8 m

Note : a is the spacing of main framing girder, as measured on the shell plating.

- (5) The intersections of plate structures with main framing shall be executed in accordance with **Table 3.14**.

Table 3.15 The intersections of plate structures with main framing

Ship class	Sketch of structure		
			
Icebreaker5, Icebreaker6	Fore peak, after peak, region 1, 2 with longitudinal framing	Regions 2, A3, B3, D3, A4, B4	Other regions as per Table 3.9
Icebreaker3, Icebreaker4	Fore peak, after peak, region 1, 2 with longitudinal framing	Regions 1 and 2 (except fore peak and after peak) A3, B3, D3	
Arctic7 ~ Arctic9	Fore peak, region 1 with longitudinal framing	Regions 1 and 2 (except fore peak), A3, A4, B3, B4	
Arctic5, Arctic6	Fore peak, region A1, B1, C1 with longitudinal framing	Regions 1 (except fore peak), 2, A3, B3	
Arctic4	—	Regions 1, A2, B2, A3, B3	

- (6) Where main framing girders are intercostal in way of the plate structure, brackets shall be fitted on both side of the structure on the same plane as each of the girders, and the girder webs shall be welded to the plate structure.
- (7) The following requirements are put forward additionally for the intersections of the plate structures of decks and platforms with main framing.
 - 1) Where transverse framing is used for sides, the frames shall be attached to the beams with brackets, In Arctic5(region 1 only), Arctic6 ~ Arctic9 class ships, the girders shall be fitted on the same plane as each of the frames.
 - 2) In Arctic5(except region 1) and Arctic4(region 1) class ships, the frame on whose plane no beam is fitted shall be secured to the plate structure with brackets which shall terminate on the intercostal stiffener.
 - 3) Where longitudinal framing is used for sides, the beams shall be attached to the shell plating with brackets reaching as far as the nearest side longitudinal.
- (8) The distance from the edge of opening or manhole to the shell plating shall not be less than 0.5m in a plate structure. The distance from the edge of opening or manhole in a plate structure to the edge of opening for the passage of a girder through the plate structure shall not be less than the height of that girder.

5. Fore peak and after peak structure

- (1) A longitudinal bulkhead welded to the stem or sternframe shall be fitted on the centerline of the ship in the fore peak and after peak of Icebreakers and Arctic8, Arctic9 class ships, and the lower ends of all frames shall be connected to floors or brackets.
- (2) In the fore peak of Icebreakers and Arctic8 ~ Arctic9 class ships, platforms with lightening holes shall be fitted instead of stringers and panting beams, the distance between platforms measured along a chord at side, shall not exceed 2.0m. This structure is recommended for Arctic4 class ships as well.
- (3) In the after peak of Icebreakers and Arctic8 ~ Arctic9 class ships, side stringers and panting beams shall be fitted so that the distance between the stringers as measured along a chord at side, would not be greater than 2.0m. The dimensions of stringer webs shall not be less than determined by the formulae.

depth $d = 5L + 400$ (mm)

thickness $t = 0.05L + 7$ (mm)

where , L : length of ship (m)

Platform with lightening holes are recommended instead of panting beams and stringers.

- (4) In Icebreakers and Arctic6 ~ Arctic9 class ships, the side stringers in the fore peak and after peak shall generally be a continuation of those fitted in the region A and D(refer to **203. 1**)
- (5) In the case of Arctic4 class ships, the area and inertia moment of panting beams shall be increased by 25 per cent as compared to those required for non-Arctic class ships. The dimension of stringer webs shall not be less than given by the formula.

$$\text{depth } d = 3L + 400 \text{ (mm)}$$

$$\text{thickness } t = 0.04L + 6.5 \text{ (mm)}$$

where , L : length of ship (m)

- (6) In the fore peak and after peak, the free edge of side stringers shall be stiffened with face plates having a thickness not less than the web thickness and a width not less than ten thickness. The interconnections of frames with side stringers shall be in accordance with **Table 3.14**, and brackets shall be carried to the face plates of the stringers.

6. Stem and sternframe construction

- (1) Arctic6 ~ Arctic9 class ships shall have a solid section stem made of steel(cast steel is recommended). The stems and sternframes of Icebreakers, as well as the sternframes of Arctic5 ~ Arctic9 class ships, shall be made of forged or cast steel. Stems and sternframes welded of cast or forged parts are admissible.
- (2) In Arctic4, Arctic5 class ships, a stern of combined structure(a bar with thickened plates welded thereto) or plate structure may be used, and where the ship length is under 150m with a sharp-lined bow, the stem design shown in **Fig 3.10** may be used.




Fig 3.10 Stem for ship length is under 150m

- (3) In Arctic4 ~ Arctic7 class ships, the stem shall, where practicable, be strengthened by a center line web having its section depth equal to h_v at least(refer to **Table 3.35**) with a face plate along its free edge or a longitudinal bulkhead fitted on the ship centerline, on the entire stem length from the keel plate to the nearest deck or platform situated above the level H_1 referred to in **216.** and in **Table 3.35**. The thickness of this plate shall not be less than that of the brackets. In Icebreakers and Arctic8, Arctic9 class ships, a longitudinal bulkhead may be substituted for the center line web.
- (4) Within the vertical extent defined in (3), the stem shall be strengthened by horizontal webs at least 0.6m in depth and spaced not more than 0.6m apart. The webs shall be carried to the nearest frames and connected thereto. Where in line with side stringers, the webs shall be attached to them. In stems of combined or plate type, the webs shall be extended beyond the welded butts of the stem and shell plating.
- (5) Above the deck or platform located, by the value of H_1 at least, higher than the upper boundary of region 1, the spacing of horizontal webs may gradually increase to 1.2m in Icebreakers and Arctic7 ~ Arctic9 class ships, and to 1.5m in ships of other classes. The web thickness shall be adopted not less than half the stem plate thickness. In Icebreakers and Arctic class ships, the free edges of webs shall be strengthened with face plates welded to the frames at their ends. The side stringers of the fore peak shall be connected to the webs fitted in line with them.
- (6) Where the stern frame has an appendage(ice knife), the clearance between the latter and the rudder plate shall not exceed 100mm. The appendage shall be reliably connected to the stern frame. Securing the appendage to plate structure is not permitted.
- (7) In Icebreakers, the lower edge of sole-piece shall be constructed with a slope of 1:8 beginning from the propeller post.

7. Bottom structure

- (1) In Icebreakers and Arctic5 ~ Arctic9 class ships, double bottom shall be provided between the fore peak bulkhead and the after peak bulkhead.
- (2) In Icebreakers, provision shall be made for solid floors at each main frame, and in Arctic8, Arctic9 class ships, at every other main frame.
- (3) In regions of ice strengthening in way of bottom, as established in accordance with **Table 3.9**, bracket floors are not permitted.
- (4) In Icebreaker and Arctic8, Arctic9 class ships the center-line girder height shall not be less than determined by the formula.

$$d_0 = \varphi(9L + 800) \quad (\text{mm})$$

where

$$\varphi = \begin{cases} 0.8 & \text{for Arctic8 class ships} \\ 0.9 & \text{for Arctic9 class ships} \\ 1.0 & \text{for Icebreakers} \end{cases}$$

- (5) In Icebreakers and Arctic8, Arctic9 class ships, the spacing of bottom stringers shall not exceed 3.0m.

8. Special requirements

- (1) In Icebreakers, double side structure shall generally be provided between the fore peak bulkhead and the after peak bulkhead.
- (2) In Arctic7 ~ Arctic9 class ships double side structure is necessary for engine room, and for the region mentioned in (1) it is recommended.
- (3) Where the web plate of a girder of a plate structure is considerably inclined to the shell plating, the framing normal to the shell plating or an inclined plate structure is recommended.

206. Ice load

1. Where using the ice load parameters for strength estimation on the basis of other procedures and programs are to be specially approved by the Society.
2. The ice-load parameters to be determined according to **Par 3 to 8** apply to Arctic class ships and Icebreakers with hull shape complying with the requirements of **202. 2.** and **202.3 .**

3. Ice load for Arctic class ships

For Arctic class ships, the ice load(kPa), shall be determined by **Table 3.16**.

Table 3.16 Ice load for Arctic class ships

Ice strengthening region and Arctic class		Ice load (kPa)
A1	All class	$p_{A1} = 2500a_1v_m^6\sqrt{\frac{\Delta}{1000}}$
B1		$p_{B1} = 2500a_2v_m^6\sqrt{\frac{\Delta}{1000}}$
C1		$p_{C1} = 1200a_3\sqrt{\frac{\Delta}{1000}}$
D1	Arctic4, Arctic5, Arctic6	$p_{D1} = a_4p_{C1}$
	Arctic7, Arctic8, Arctic9	$p_{D1} = 0.75p_{A1}$
2, 3, 4	All class	the ice load is determined as follow formula a part of the ice load in region 1 at considered section $p_{kl} = a_{kl} \cdot p_{k1}$

Where
 a_1, a_2, a_3, a_4 = factor as specified in **Table 3.17** proceeding from the Arctic class
 Δ = displacement(t) correspond to UIWL
 v_m = value of the shape factor which is the maximum one for the region, as at considered sections on the ice loadline level. The value shall be determined by the formula.

$$v_m = (0.278 + \frac{0.18x}{L})^4 \sqrt{\frac{\alpha^2}{\beta}} \text{ where } \frac{x}{L} \leq 0.25$$

$$v_m = (0.343 - \frac{0.08x}{L})^4 \sqrt{\frac{\alpha^2}{\beta}} \text{ where } \frac{x}{L} > 0.25$$

x = the distance between the considered section and the forward perpendicular(m)
 α = angles(deg) of summer load waterline inclination which shall be measured in accordance with **Fig 3.1** and **3.3** (where $x = 0$)
 β = angles(deg) of frame inclination on UIWL level which shall be measured in accordance with **Fig 3.2**. Where the frame is concave in a section, a minimal angle shall be chosen for in the case of Arctic4 ~ Arctic9 class ships which is measured on all waterlines of ice navigation
 a_{kl} = as specified in **Table 3.18**. k is A, B, C, D for region lengthwise of ice strengthening, l is 2, 3, 4 for region transversly of ice strengthening.

Table 3.17 The value of a_1, a_2, a_3, a_4

Arctic class	Arctic4	Arctic5	Arctic6	Arctic7	Arctic8	Arctic9
a_1	0.79	1.15	1.89	2.95	5.3	7.9
a_2	0.80	1.17	1.92	3.06	5.75	8.95
a_3	0.50	0.78	1.2	1.84	3.7	5.6
a_4	0.75	0.87	1.0	-	-	-

Table 3.18 The value of a_{kl}

Arctic class	Region lengthwise								
	forward and intermediate regions (A and B)			midship region (C)			aft region(D)		
	Region vertically								
	2	3	4	2	3	4	2	3	4
Arctic4	0.5	0.4	0.35	0.4	-	-	-	-	-
Arctic5	0.65	0.65	0.45	0.5	0.4	-	0.5	-	-
Arctic6	0.65	0.65	0.5	0.5	0.45	-	0.5	0.35	0.15
Arctic7	0.65	0.65	0.5	0.5	0.45	-	0.5	0.4	0.2
Arctic8	0.7	0.65	0.5	0.55	0.45	0.25	0.55	0.4	0.3
Arctic9	0.7	0.65	0.5	0.55	0.45	0.3	0.55	0.4	0.35

4. The vertical distribution height of ice load for Arctic class ships

The vertical distribution height(m) of ice load shall be determined by the following **Table 3.19**.

Table 3.19 The vertical distribution height of ice load for Arctic class ships

Ice strengthening region and Arctic class		Vertical distribution height
A	All class	$b_A = C_1 k_{\Delta} u_m$
B		$b_B = C_2 k_{\Delta} u_m$ Max. : $b_B = 1.25 b_A p_{A1} / p_{B1}$ Min. : $b_B = p_{C1} b_C / p_{B1}$
C		$b_C = C_3 C_4 k_{\Delta}$
D	Arctic4, Arctic5, Arctic6	$b_D = 0.8 b_C$
	Arctic7, Arctic8, Arctic9	$b_D = b_A$

Where
 C_1, C_2, C_3 = factor as specified in **Table 3.20** proceeding from the Arctic class
 C_4 = factor as specified in **Table 3.21** proceeding from the minimal side inclination angle in the midship region of ice strengthening on UWIL
 $k_{\Delta} = \sqrt[3]{\frac{\Delta}{1000}}$, but not greater than 3.5
 Δ = refer to **Par 3**
 u_m = value of the shape factor which is the maximum one for the region, as at considered sections on the ice loadline level. The value shall be determined by the formula.
 $u_m = k_B (0.635 + \frac{0.61x}{L}) \sqrt{\frac{\alpha}{\beta}}$, where $\frac{x}{L} \leq 0.25$
 $u_m = k_B (0.862 - \frac{0.30x}{L}) \sqrt{\frac{\alpha}{\beta}}$, where $\frac{x}{L} > 0.25$
 $k_B = 1$, where $\beta \geq 7^\circ$
 $k_B = 1.15 - 0.15 \frac{\beta}{7}$, where $\beta < 7^\circ$
 x, α, β = refer to **Par 3**
 p_{A1}, p_{B1}, p_{C1} = refer to **Par 3**

Table 3.20 The value of C_1, C_2, C_3

Arctic class	Arctic4	Arctic5	Arctic6	Arctic7, Arctic8, Arctic9
C1	0.49	0.6	0.62	0.64
C2	0.55	0.7	0.73	0.75
C3	0.34	0.40	0.47	0.50

Table 3.21 The value of C_4

Angle of side slope amidships(deg)	≤6	8	10	12	14	16	18
C_4	1.00	0.81	0.68	0.54	0.52	0.47	0.44

5. The horizontal distribution length of ice load for Arctic class ships

Horizontal distribution length(m) of ice load, shall be determined by the following Table 3.22.

Table 3.22 The horizontal distribution length of ice load for Arctic class ships

Ice strengthening region	Horizontal distribution length
A	$lp_A = 11.3\sqrt{b_A \sin\beta_{Am}}$, but not less than $3.5\sqrt{k_\Delta}$
B	$lp_B = 11.3\sqrt{b_B \sin\beta_{Bm}}$, but not less than $3\sqrt{k_\Delta}$
C	$lp_C = 6b_C$, but not less than $3\sqrt{k_\Delta}$
D	$lp_D = 6b_D$, but not less than $3\sqrt{k_\Delta}$
Where $b_A, b_B, b_C, b_D, k_\Delta$ = refer to Par 4 β_{Am} = angle β in the design section of region A for which the value of the u_m parameter is maximum β_{Bm} = angle β in the design section of region B for which the value of the u_m parameter is maximum u_m = refer to Par 4	

6. Ice load for Icebreakers

For Icebreakers, the ice load shall be determined by the following Table 3.23.

Table 3.23 The ice load for Icebreakers

Region	Ice load
A1	$P_{A1} = k_p P_{I_{A1}}$
B1, C1, D1	$P_{k1} = a_k P_{A1}$
2, 3, 4	$P_{mn} = a_{mn} P_{m1}$

Where
 $P_{I_{A1}}$ = ice load in region A1, to be determined in accordance with **Par 3** as in the case of a ship whose ice class number coincides with the class of the Icebreaker
 $k_p = 1$, where $N_\Sigma \leq N_0$
 $k_p = (N_\Sigma/N_0)^{0.4}$, where $N > N_0$
 N_Σ = propeller shaft output(MW)
 N_0 (MW) = as specified in **Table 3.24**
 a_k = factor as specified in **Table 3.25** proceeding from the region of the ship length and class of Icebreaker
 P_{m1} = ice load in region 1 proceeding from the region lengthwise, $p_{A1}, p_{B1}, p_{C1}, p_{D1}$
 a_{mn} = parameter as specified in **Table 3.26**, m is A, B, C, D for region lengthwise of ice strengthening
 n is 2,3,4 for region transversely of ice strengthening.

Table 3.24 The value of N_0

Icebreakers	N_0 (MW)
Icebreaker3	10
Icebreaker4	20
Icebreaker5	40
Icebreaker6	60

Table 3.25 The value of a_k

Region	Icebreakers			
	Icebreaker3	Icebreaker4	Icebreaker5	Icebreaker6
B1	0.65	0.75	0.85	0.85
C1	0.6	0.65	0.7	0.75
D1	0.75	0.75	0.75	0.75

Table 3.26 The value of a_{mn}

Region vertically and region lengthwise	A2	A3	A4	B2	B3	B4	C2	C3	C4	D2	D3	D4
a_{mn}	0.7	0.65	0.5	0.6	0.55	0.45	0.55	0.45	0.35	0.55	0.40	0.30

- As far as Icebreakers are concerned, the vertical distribution height of ice pressure shall be adopted equal for all regions and shall be determined in accordance with **Par 4**, i.e. when determining u_m , the values of b_a shall be calculated for those sections only which are included in the forward region A of ice strengthening of the Icebreaker.
- As far as Icebreakers are concerned, the horizontal distribution length of ice pressure shall be adopted equal for all regions and shall be determined in accordance with **Par 5**, i.e. when determining β_{Am} , the values of lp_A shall be calculated for those sections only which are included in the forward region A of ice strengthening of the Icebreaker.

207. Shell plating

In regions of ice strengthening, the shell plating thickness t (mm), shall not be less than determined by the formula. In addition, t (mm) shall not be less than the requirements of **Pt 4, Ch 4 of Rules for the Classification of Steel Ships**.

$$t = t_0 + \Delta t \quad (\text{mm})$$

where

$$t_0 = 15.8a_0 \sqrt{\frac{p}{\sigma_y}}$$

p = ice load(kPa) in the region under consideration according to **206. 3.** or **206. 6.**

$$a_0 = \frac{a}{1 + 0.5 \frac{a}{c}}$$

$c = b$ where the grillage is transversely framed in the region under consideration. In this case, c shall not be greater than the spacing of intercostal stringers or the distance between plate structures

$c = l$ where the grillage is longitudinally framed in the region under consideration

b = vertical distribution(m) of ice pressure in the region under consideration according to **206. 4.** or **206. 7.**

l = distance between supporting section of longitudinal frame(m)

a = spacing of longitudinal frame for the grillage is longitudinally framed or of transverse frame for the grillage is transversely framed(m)

Δt = additional thickness(mm) for corrosion wear and abrasion, as specified in **Table 3.27**.

Table 3.27 Additional thickness, Δt (mm) for corrosion wear and abrasion

Ship class	Region of ice strengthening	
	forward and intermediate (A and B)	midship and after(C and D)
Arctic4	7.0	5.0
Arctic5	7.0	5.5
Arctic6 ~ Arctic9	7.5	5.5
Icebreaker3	7.5	5.5
Icebreaker4	9.5	6.5
Icebreaker5	11.5	7.5
Icebreaker6	13.0	7.5

208. Procedure for determining the actual section area and ultimate section modulus of stiffeners

The procedure for determining the actual section area and ultimate section modulus of stiffeners are specified in **Ch 2, 205**.

209. Conventional frames where transverse framing is used

The requirements of this paragraph apply to conventional frames, main frame and deep frame in grillages where transverse framing is used. In the case of main framing, the requirements shall be applied to a single span of a conventional frame which lies between the supporting sections of the

frame on the upper and lower supporting structures. In the case of web frames, the requirements shall be applied to all the spans of a conventional frame.

1. The ultimate section modulus $Z_f(\text{cm}^3)$, of a conventional frame shall not be less than determined by the formula.

$$Z_f = k_f Z_{f0} \quad (\text{cm}^3)$$

where

$$k_f = \frac{1}{F + 0.15j}$$

$$F = 1 \text{ with } CF = 4$$

$$F = 0.5 \text{ with } CF < 4$$

CF = refer to **Table 3.28** for grillage with main framing

$CF = 4$ for grill ages with web framing

j = factor equal to : the number of fixed supporting sections of two adjacent frames $j \leq 4$ as far as grillage with main framing are concerned, in the case of grillage with web framing, refer to **Table 3.29**

$$Z_{f0} = 1.15 \frac{250}{\sigma_y} p b a l Y k_k E$$

p = ice load(kPa) in the region under consideration in accordance with **206. 3.** or **206. 6.** where the lower boundary of region 1 is included in the grillage and this requirements cover region of ice strengthening 1 and 2, the following values of p shall be adopted $p = p_{k1}$, if the distance from the plating of the upper supporting structure of the grillage to the lower boundary of region 1 is greater than 1.2b, other wise $p = p_{k2}$

p_{k1}, p_{k2} = ice load in regions 1 and 2(refer to **206. 3.**)

b = vertical distribution(m) of ice load in the region under consideration in accordance with **206. 3.** or **206. 6.** if $b > l$, $b = 1$ shall be adopted for the purpose of determining Z_{f0} and A_f

a = conventional frame spacing(m) as measured at side

l = considered frame span(m) to be determined in accordance with **Table 3.28** in the case of main framing and with **Table 3.29** in the case of web framing

$$Y = 1 - 0.5\beta, \beta = \frac{b}{l} \quad (\beta \leq 1)$$

k_k = factor equal to 0.9 for conventional frames joined with knees to bearing stringers in a side grillage with deep frames, and equal to 1.0 in other cases

E = factor equal to :

$$E = 4l_i \frac{l - l_i}{l^2} \text{ with } l_i < 0.5l$$

$$E = 1 \text{ with } l_i \geq 0.5l$$

where l_i = section of the span length l (m) overlapped by the region of ice strengthening

Table 3.28 The parameter CF and l

Parameter	Type of intermediate frame end fixation		
	both ends supported	one end supported, the other free (attached to an intercostal member)	both ends free (attached to an inter costal member)
CF	4	3	2
l	Half the sum of distances between the supporting sections of two adjacent frames	Distance between the supporting sections of main frame	

Table 3.29 The parameter l and j

Position of conventional frame zone under consideration	l	j
Between side stringers	Distance between side stringers	4
Between upper (lower) supporting structure and the nearest side stringer	Half the sum of distances between supporting sections on supporting structure and the nearest side stringer for two adjacent frames	$j_0 + 2$ where $j_0 \leq 2$ is the number of fixed supporting sections on the supporting structure for two adjacent frames

2. The web area A_f (cm²) of a conventional frame shall not be less than determined by the formula.

$$A_f = \frac{8.7pbab}{\sigma_y} k_2 k_3 k_4 + 0.1d_w \Delta t \quad (\text{cm}^2)$$

where

$$k_2 = \frac{4}{CF}$$

$$k_3 = \frac{1}{1+z+\sqrt{2z}\beta^{2.5}} \quad \text{or} \quad k_3 = 0.7, \quad \text{whichever is greater.}$$

$$z = \frac{1}{2\beta} (a/l)^2$$

p, a, b, l, k, β = refer to **Par 1**, the values of b and l adopted shall not exceed the distance between bracket ends

$k_4 = 1$ - where no side stringer is provided

0.9 - where there is a side stringer in the span

d_w = frame web height(cm), $d_w = 0.89d$ for symmetric bulb and $d_w = 0.84d$ for asymmetric bulb

d = rolled profile height(cm)

Δt = additional thickness(mm) for corrosion wear, 2.5 for deep tanks and 1.5 for other regions

3. The actual web area A (cm²), shall be determined in accordance with **Ch 2, 205**.

4. The web thickness t_f (mm), of a conventional frame shall be adopted not less than the greater of the following values.

$$t_f = \frac{k_s}{\sigma_y} p a + \Delta t \quad (\text{mm}) \quad \text{or}$$

$$t_f = 0.0114 d_w \sqrt{\sigma_y} + \Delta t \quad (\text{mm})$$

Where

$$k_s = 1.4 \frac{Z_f}{Z_a}, \text{ but not less than } k_s = 1.0$$

Z_a = actual ultimate section modulus(cm^3), of a conventional frame, to be determined in accordance with **208**.

Z_f , p , a = refer to **Par 1**

d_w , Δt = refer to **Par 2**

5. The face plate breadth b_f (mm), of a conventional frame shall not be less than the greater one of the following values.

$$b_f = 0.0145 \sigma_y \frac{Z_f}{Z_a} \sqrt{c_f t_a} \left(\frac{d_w}{t_a} - 0.98 \right) \quad (\text{mm}) \quad \text{or}$$

$$b_f = 2.5 t_f \quad (\text{mm}) \quad \text{or}$$

$$b_f = 69.6 t_a \sqrt{\frac{d_w}{c_f} (\beta^2 - 0.0029)} \quad (\text{mm})$$

where

Z_f , a = refer to **Par 1**

Z_a = refer to **Par 4**

t_a = actual web thickness of a conventional frame(mm)

c_f = face plate thickness(mm) of a conventional frame(for beams made of bulbs, $c_f = 1.5 t_a$ shall be adopted)

d_w = refer to **Par 2**

$$\beta = \frac{(2-a)l_S}{a d_w}, \text{ but not less than } \beta = 0.055$$

l_S = the greatest spacing(m), of adjacent stringers crossing the frame span or the greatest distance(m) between the stringer and the supporting section

$$\alpha = \left(\frac{t_a}{t_{as}} \right)^2 + 0.01 \frac{d_w t_{as}}{a t_a}, \text{ but not less than } \alpha = 1$$

t_{as} = actual shell plating thickness(mm)

6. Where the face plate breadth is not in accordance with **Par 5**, the height of a conventional frame shall not be less than determined by the formula. A distance between side stringers or a side stringer and a supporting structure for conventional frames shall not exceed 1.3 m.

$$d_w = 23.4 (t_a - \Delta t) / \sqrt{\sigma_y} \quad (\text{cm})$$

where t_a = refer to **Par 5**

Δt = refer to **Par 2**

210. Side and intercostal stringers as part of transverse framing with deep frames

1. The ultimate section modulus $Z_s(\text{cm}^3)$ of a bearing side stringer shall not be less than determined by the formula.

$$Z_s = 0.63 \cdot Z_{s0} \quad (\text{cm}^3)$$

where

$$Z_{s0} = 1.15 \frac{125}{\sigma_y} k_s^p p a_1^2 b Q \quad (\text{cm}^3)$$

p, b = refer to **209. 1.**

a_1 = deep frame spacing(m) as measured along the side

$$k_s^p = 0.82 - 0.55 a_1 / l^p \geq 0.6 \quad \text{with } l^p \geq a_1$$

$$k_s^p = 0.82 l^p / a_1 - 0.55 \geq 0.6 l^p / a_1 \quad \text{with } l^p < a_1$$

l^p = refer to **206. 5.**

$$Q = 0.32 + 0.132 \frac{b}{l} \quad \text{with } m = 1$$

$$Q = 0.358 + 0.11 \frac{b}{l} \quad \text{with } m \geq 2$$

m = number of side stringers in a grillage

l = refer to **209. 1.**

2. The web area A_s (cm^2), of a side stringer shall not be less than determined by the formula.

$$A_s = \frac{8.7 k_s^p p a b}{\sigma_y} Q n + 0.1 d_s \Delta t \quad (\text{cm}^2)$$

where

p, a, b = refer to **209. 1.**

n = number of frames fitted between considered side stringers

k_s^p, Q = refer to **Par 1**

d_s = web height of a side stringer(cm)

Δt = refer to **209. 2.**

3. The actual web area A (cm^2), of a side stringer shall be determined in accordance with **Ch 2, 205.**

4. The web thickness t_s (mm), of a side stringer shall not be less than determined by the formula

$$t_s = 2.63 c_1 \sqrt{\frac{\gamma_s \sigma_y}{5.34 + 4 \left(\frac{c_1}{c_2} \right)^2}} + \Delta t \quad (\text{mm})$$

where

c_1, c_2 = the shorter and longer side, in m, of the panels into which the stringer web is divided by its stiffeners for an unstiffened web, $c_1 = 0.01(d_s - 0.8d_f)$, $c_2 = a_1$

d_s = refer to **Par 2**

d_w = refer to **209. 2.**

a_1 = refer to **Par 1**

$$\gamma_s = \frac{A_s}{A}$$

A_s, A = **Par 2, 3**

Δt = refer to **209. 2.**

5. The web height d_s (cm), of a side stringer shall not be less than determined by the formula

$$d_s = 2d_w \quad (\text{cm})$$

where

d_w = refer to **209. 2.**

6. The face plate thickness of a side stringer shall not be less than its actual web thickness. The side stringer without face plate is not permitted.
7. The face plate breadth b_s (mm), of a side stringer shall not be less than the greater of the following values

$$b_s = 0.0165\sigma_y \frac{Z_s}{Z_a} \sqrt{c_s t_{as}} \left(\frac{d_s}{t_{as}} - 2.6 \right) \quad (\text{mm}) \quad \text{or}$$

$$b_s = 7.5t_s \quad (\text{mm})$$

where

Z_s = refer to **Par 1**

Z_a = actual ultimate section modulus (cm^3) of aside stringer, to be determined in accordance with **Ch 2, 205.**

c_s = face plate thickness (mm) of a stringer

t_{as} = actual web thickness of a stringer

d_s = refer to **Par 2**

8. The web height d_i (cm), of an intercostal stringer in way of a conventional frame shall not be less than determined by the formula

$$d_i = 0.8d_w \quad (\text{cm})$$

where

d_w = refer to **209. 2.**

9. The web thickness of an intercostal stringer shall not be less than that of a conventional frame, as required in accordance with **209. 4.**

211. Deep frames as part of transverse framing

1. The ultimate section modulus Z_{wf} (cm^3) of a deep frame shall not be less than determined by the formula.

$$Z_{wf} = 0.63 \cdot Z_{wf0} \quad (\text{cm}^3)$$

where

$$Z_{wf0} = 1.15 \frac{250}{\sigma_y} k_{wf}^p p a b l_{wf} \left(1 - \frac{0.5b}{l_{wf}} + k_m G \right)$$

k_m = refer to **Table 3.31**

$$G = n Q_m$$

n = number of frames fitted between considered deep frames

$$Q_m = Q \text{ with } m = 1, 2$$

$$Q_m = C_{m1} + C_{m2} \left(0.5 \frac{b}{l} (\psi_f - 0.5) - \psi_f\right) \text{ with } m = 3, 4, 5, 6$$

C_{m1} , C_{m2} = factors to be determined from **Table 3.32**

Q = refer to **210. 1.**

ψ_f = factor to be adopted equal to the lesser of the following

$$\psi_f = \frac{Z_{af}}{Z_{f0}} \text{ or}$$

$$\psi_f = \frac{Z_a}{Z_{f0}} \text{ or}$$

$$\psi_f = 1.4k_f^2$$

Z_{f0} , k_f = refer to **209. 1.**

Z_a = refer to **209. 4.**

$$k_{wf}^k = 0.82(1 - a_1/l^p) \geq 0.6 \text{ with } l^p \geq 2a_1$$

$$k_{wf}^p = 0.41(l^p/a_1 - 1) \geq 0.3l^p/a_1 \text{ with } l^p < 2a_1$$

l_p = refer to **206. 5.**

a_1 = refer to **210. 1.**

p , a , b = refer to **209. 1.**

l_{wf} = span(m) between supporting section of a deep frames

Table 3.31 The value of k_m

m	1	2	3	4	5	6
k_m	1.0	1.33	2.0	2.4	3.0	3.43

Table 3.32 The value of C_{m1} , C_{m2}

m	3	4	5	6
C_{m1}	0.5	0.417	0.333	0.292
C_{m2}	0.25	0.167	0.111	0.083

2. The web area A_{wf} (cm²) of a deep frame shall not be less than determined by the formula.

$$A_{wf} = \frac{8.7 p a b k_{wf}^p}{\sigma_y} (i + m \cdot G) + 0.1 d_{wf} \Delta t \quad (\text{cm}^2)$$

where

p , a , b = refer to **209. 1.**

k_{wf}^p , G = refer to **Par 1**

m = refer to **210. 1.**

d_{wf} = deep frame web depth (cm)

Δt = refer to **209. 2.**

3. The actual web area A (cm²) of a deep frame shall be determined in accordance with **Ch 2, 205.**

4. The web thickness t_{wf} (mm) shall be adopted not less than the greater of the following values.

$$t_{wf} = \frac{k_s}{\sigma_y} p a + \Delta t \quad (\text{mm}) \quad \text{or}$$

$$t = 2.63 c_1 \sqrt{\frac{\gamma_{wf} \sigma_y}{5.34 + 4 \left(\frac{c_1}{c_2}\right)^2}} + \Delta t \quad (\text{mm})$$

where

$$k_s = \frac{1}{1.25 \frac{Z_a}{Z_{wf}} - 0.75}, \text{ but not less than } k_s = 1.0$$

Z_a = actual ultimate section modulus (cm³) of a deep frame to be determined in accordance with **Ch 2, 205.**

p, a = refer to **206. 3. (1)**

Z_{wf} = refer to **Par 1**

$$\gamma_{wf} = \frac{A_{wf}}{A}$$

A_{wf} = refer to **Par 2**

A = refer to **Par 3**

c_1, c_2 = the shorter and the longer side(m) of panels into which the web of a deep frame is divided by its stiffeners

Δt = refer to **209. 2.**

5. The face plate thickness of a deep frame shall not be less than the actual thickness of its web. Deep frame without face plate is not permitted.
6. The face plate breadth b_{wf} (mm) of a deep frame shall not be less than the greater of the following values.

$$b_{wf} = A_1 \sigma_y \frac{Z_{wf}}{Z_a} \sqrt{t_{wj} t_{awf}} \left(\frac{d_{wf}}{t_{awf}} - A_2 \right) \quad (\text{mm}) \quad \text{or}$$

$$b_{wf} = A_3 t_{wf} \quad (\text{mm})$$

where

Z_{wf} = refer to **Par 1**

Z_a refer to **Par 4**

t_{wf} = face plate thickness(mm) of a deep frame

t_{awf} = web thickness(mm) of a deep frame

d_{wf} = refer to **Par 2**

A_1, A_2, A_3 = refer to **Table 3.33**

Table 3.33 The value of A_1, A_2, A_3

	A_1	A_2	A_3
if the web is provided with stiffeners fitted normal to the shell plating	0.0039	1.4	5
if the web is provided with stiffeners fitted parallel to the shell plating	0.0182	2.6	10
if it is unstiffened			

212. Side and bottom longitudinals as part of longitudinal framing

1. The ultimate section modulus Z_l (cm³) of a longitudinal shall not be less than determined by the formula.

$$Z_l = 0.63 \cdot Z_{l0} \quad (\text{cm}^3)$$

where

$$Z_{l0} = 1.15 \frac{125}{\sigma_y} p b_1 l (l - 0.5a) c^2 \quad (\text{cm}^3)$$

p, b = refer to **209. 1.**

l = spacing(m) of deep frames or floors

$$b_1 = k_0 b_2$$

$$k_0 = 1 - \frac{0.3}{\left(\frac{b}{a}\right)}$$

$$b_2 = b \left(1 - 0.25 \frac{b}{a}\right) \quad \text{with} \quad \frac{b}{a} < 2$$

$$b_2 = a \quad \text{with} \quad \frac{b}{a} \geq 2$$

a = spacing(m) of longitudinals

$c = 1$, for bottom longitudinals and for side longitudinals where no panting frames are fitted

$$c = \frac{1}{1 + \frac{0.25}{e}}, \quad \text{for side longitudinals where panting frames are fitted}$$

$$e = \frac{b}{a} + 1$$

2. The web area A_l (cm²) of a longitudinal shall not be less than determined by the formula.

$$A_l = \frac{8.7}{\sigma_y} p b_1 l c k_1 + 0.1 d_l \Delta t \quad (\text{cm}^2)$$

where

p = refer to **209. 1.**

b_1, l, c = refer to **Par 1**

k_1 = factor to be adopted as the greater of the following

$$k_1 = \frac{1}{1 + 0.76 \frac{a_0}{l}}, \quad \text{or} \quad k_1 = 0.8$$

d_l = web height (cm) of a longitudinal

Δt = refer to **209. 2.**

3. The actual web area A (cm²) of a longitudinal shall be determined in accordance with **Ch 2, 205.**

4. The web area t_l (mm) of a longitudinal shall be adopted not less than the greater one of the following values.

$$t_l = \frac{k_s}{\sigma_y} p b_1 + \Delta t \quad (\text{mm}) \quad \text{or}$$

$$t_l = 0.013 d_l \sqrt{\sigma_y} + \Delta t \quad (\text{mm})$$

where

$$k_s = 1.4 Z_l / Z_a, \text{ but not less than } k_s = 1.0$$

Z_l = refer to **Par 1**

Z_a = actual ultimate section modulus (cm³) of a longitudinal, to be determined in accordance with **Ch 2, 205.**

p = refer to **209. 1.**

b_1 = refer to **Par 1**

d_l = refer to **Par 2**

Δt = refer to **209. 2.**

5. The face plate breadth b_f (mm) of a longitudinal shall not be less than the greater of the following values.

$$b_f = 0.0145 \sigma_y \frac{Z_l}{Z_a} \sqrt{c_l t_{al}} \left(\frac{d_l}{t_{al}} - 0.98 \right) \quad (\text{mm}) \quad \text{or}$$

$$b_f = 2.5 t_l \quad (\text{mm}) \quad \text{or}$$

$$b_f = 69.6 t_{al} \sqrt{\frac{d_l}{c_l} (\beta^2 - 0.0029)} \quad (\text{mm})$$

where

Z_l = refer to **Par 1**

Z_a = refer to **Par 4**

t_{al} = actual web thickness(mm) of a longitudinal

c_l = face plate thickness(mm) of a longitudinal (for longitudinals of bulb, $c_l = 1.5 t_{al}$ shall be adopted)

d_l = refer to **Par 2**

$$\beta = \frac{(2-a) l_s}{a h_l}, \text{ but not less than } \beta = 0.055$$

$$\alpha = \left(\frac{s_{al}}{s_{as}} \right)^2 + \frac{0.01 h_l s_{as}}{a s_{al}}, \text{ but not less than } \alpha = 1$$

t_{as} = actual shell plating thickness(mm)

a = refer to **Par 1**

l_s = span(m) of a longitudinal

6. Where the face plate breadth is not in accordance with **Par 5**, the height of a longitudinal shall not be less than the value determined by **209. 6.** (where t_{af} shall be assumed equal to t_{al}). A distance between deep frames or a deep frame and a supporting structure for longitudinals without face plates shall not exceed 1.3 m.

213. Deep frames as part of longitudinal framing

1. The ultimate section modulus Z_{wfl} (cm³) of a deep frame shall not be less than determined by the formula.

$$Z_{wfl} = 0.63 \cdot Z_{wfl0} \quad (\text{cm}^3)$$

where

$$Z_{wfl0} = 1.15 \frac{500}{\sigma_y} p a b k_w^p I (1 + k_g) \left(Q - \frac{k_g 0.33 \beta}{e} \right)$$

p, b = refer to **209. 1.**

$k p_w$ = refer to **211. 1.**

a, l, e = refer to **212. 1.**

$$Q = 2 - 1.1\beta$$

$$\beta = \frac{b_1 e}{b}$$

b_1 = refer to **212. 1.**

k_g = factor to be adopted as the lesser of the following

$$k_g = 0.5 \left(\frac{eQ}{0.33} - 1 \right) \text{ or}$$

$$k_g = 0.5(k - 0.25(e + 1))$$

k = number of longitudinals in considered transverse span

2. The web area A_{wfl} (cm²) of a deep frame shall not be less than determined by the formula.

$$A_{wfl} = \frac{8.7}{\sigma_y} p b k_w^p l Q + 0.1 d_{wfl} \Delta t \quad (\text{cm}^2)$$

where

p, b = refer to **209. 1.**

l = refer to **212. 1.**

Q = refer to **Par 1**

d_{wfl} = transverse web height(cm)

Δt = refer to **209. 2.**

3. The actual web area A (cm²) of a deep frame shall be determined in accordance with **Ch 2, 205.**
4. The web thickness of a deep frame shall not be less than the greater of the values determined by **211. 4.** while Z_{wfl} is required ultimate section modulus(cm³) of a transverse shall be in accordance with **Par 1** and a is spacing(m) of longitudinals. The requirements of this paragraph apply to the vertical diaphragms of the double side.
5. The web height of a deep frame shall not be less than determined by the formula.

$$d_{wfl} = 2d_l \quad (\text{cm})$$

where

d_l = web height (cm) of a longitudinal

6. The face plate thickness of a transverse shall not be less than its actual web thickness.
7. The face plate breadth of a transverse shall be determined in accordance with **211. 6.** while Z_{wfl} shall be in accordance with **Par 1.** The transverse without face plate (flat bar) is not permitted.

214. Additional frames and horizontal diaphragms as part of longitudinal framing

1. The web height of an additional frame d (cm) in way of a longitudinal shall not be less than determined by the formula.

$$d = 0.8d_l \quad (\text{cm})$$

where

d_l = web height(cm) of a longitudinal

2. The web thickness of an additional frame shall not be less than that of a longitudinal, as required in

accordance with **212. 4.**

- Where the outboard side is longitudinally framed shall not be less than the web area of a transverse in accordance with **213. 2.**

215. Plate structures

- The thickness of plate structures forming part of web framing of side grillages(deep frames, side stringers) shall be determined in accordance with **210. 4, 211. 4, 213. 4.**
- The plate structure thickness of decks, platforms, double bottom and bottom girder shall not be less than t (mm) to be determined by the formula.

$$t = t_{p0} + \Delta t \quad (\text{mm})$$

where

$$t_{p0} = b \left\{ 0.8 \frac{p_1}{\sigma_y} - 0.0045 k_2 \left[1 + 4 \left(\frac{c_{sp}}{k_2 b} \right)^2 \right] \left(\frac{t_0}{10 c_{sp}} \right)^{3.5} \right\}, \text{ if the plate structure is stiffened normal to the shell plating}$$

$$t_{p0} = \frac{0.95 p_1 b}{\sigma_y}, \text{ if the plate structure is unstiffened or parallel to the shell plating}$$

$$p_1 = k_1 p$$

k_1 = refer to **Table 3.34**

p , b = refer to **209. 1.**

$$k_2 = k_T \sqrt{k_p}$$

$$k_T = 0.17 \Delta^{1/6}, \text{ but not less than } 1.0$$

Δ = refer to **206. 3.**

k_p = shall be in accordance with **206. 5. (1)** as far as Icebreakers are concerned

$k_p = 1$ for Arctic class ships

c_{sp} = spacing(m) of stiffeners in a plate structure

t_0 = refer to **207.**

Δt = refer to **209. 2.**

Table 3.34 The value of k_1

Ship class	k_1
Arctic4, Arctic5	1.3
Arctic6, Icebreaker3	1.2
Arctic7, Icebreaker4	1.1
Arctic8, Arctic9, Icebreaker5, Icebreaker6	1.0

- In addition to the requirements of **Par 2**, the thickness of plate structures in decks and platforms, where the side is transversely framed, shall not be less than t (mm) to be determined by the formula.

$$t = t_0 + \Delta t \quad (\text{mm})$$

where

$$t_0 = \frac{0.866}{\alpha} \left[1.1 \frac{p_1}{\sigma_y} b \left(1 - \frac{b}{4l} \right) - 0.5 \frac{Z_f 10^{-3}}{1.15 a l_1 l_2} \left(\frac{d_w}{10l} \right)^{1.5} - \frac{0.1 f_{st}}{a_1} \right]$$

p_1 = refer to **Par 2**

$$\alpha = 1 - \frac{a_2}{a}$$

b, a = refer to **209. 1.**

a_2 = length(m) of unstiffened section of opening in plate structure for the passage of a conventional frame, as measured on the shell plating

$$l = \frac{1}{2}(l_1 + l_2)$$

l_1, l_2 = distance(m) from the plate structure under consideration to the nearest plate structures (decks, platforms, side stringers, inner bottom plating) on both sides

a_1 = spacing(m) of plate structure stiffeners fitted approximately normal to shell plating

f_{st} = cross-sectional area of stiffener(cm²) without effective flange where stiffeners are fitted parallel to the shell plating or snipped, $f_{st} = 0$ shall be adopted

Z_f = refer to **209. 4.**

d_w = refer to **209. 2.**

Δt = refer to **209. 2.**

4. Transverse bulkhead plating thickness where the side is longitudinally framed and the floor and bilge bracket thickness where the bottom is longitudinally framed shall not be less than t (mm) to be determined by the formula.

$$t = t_{p0} + \Delta t \quad (\text{mm})$$

where

$$t_{p0} = a \left\{ 1.8 \frac{p_2}{\sigma_y} - 0.009 \left[1 + \left(\frac{a}{k_g} \right)^2 \right] \left(\frac{t_0}{10a} \right)^{3.5} \right\}$$

$$p_2 = \frac{p_1}{k_2}$$

p_1, k_2 = refer to **Par 2**

$k_g = 0.4k_2b$, but not greater than $k_g = a$

a = spacing(m) of side (bottom) longitudinals

b = refer to **209. 1.**

t_0 = refer to **207.**

Δt = refer to **209. 2.**

5. The plate structure thickness of transverse bulkheads in a transversely framed side, and of floors in a transversely framed bottom shall not be less than t (mm) to be determined by the formula.

$$t = t_{p0} + \Delta t \quad (\text{mm})$$

where

$$t_{p0} = a \left\{ 1.8 \frac{p_2}{\sigma_y} - 0.009 \left[1 + \left(\frac{a}{k_g} \right)^2 \right] \left(\frac{t_0}{10a} \right)^{3.5} \right\}$$

$k_g = 0.4k_2b$, but not greater than $k_g = c_{sp}$

b = refer to **209. 1.**

k_2, c_{sp} = refer to **Par 2**

p_2 = refer to **Par 4**

a = spacing(m) of conventional frames (for plate structures of bulkheads) or floors (for plate structures of floors)

t_0 = refer to **207**.

Δt = refer to **209. 2**.

6. In any case, the plate thickness of decks and platforms, transverse bulkheads, inner bottom, floors and bilge brackets, bottom stringers and centre girder shall not be less than t (mm) to be determined by the formula.

$$t = t_0 + \Delta t \quad (\text{mm})$$

where

$$t_0 = \sqrt[3]{\frac{q}{n}} \quad \text{with } q \leq 0.353\sqrt{\frac{\sigma_y^3}{n}},$$

$$t_0 = 0.455 \left[\frac{q}{\sigma_y} + \sqrt{\left(\frac{q}{\sigma_y}\right)^2 + \frac{1.32\sigma_y}{n}} \right] \quad \text{with } 0.353\sqrt{\frac{\sigma_y^3}{n}} < q < 1.73\sqrt{\frac{\sigma_y^3}{n}},$$

$$t_0 = 1.73\sqrt{\frac{\sigma_y}{n}} \quad \text{with } q \geq 1.73\sqrt{\frac{\sigma_y^3}{n}}$$

$q = 0.6p_1b \left(1 - \frac{0.1bk_2}{a}\right)$, for plate structures of, decks and platforms, inner bottom, bottom stringers

and centre girder in a longitudinally framed side or bottom

$q = 0.89p_2a$, for the rest of plate structures where the bottom is transversely framed and for all plate structures where the bottom and side are framed transversely

p_1, k_2 = refer to **Par 2**

p_2 = refer to **Par 4**

b = refer to **209. 1**.

a = spacing(m) of main framing girders of shell plating

$$n = \frac{0.294n_1}{c_1^2}$$

$n_1 = [1 + (\frac{c_1}{c_2})^2]^2$ where the longer side of plate structure panel adjoins the shell plating

$n_1 = 4$ where the shorter side of plate structure panel adjoins the shell plating

c_1, c_2 = the shorter and longer sides(m) of pane1s into which a p1ate structure is divided by its stiffeners

Δt = refer to **209. 2**.

7. The inertia moment i (cm^4) of stiffeners by which the plate structures are structures and which are fitted normal to the shell plating shall not be less than determined by the formula.

$$i = 0.01\sigma_y l^2 (10t_{ps}a + f_p) \quad (\text{cm}^4)$$

where

l = span length(m) of stiffener, not greater than $l = 6a$

t_{ps} = thickness(mm) of p1ate structure being strengthened

a = spacing(m) of stiffeners

f_p = sectional area of stiffener(cm^2) without effective flange

8. A horizontal grillage adjoining the shell plating in an region of ice strengthening, but not reaching from side to side (deck or platform in way of large openings, horizontal diaphragm of double side, etc.) may be considered a platform if the sectional area of its plating (on one side) is not less than A (cm^2) to be determined by the formula.

$$A = \frac{6pb l_d}{\sigma_y} \left(i - \frac{b}{4l} \right) \quad (\text{cm}^2)$$

where

p , b = refer to **209. 1**.

l_d = design distribution length(m) for the load taken up by the transverse main framing of side, to be adopted equal to l^p , or to l^p or $2a_1$ whichever is less, in the case of framing (transverse or longitudinal) including deep frames

l^p = refer to **206. 5**.

a_1 = refer to **210. 1**.

l = refer to **Par 3**

Otherwise, such a structure shall be considered a bearing side stringer. Structure considered to be a platform shall comply with the requirements of **215**. for the plate structures of platforms, and one considered to be a stringer, with the requirements of **210**.

216. Stems and sternframes

1. Stems

(1) The requirements of this paragraph for the section modulus and plate thickness of stem shall be complied on the stem span from the keel to a level extending above the upper boundary of the ice strake by a value of H_1 (refer to **Table 3.35**). In the case of Icebreaker, this stem shall extend up to the nearest deck or platform lying higher than this level.

(2) The cross sectional area A (cm^2) of stem shall not be less than determined by the formula.

$$A = k_t A_{\Delta} \quad (\text{cm}^2)$$

where

k_k = refer to **Table 3.35**

$A_{\Delta} = 0.031\Delta + 137$ (cm^2) with $\Delta < 5,000t$

$A_{\Delta} = \Delta^{2/3}$ (cm^2) with $\Delta \geq 5,000t$

(3) The stem above the borders of the area considered (1), the scantlings may gradually reduce and shall not be less than determined by the formula.

The cross sectional area : $A = 1.3L - 4$ (cm^2)

The thickness : $t = k \cdot t_s$ (mm)

where

t_s = The shell plating thickness of region A1

k = refer to **Table 3.35**

Table 3.35

Ship Class	Arctic 4	Arctic 5	Arctic 6	Arctic 7	Arctic 8	Arctic 9	Ice breaker 3	Ice breaker 4	Ice breaker 5	Ice breaker 6
Section H_1 (m) above the upper boundary of the ice strengthening of the stem	0.7	0.8	0.9	1.0	1.1	1.2	1.0	1.5	1.75	2.0
Factor k of stem plate thickening above the upper boundary of strengthening	1.1	1.1	1.05	1	1	1	1	1	1	1
Factor k_k	0.54	0.66	1.02	1.25	1.4	1.55	1.43	1.75	1.96	2.17
Depth of girder, h_v (m) by which the stem is strengthened	0.6	1.0	1.3	1.5	Longitudinal bulkhead in fore peak centerline					

- (4) For strengthened stem, the depth, h_v (m) of vertical girder on centerline shall not be less than the value obtained from **Table 3.35**. For Icebreakers and Arctic8, Arctic9 class ships, the longitudinal bulkheads are to be fitted on the centerline.
- (5) The section modulus Z (cm³) of the stem cross sectional area about an axis perpendicular the centerline shall not be less than determined by the formula

$$Z = 1.16pb \quad (\text{cm}^3)$$

where

p , b = refer to **209. 1**. as far as region of ice strengthening 1 is concerned

- (6) Where calculated the area of stem, the cross-sectional area of shell plates and centerline girder or of longitudinal bulkhead on a breadth not exceeding ten times the thickness of relevant plates shall be included.
- (7) The plate thickness t (mm) of combined and plate stems, as well as of the structure shown in **Fig 3.8**, shall not be less than determined by the formula.

$$t = 1.2 \left(t_0 \frac{a_b}{a_{sp}} \sqrt{\frac{\sigma_{y_{sp}}}{\sigma_y}} + \Delta t \right) \quad (\text{mm})$$

where

t_0 , Δt = refer to **207**. as far as the region of ice strengthening A1 is concerned

a_b = spacing(m) of transverse brackets of stem

a_{af} = main framing spacing(m) in the region of ice strengthening A1

$\sigma_{y_{sp}}$ = tensile strength(MPa) of shell plating material

σ_y = tensile strength(MPa) of stem plate material

2. Sternframe

The sectional area A (cm²) of propeller post and rudder post shall be as given by the formula.

$$A = k \cdot A_0 \quad (\text{cm}^2)$$

where

k = factor to be adopted from **Table 3.36**

A_0 = sectional area of propeller post or rudder post(cm²) as required for a non-Arctic class ship

$$A_0 = 0.1L + 4.4 \text{ (cm}^2\text{) with } L < 200m$$

$$A_0 = 0.06L + 12.4 \text{ (cm}^2\text{) with } L \geq 200m$$

Table 3.36 The factor k

Strengthening factor k	Ship class					
	Arctic4	Arctic5	Arctic6 Icebreaker3	Arctic7 Icebreaker4	Arctic8 Icebreaker5	Arctic9 Icebreaker6
Propeller post	1.25	1.5	1.75	2	2.5	3
Rudder post and solepiece	1.5	1.8	2	2.5	3.5	4

217. Corrosion/abrasion additions and steel renewal

1. Effective protection against corrosion and ice-induced abrasion is recommended for all external surfaces of the shell plating for all Arctic class ships and Icebreakers.
2. The values of corrosion/abrasion additions, Δt to be used in determining the shell plate thickness are given in **Table 3. 27**.
3. The minimum corrosion/abrasion addition applied to all internal structures within the ice strengthened regions, including plated members adjacent to the shell, as well as stiffener webs and flanges shall not be less than 2.5 mm for deep tank region and 1.5mm for other regions.
4. Steel renewal for ice strengthened structures is required when the gauged thickness is less than $t_{net} + 0.5$ mm.
5. Wear limits on all internal structures within the ice strengthened regions are to be in accordance with **Pt 1, Annex 1–5, Par 2 of Guidance Relating to the Rules for the Classification of Steel Ships**.

Section 3 Rudder

301. General

1. The rudder stock and upper edge of the rudder are to be effectively protected against ice pressure.
2. Plating materials in rudders and rudder horns are to be in accordance with **204**.
3. In Icebreakers and Arctic7 ~ Arctic9 class ships the nozzle rudders shall not be fitted. In Arctic4 ~ Arctic6 class ships the arrangement of the nozzle rudder without the lower pintle in the solepiece is not permitted.

302. The requirements of Rudder

1. The rudder force F_R (kN) are to be in accordance with **Pt 4, Ch 1, 201. of the Rules for the Classification of Steel Ships** and shall not be less than determined by the formula.

$$F_R = kA \quad (\text{kN})$$

where

k = factor of rudder force, refer to **Table 3.37**

A = rudder area (m²)

Table 3.37 The factor of rudder force, k

Ship class	k
Arctic4	53
Arctic5	66
Arctic6	75
Arctic7	81
Arctic8	95
Arctic9, Icebreaker3	110
Icebreaker4	130
Icebreaker5	150
Icebreaker6	171

2. The ships that are subject to this chapter are to be in accordance with the requirements of rudder of **Pt 4, Ch 1 of the Rules for the Classification of Steel Ships** with rudder force F_R (kN) determined by **Par 1**.

Section 4 Machinery installations

401. Power of main machinery

1. The requirements to the minimum required power P_{\min} delivered to the propeller shaft of icebreakers and Arctic class ships are given in from (1) to (4) depending on their class.
 - (1) The minimum required power delivered to the propeller shaft of icebreakers shall be consistent with their class according to **Sec. 1**
 - (2) The minimum required power delivered to the propeller shaft of Arctic4 class ship shall not be less than the lesser of values determined according to (3), (4). The minimum required power delivered to the propeller shaft of Arctic5 ~ Arctic9 class ships shall be determined according to (3).
 - (3) Minimum required power P_{\min} shall be determined by formula below.

$$P_{\min} = f_1 \cdot f_2 \cdot f_3 (f_4 \Delta + P_0)$$

where,

P_{\min} = minimum required power (kW)

f_1 = 1.0 for a fixed pitch propeller

= 0.9 for propulsion plants with controllable pitch propeller or electric drive

$f_2 = \phi_1/200 + 0.675$ but not more than 1.

ϕ_1 is the rake of the stem at the centerline(degrees) (see **Ch 1, Fig 1.8**)

$f_2 = 1.1$ for a bulbous bow

The product $f_1 \times f_2$ shall be taken as not less than 0.85.

$f_3 = 1.2B/\Delta^{1/3}$ but not less than 1.0

B = maximum breadth of the ship (m)

Δ = displacement [t] of the ship on the maximum ice draught according to **Ch 1,**

202. 3

f_4 and P_0 are given in **Table 3.38**

Irrespective of the results obtained in calculating the power as per formula above, the minimum power, kW, shall not be less than

- 10,000 kW for Arctic9 class ship
- 7,200 kW for Arctic8 class ship
- 5,000 kW for Arctic7 class ship
- 3,500 kW for Arctic6 class ship
- 2,600 kW for Arctic5 class ship
- 1,000 kW for Arctic4 class ship

Table 3.38 Value f_4 and P_0

Displacement Δ , t	Value	Arctic class					
		Arctic4	Arctic5	Arctic6	Arctic7	Arctic8	Arctic9
$\Delta < 30,000$	f_4	0.26	0.3	0.36	0.42	0.47	0.5
	P_0 , kW	740	2200	3100	4000	5300	7500
$\Delta \geq 30,000$	f_4	0.15	0.2	0.22	0.24	0.25	0.26
	P_0 , kW	4040	5200	7300	9400	11600	14700

- (4) The Minimum required power P_{\min} for Arctic4 class ship, shall be determined as the maximum value calculated as per the formula given in **Ch 1, 302. 2** for the upper ice waterline (UIWL) and lower

ice waterline (LIWL) as indicated in Ch 1, 202. However, the value of H_M , C_1 , C_2 shall be taken as below.

$$H_M = 1.0 \text{ for Arctic4 class ship}$$

$$C_1 = 0 \text{ and } C_2 = 0$$

- (5) The reduction of the required output may be considered for a vessel having design features improving performance in ice conditions. Such features are to be documented, either by means of model tests or full scale measurements.
2. In Icebreakers and Arctic6 ~ Arctic9 class ship, turbines and internal combustion engines with mechanical transmission of power to the propeller may be utilized as main engines, provided use is made of the devices to protect turbines, reduction gears of gas turbine geared sets and diesel-engine geared sets against the loads exceeding the design torque determined with regard to operation of such ships under ice conditions in compliance with the requirements of 404. 2.

402. Shafting

1. General

In Icebreakers and Arctic class ships, the propeller shafts shall be protected from ice effects.

2. Diameters of shafts

The diameters of shafts in Icebreakers and Arctic class ships shall exceed the design diameters by value indicated in Table 3.39. The diameter d of propeller shafts, in mm, for Icebreakers and Arctic class ships shall, besides, meet the following condition in way of aft bearings.

$$d \geq a \sqrt[3]{bs^2 R_{mb} / R_e}$$

where,

a = factor equal to

10.8 for propeller boss diameter equal or less than 0.25D (D is the propeller diameter)

11.5 for propeller boss diameter greater than 0.25D

b = actual width of expanded cylindrical section of the blade on the radius of 0.25R for unit-cast propellers and of 0.35R for controllable pitch propeller (m)

s = maximum thickness of expanded cylindrical section of the blade on the radii given for b (mm)

R_{mb} = tensile strength of the blade material (MPa)

R_e = yield stress of propeller shaft material (MPa)

Table 3.39 Increase of shaft diameter, %

Shaft	Arctic class					Icebreakers	
	Arctic4	Arctic5	Arctic6	Arctic7	Arctic8, Arctic9	Center shaft	Side shaft
Intermediate and thrust	8	12	13.5	15	(1)	18	20
Propeller	15	20	25	30	(1)	45	50
Note: (1) Subject to special consideration by the Society in each particular case.							

3. Keyless fitting of propellers and shaft couplings

(1) When fitting the keyless shrunk assembly, the axial pull-up of the boss in relation to the shaft

or intermediate sleeve, as soon as the contact area between mating surfaces is checked after eliminating the clearance, shall be determined by the following formula.

$$\Delta h = \left[\frac{80B}{hz} \sqrt{\left(\frac{1910PL^3}{nD_w} \right)^2 + T^2} + \frac{D_w(\alpha_y - \alpha_w)(t_e - t_m)}{z} \right] k$$

where,

Δh = axial pull-up of the boss in the course of fitting (cm)

B = material and shape factor of the assembly (MPa^{-1}), determined by the following formula,

$$B = \frac{1}{E_y} \left(\frac{y^2 + 1}{y^2 - 1} + \nu_y \right) + \frac{1}{E_w} \left(\frac{1 + w^2}{1 - w^2} - \nu_w \right)$$

For assemblies with a steel shaft having no axial bore, the factor B may be obtained from **Table 3.40** using linear interpolation.

E_y = modulus of elasticity of the boss material (MPa)

E_w = modulus of elasticity of the shaft material (MPa)

ν_y = Poisson's ratio for the boss material

ν_w = Poisson's ratio for the shaft material (for steel $\nu_w = 0.3$)

y = mean factor of outside boss diameter

w = mean factor of shaft bore

D_w = mean outside shaft diameter in way of contact with the boss or intermediate sleeve (cm)

D_y = mean internal boss diameter in way of contact with the shaft or intermediate sleeve (cm), refer to **Fig 3.11**

without intermediate sleeve,

$$D_{w1} = D_{y1}, D_{w2} = D_{y2}, D_{w3} = D_{y3} \text{ therefore } D_w = D_y$$

with intermediate sleeve,

$$D_{w1} \neq D_{y1}, D_{w2} \neq D_{y2}, D_{w3} \neq D_{y3} \text{ therefore } D_w \neq D_y$$

$$y = \frac{D_{z1} + D_{z2} + D_{z3}}{D_{y1} + D_{y2} + D_{y3}} \text{ for the boss}$$

$$w = \frac{D_{o1} + D_{o2} + D_{o3}}{D_{w1} + D_{w2} + D_{w3}} \text{ for the shaft}$$

$$D_w = (D_{w1} + D_{w2} + D_{w3})/3$$

$$D_y = (D_{y1} + D_{y2} + D_{y3})/3$$

h = active length of the shaft cone or sleeve at the contact with the boss (cm)

z = taper of the boss

P = power transmitted by assembly (kW)

n = speed (rpm)

L = factor for ice strengthening according to **Table 3.41**

T = propeller thrust at ahead speed (kW)

α_y = thermal coefficient of liner expansion of the boss material ($1/^\circ\text{C}$)

α_w = thermal coefficient of liner expansion of the shaft material ($1/^\circ\text{C}$)

t_e = temperature of the assembly in service conditions ($^\circ\text{C}$)

t_m = temperature of the assembly in the course of fitting ($^\circ\text{C}$)

- $k = 1$ for assemblies without intermediate sleeve
- $k = 1.1$ for assemblies with the use of intermediate sleeve

For Arctic class ships, the value Δh shall be chosen as the greater of the results obtained from calculations for extreme service temperatures, i.e:

- $t_e = 35^\circ\text{C}$ for $L = 1$
- $t_e = 0^\circ\text{C}$ for $L > 1$

Table 3.40 Factor B

Factor $B \times 10^5$, MPa^{-1} , Steel shaft $\nu=0$, $E_W = 2,059 \times 10^5$ MPa, $\nu_w = 0,3$

Factor γ	Copper alloy boss $\nu_y = 0,34$ with E_y , MPa							Steel boss $\nu_y = 0,3$ with $E_y = 2,059 \times 10^5$ MPa
	$0,98 \times 10^5$	$1,078 \times 10^5$	$1,176 \times 10^5$	$1,274 \times 10^5$	$1,373 \times 10^5$	$1,471 \times 10^5$	$1,569 \times 10^5$	
1.2	6.34	5.79	5.34	4.96	4.63	4.34	4.09	3.18
1.3	4.66	4.26	3.95	3.66	3.43	3.22	3.04	2.38
1.4	3.83	3.52	3.25	3.03	2.83	2.67	2.52	1.98
1.5	3.33	3.07	2.83	2.64	2.48	2.34	2.21	1.74
1.6	3.01	2.77	2.57	2.40	2.24	2.12	2.01	1.59
1.7	2.78	2.48	2.38	2.22	2.09	1.97	1.87	1.49
1.8	2.62	2.38	2.23	2.09	1.97	1.86	1.76	1.41
1.9	2.49	2.29	2.13	1.99	1.88	1.77	1.68	1.35
2.0	2.39	2.20	2.05	1.92	1.80	1.70	1.62	1.29
2.1	2.30	2.13	1.98	1.86	1.74	1.65	1.57	1.25
2.2	2.23	2.06	1.92	1.79	1.69	1.60	1.53	1.22
2.3	2.18	2.01	1.88	1.75	1.65	1.57	1.49	1.19
2.4	2.13	1.97	1.84	1.72	1.62	1.54	1.46	1.17

Table 3.41 Factor L

Assembly	Arctic class					Icebreakers	
	Arctic4	Arctic5	Arctic6	Arctic7	Arctic8, Arctic9	Centre shaft	Side shaft
Propeller with shaft	1.15	1.20	1.25	1.30	(1)	1.45	1.50
Coupling with shaft	1.08	1.12	1.135	1.15	(1)	1.18	1.20

Note:

(1) Subject to special consideration by the Society in each particular case.

(2) When assembling steel couplings and shafts with cylindrical mating surfaces, the interference fit (ΔD , cm) shall be determined by the following formula.

$$\Delta D = \frac{80B}{h} \sqrt{\left(\frac{1910PL^3}{nD_w}\right)^2 + T^2}$$

Other terms are as defined in (1).

(3) For propeller bosses and half-couplings in keyless assemblies with the shafts, the following condition shall be met.

$$\frac{A}{B} \left[\frac{C}{D_y} + (\alpha_y - \alpha_w) t_m \right] \leq 0.75 R_c$$




Fig 3.11 Details of propellers and shaft couplings

A = shape factor of the boss determined by the formula

$$A = \frac{1}{y^2 - 1} \sqrt{1 + 3y^4}$$

The factor A may be obtained from **Table 3.42** by linear interpolation.

C = Δh_{r,z} for assemblies with conical mating surfaces.

C = ΔD_r for assemblies with cylindrical mating surfaces.

Δh_r = actual pull-up of the boss in the course of fitting at a temperature t_m, Δh_r ≥ Δh (cm)

ΔD_r = actual interference fit of the assembly with cylindrical mating surfaces, ΔD_r ≥ ΔD (cm)

R_c = yield stress of the boss material, (MPa)

Other terms are as defined in (1).

Table 3.42 Factor A

y	A	y	A
1.2	6.11	1.9	2.42
1.3	4.48	2.0	2.33
1.4	3.69	2.1	2.26
1.5	3.22	2.2	2.20
1.6	2.92	2.3	2.15
1.7	2.70	2.4	2.11
1.8	2.54		

403. Propellers

1. Materials of propellers

Copper alloys of Type CU3 and Type CU4 are not admitted for propellers in Icebreakers and Arctic7 ~ Arctic9 class ships.

2. Propellers blade thickness

(1) Propeller blade thickness is checked in the design root section and in the blade section at the radius $r = 0.6R$ where R is propeller radius. The location of the design root section is adopted as follows.

- (A) Solid propellers – At the radius $0.2R$ where the propeller boss radius is smaller than $0.2R$, and at the radius $0.25R$ where the propeller boss radius is greater than or equal to $0.2R$.
- (B) Detachable blade propellers – At the radius $0.3R$, the values of the factors A and c being adopted as in the case of $r = 0.25R$.
- (C) CPP – At the radius $0.35R$.

In solid propellers, detachable-blade propellers and CPP, the maximum thickness s , in mm, of an expanded cylindrical section shall not be less than following formula.

$$s = 9.8 \left[A \sqrt{\frac{0.14kP}{zb\sigma n}} + c \frac{m}{\sigma} \left(\frac{Dn}{300} \right)^2 \right]$$

where,

A = coefficient to be determined from the nomograph in **Fig 3.12** depending on the relative radius r/R of design section and the pitch ratio H/D at this radius (for a CP-propeller, take the pitch ratio of the basic design operating condition)

k = coefficient obtained from **Table 3.43**

P = shaft power at the rated output of the main propulsion engine (kW)

z = number of blades

b = width of the expanded cylindrical section of the blade on the design radius (m)

$\sigma = 0.6R_{mbt} + 175 \text{ MPa}$, but not more than 570 MPa for steels and not more than 610 MPa for copper alloys

R_{mbt} = tensile strength of blade material (MPa)

n = speed at the rated output (rpm)

c = coefficient of centrifugal stresses to be determined from **Table 3.44**

m = blade rake (mm)

D = propeller diameter (m)

Table 3.43 Coefficient k

Arctic class					Icebreakers	
Arctic4	Arctic5	Arctic6	Arctic7	Arctic8, Arctic9	Centre propeller	Side propeller
11.2	12.5	13.2	14	(1)	16	$16 + \frac{23500}{P^{(2)}}$
Notes 1. If reciprocating engines with less than four cylinders are installed in the ship, k shall be increased by 7 per cent. 2. For reciprocating engines fitted with hydraulic or electromagnetic couplings, k may be reduced by 5 per cent. 3. (1) through (2) in this table are subject to the following (1) Subject to special consideration by the Society in each case. (2) P = shaft power, kW.						




Fig 3.12 Factor A

Table 3.44 Coefficient c

r/R	c
0.20	0.50
0.25	0.45
0.35	0.30
0.60	0

Table 3.45 The blade tip thickness

Arctic class				Icebreakers
Arctic4, Arctic5	Arctic6	Arctic7	Arctic8, Arctic9	
0.005D	0.0055D	0.006D	(2)	0.008D
Note: (1) D = diameter of the propeller (2) Subject to special consideration by the Society in each case.				

(2) The blade tip thickness at the radius $D/2$ shall not be less than provided in **Table 3.45**. The leading and trailing blade edge thickness measured at 0.05 of the blade width from the edges shall not be less than 50 per cent of blade tip thickness.

- (3) The blade thickness calculated in accordance with (1) and (2) may be reduced (e.g. for blades of particular shape), provided a detailed strength calculation is submitted for consideration to the Society.
- (4) In Icebreakers and Arctic class ships, the stresses in the most loaded parts of pitch control gear shall not exceed yield stress of the material, if the blade is broken in direction of the weakest section by a force applied along the blade axis over 2/3 of its length from the boss and laterally over 2/3 from the blade spindle axis to the leading edge.

3. Propeller boss and blade fastening parts

- (1) Fillet radii of the transition from the root of a blade to the boss shall not be less than 0.04D on the suction side of the blade and shall not be less than 0.03D on the pressure side. If the blade has no rake, the fillet radius on both sides shall be at least 0.03D. Smooth transition from the blade to the boss using a variable radius may be permitted.
- (2) The propeller boss shall be provided with holes through which the empty spaces between the boss and shaft cone are filled with non-corrosive mass; the latter shall also fill the space inside the propeller cap.
- (3) The diameter of the bolts (studs), by which the blades are secured to the propeller boss or the internal diameter of the thread of such bolts (studs), whichever is less, shall not be less than that determined by the following formula.

$$D_b = ks \sqrt{\frac{bR_{mb}}{dR_{mb}}}$$

where,

k = 0.33, in case of three bolts in blade flange, at thrust surface

0.30, in case of four bolts in blade flange, at thrust surface

0.28, in case of five bolts in blade flange, at thrust surface

s = the maximum actual thickness of the blade at design root section (refer to 2. (1)) (mm)

b = width of expanded cylindrical section of the blade at the design root section (m)

R_{mb} = tensile strength of blade material (MPa)

R_{mb} = tensile strength of bolt/stud material (MPa)

d = diameter of bolt pitch circle; with other arrangement of bolts, $d = 0.85l$ where l = the distance between the most distant bolts (m)

- (4) The securing devices of the bolts(studs), by which the blades are fastened to the detachable-blade propellers of Arctic class ships, shall be recessed in the blade flange.

4. Controllable pitch propellers

- (1) The pitch control unit shall be designed so as to enable turning the blades into ahead speed position, shall the hydraulic power system fail. In multi-screw ships with Arctic class of Arctic7, this requirement need not be satisfied.
- (2) In ships with a CP-propeller, in which the main engine may become overloaded due to particular service conditions, it is recommended that automatic protection against overloading be used for the main engine.
- (3) The time required for the blades to be turned over from full ahead to full astern speed position with main machinery inoperative shall not exceed 20 s for CP-propellers up to 2 m in diameter including, and 30s for CP-propellers with diameters over 2 m.
- (4) In the gravity lubrication systems of CP-propellers, the gravity tanks shall be installed above the deepest load waterline and be provided with level indicators and low level alarms.
- (5) The sealings fitted to the cone and flange casing of the propeller shaft (if such method of connection with the propeller boss is used) shall be tested to a pressure of at least 0,2 MPa after the propeller is fitted in place. If the above sealings are under pressure of oil from the sterntube or the propeller boss, they shall be tested in conjunction with testing of the sterntubes or propeller boss.
- (6) After being assembled with the blades the boss of a CP-propeller shall be tested by internal pressure equal to a head up to the working level of oil in gravity tank, or by a pressure created by the lubricating pump of the boss. In general, the test shall be made during blade adjustment.

404. Power transmission system

1. In the strength calculation for gear of Pt 5, Annex 5-4 of the Guidance Relating to the Rules for the Classification of Steel Ships, the application factor K_A , which accounts for externally generated overloads on the gearing, is chosen from Table 3.46 in the absence of special procedures for its determination.

Table 3.46 Application factor

Type of gearing	Engine	Type of coupling on input shaft	K_A	$K_{st\ max}$
Main propulsion	Electric motor	Any type	1.0	1.1
	Turbine	Any type	1.0	1.1
	Internal combustion engine	Hydraulic or equivalent coupling	1.0	1.1
		High elastic (flexible) coupling	1.3	1.4
	Other types	1.5	1.6	
Auxiliary	Electric motor	Any type	1.0	1.1
	Turbine	Any type	1.0	1.1
	Internal combustion engine	Hydraulic or equivalent coupling	1.0	1.1
		High elastic (flexible) coupling	1.2	1.3
	Other types	1.4	1.5	

For ships strengthened for ice navigation, the factor K_A for main gearing is determined as a product of $K_A \cdot K'_A$ where K'_A is obtained from Table 3.47.

2. For Arctic class ships, the torque of the shafts, pinions, wheels of main gearing, shall be calculated by formula below.

$$T = K'_A T_1$$

Where,

K'_A = refer to Table 3.47

T_1 = torque of pinion at the maximum longacting load (N · m)

Table 3.47 Factor K'_A

Factor	Ship class				
	Arctic4	Arctic5	Arctic6	Arctic7 ~ Arctic9, Icebreaker3, Icebreaker4	Icebreaker5, Icebreaker6
K'_A	1.25	1.5	1.75	2.0	2.5

3. The elastic and disengaging couplings intended for Arctic class ships shall satisfy the requirements of Par 2.

405. Steering gear

Main steering gear of Icebreakers and Arctic class ships shall be provided with a device to prevent the ice overload of turning mechanism.

406. Torsional vibration

1. Torsional vibration calculations

Torsional vibration calculations shall be prepared both for the basic variant and for other variants and conditions possible in the operation of the installation, as follows.

- (1) Maximum power take-off and idling speed (with the propeller blades at zero position) for installations comprising CP-propellers or vertical axis propellers.
- (2) Individual and simultaneous operation of main engines with a common reduction gear.
- (3) Reverse gear.
- (4) Connection of additional power consumers if their moments of inertia are commensurate with the inertia moments of the working cylinder.
- (5) Running with one cylinder missfiring, for installations containing flexible couplings and reduction gear; to be assumed not firing is the cylinder the disconnection of which accounts to the greatest degree for the increase of stresses and alternating torques.
- (6) Damper jammed or removed where single main engine installations are concerned.
- (7) Flexible coupling blocked due to breakage of its elastic components (where single main engine installations are concerned).

2. Permissible stresses for crankshafts

- (1) total stresses due to torsional vibration under conditions of continuous running shall not exceed the values determined by the following formulas.

For main engine crankshafts of Icebreakers and of Arctic class ships within the speed range $(0.7 \sim 1.05)n_r$, and the crankshafts of engines driving generators and other auxiliary machinery for essential services within the speed range $(0.9 \sim 1.05)n_r$, When calculating a crankshaft in accordance with **Pt 5, Annex 5-3 of Guidance Relating to the Rules for the Classification of Steel Ships**,

$$\tau_C = \pm \tau_N \text{ ----- (1)}$$

When calculating a crankshaft by another method,

$$\tau_C = \pm 0.76 \frac{R_m + 160}{18} C_d \text{ ----- (2)}$$

For main engine crankshafts of Icebreakers and of Arctic class ships within the speed range lower than $0.7n_r$, and the crankshafts of engines driving generators and other auxiliary machinery for essential services within the speed range lower than $0.9n_r$,

$$\tau_C = \pm \frac{\tau_N [3 - 2(n/n_r)^2]}{1.38} \text{ ----- (3)}$$

Or,

$$\tau_C = \pm 0.55 \frac{R_m + 160}{18} C_d [3 - 2(n/n_r)^2] \text{ ----- (4)}$$

where,

τ_C = permissible stresses (MPa)

τ_N = the maximum alternating torsional stress determined during crankshaft calculation from **Pt 5, Annex 5-3, Par 2, (2) of Guidance Relating to the Rules for the Classification of Steel Ships**.

R_m = tensile strength of shaft material (MPa). When using materials with the tensile strength above 800 MPa, $R_m = 800$ MPa shall be adopted for calculation purposes.

n = speed under consideration (rpm). For tugs, trawlers and other ships which main engines run continuously under conditions of maximum torque at

speeds below the rated speed throughout the speed range, $n = n_r$ shall be adopted and formulas (1) and (2) shall be used. For the main diesel generators of ships with electric propulsion plants, all the specified values of n_r shall, by turn, be adopted as n , and in each of the ranges $(0.9 \sim 1.05)n_r$, formulas (3) and (4) shall be used for partial loads.

n_r = rated speed (rpm)

$C_d = 0.35 + 0.93d^{-0.2}$: scale factor.

where,

d = shaft diameter (mm)

- (2) The total stresses due to torsional vibration within speed ranges prohibited for continuous running, but which may only be rapidly passed through shall not exceed the values determined by the following formulas.

For the crankshafts of main engines,

$$\tau_T = 2\tau_C$$

For the crankshafts of engines driving generators or other auxiliary machinery for essential services,

$$\tau_T = 5\tau_C \text{ ----- (5)}$$

where,

τ_T = permissible stresses for speed ranges to be rapidly passed through (MPa)

τ_C = permissible stresses determined by one of formulas (1) to (4) of (1).

3. Permissible stresses for intermediate, thrust, propeller shafts and generator shafts

- (1) Under conditions of continuous running, the total stresses due to torsional vibration shall not exceed the values determined by the following formulas.

For the shafts of Icebreakers and of Arctic class ships within the speed range $(0.7 \sim 1.05)n_r$, and generator shafts within the speed range $(0.9 \sim 1.05)n_r$,

$$\tau_C = \pm 1.38 \frac{R_m + 160}{18} C_k C_d$$

For the shafts of Icebreakers and of Arctic class ships within the speed range lower than $0.7n_r$, and generator shafts within the speed range lower than $0.9n_r$,

$$\tau_C = \pm \frac{R_m + 160}{18} C_k C_d [3 - 2(n/n_r)^2]$$

where,

R_m = tensile strength of the shaft material (MPa). When using the material with the tensile strength over 800 MPa (for intermediate and thrust shafts of alloyed steel) and over 600 MPa (for intermediate and thrust shafts of carbon and carbon-manganese steel, as well as for propeller shaft) $R_m = 800$ MPa

and $R_m = 600$ MPa shall be assumed in the calculations accordingly.

C_k = factor obtained from **Pt 5, Ch 4, Table 5.4.1 of Rules for the Classification of Steel Ships.**

C_d = refer to **Par 2. (1)**

- (2) The total stresses due to torsional vibration within speed ranges prohibited for continuous running, but which may only be rapidly passed through shall not exceed.

For intermediate, thrust, propeller shafts and shafts of generators driven by the main engine

$$\tau_T = \frac{1.7\tau_C}{\sqrt{C_k}}$$

For the shafts of generators driven by auxiliary engines, refer to formula (5) of **Par 2, (2)**.

4. Permissible torque in reduction gear

- (1) For the case of continuous running or rapid passage, the alternating torques in any reduction gear step shall not exceed the permissible values established for the operating conditions by the manufacturer.
- (2) Where the values mentioned under (1) are not available, the alternating torque in any reduction gear step for the case of continuous running shall satisfy the following conditions.

Within the speed range $(0.7 \sim 1.05)n_r$, for the main propulsion plants of Icebreakers and of Arctic class ships,

$$M_{alt} \leq 0.3M_{nom}$$

Within speed ranges lower than $0.7n_r$, the permissible value of alternating torque will be specially considered by the Society in each case, but, in any case.

$$M_{alt} \leq 1.3M_{nom} - M$$

where,

M_{nom} = average torque in the step under consideration at nominal speed (N · m)

M = average torque at the speed under consideration (N · m)

For the case of rapid passage, the alternating torque value is subject to special consideration by the Society in each case.

5. Permissible torque and temperature of flexible couplings

- (1) For the case of continuous running or rapid passage, the alternating torque in a coupling, relevant stresses in and temperatures of the flexible component material due to torsional vibration shall not exceed the permissible values established for the operating conditions by the manufacturer.
- (2) Where the values mentioned under (1) are not available, the torque, stress and temperature values permissible for continuous running and rapid passage shall be determined by the procedures approved by the Society.

6. Other installation components

- (1) Under conditions of continuous running, the total torque (average torque plus alternating torque) shall not exceed the frictional torque in the keyless fitting of the propeller and shaft or shafting couplings.
- (2) Where, for generator rotors, the Manufacturer's permissible values are not available, the alternating torque shall not exceed twice, in the case of continuous running, or six times, in the case of rapid passage, the nominal generator torque.

7. Torsional vibration measurement

- (1) Data obtained from torsional vibration calculations for machinery installations with the main engines shall be confirmed by measurements. The measurements shall cover all the variants and operation conditions of the installation, for which calculations were made in accordance with **Par 1**, except emergency operation conditions listed in (6) and (7).
- (2) The results of measurement obtained on the first ship (unit) of a series apply to all the ships (units) of that series, provided their engine-shafting-propeller(driven machinery) systems are identical.
- (3) The free resonance vibration frequencies obtained as a result of measurement shall not differ from the design values by more than 5 per cent. Otherwise, the calculation shall be corrected accordingly.

8. Restricted speed ranges

- (1) Where the shaft stresses, torques in some installation components or temperature of the rubber components of flexible couplings arising due to torsional vibration exceed the relevant permissible values for continuous running determined, restricted speed ranges are assigned.
- (2) No restricted speed ranges are permitted for the speeds equal to or greater than $0.7n_r$, with respect to Icebreakers and of Arctic class ships, and for $(0.9\sim 1.05)n_r$, with respect to diesel generators and other auxiliary diesel machinery for essential services. Where the main diesel generators of ships with electric propulsion plants are concerned, all the fixed speed values corresponding to the specified conditions of partial loading shall alternately be adopted for n_r . In icebreakers and ships with ice categories Arctic7 to Arctic9 fitted with a FPP, blade frequency resonance shall be avoided within the range $(0.5\sim 0.8)n_r$.
- (3) For Icebreakers and of Arctic class ships within the main engine speed range $(0.7\sim 1.05)n_r$, and for diesel generators within the speed range $(0.9\sim 1.05)n_r$, vibration dampers or antivibrators may be used to eliminate restricted speed ranges subject to special consideration by the Society in each case.

407. Spare parts

Two spare propeller blades per one propeller completed with securing items for detachable propeller and controllable pitch propeller are to be provided that are necessary for the case of eventual replacement by the crew when afloat.

408. Seachests and ice boxes

1. Number and arrangement of seachests for the cooling water system shall comply with **Pt 5, Ch 6, 703. of Rules for the Classification of Steel Ships**. In Arctic4 and Arctic5 class ships, one of the sea chests shall function as an ice box. In Icebreakers and Arctic6 ~ Arctic9 class ships, at least two sea chests shall be ice boxes. In Icebreakers and Arctic class ships, the ice box design shall allow for an effective separation of ice and removal of air from the ice box to ensure reliable operation of the seawater system. Sea inlet valves shall be secured directly to seachests or ice boxes.
2. In Icebreakers and Arctic class ships, provision shall be made for the heating of the seachests and ice boxes as well as of the ship side valves and fittings above the load waterline. For this purpose cooling water recirculation shall be used for ice boxes and sea chests. Ship side valves and fittings shall be supplied with heating medium through a non-return shut-off valve. The heating arrangements shall be so designed as to prevent the side valves and fittings and shell plating from being damaged under the influence of lowest temperatures. Electric heating systems with special heating cables may be used for valves heating. For ice boxes the recirculated water pipes shall be laid to the upper and lower part of the box, and the total sectional area of these pipes shall not be less than the area of the cooling water discharge pipe. For seachests, the diameter of the water recirculating pipe shall not be less than 0.85 of the discharge pipe diameter.

409. Flexible hoses

Sleeves for cargo and fuel oil hoses of Arctic class ships shall be subjected to cold endurance type tests. For this purpose samples of the hoses shall be kept at the temperature of $-40\text{ }^{\circ}\text{C}$ during 4 hour and be tested for elasticity by means of bending for 180° two times in the opposite directions around the adapter with a diameter of R, where R is a minimum bending radius; whereupon a visual examination is carried out. After freezing and bending no cracks shall appear on the internal and

external surfaces of the sample. Where necessary, the sample may be cut along the axis for the internal surface inspection. On agreement with the Society, another method for freeze resistance test with allowance made for special structural features may be accepted.

410. Ballast, heel and trim systems

In Icebreakers and Arctic class ships, the fore and after peaks, as well as structural wing tanks for water ballast, located above the waterline and in way of cargo holds, shall be provided with heating arrangements. The double bottom tanks in way of cargo holds, intended for water ballast, are recommended to be fitted with heating coils.

411. Ventilation system

In Icebreakers and Arctic class ships, precautions shall be taken to prevent admission of snow into the ventilation ducts. It is recommended to arrange the air intakes on both sides of the ship and to provide for heating arrangements.

412. Compressed air system

For Icebreakers and Arctic6 ~ Arctic9 class ships the total capacity of air receivers and the number of compressors for starting and reversing of the main engines is subject to special consideration by the Society in each case.

Section 5 Subdivision and Stability

501. General

1. The ships that are subject to this chapter are to be accordance with the requirements of relevant international conventions in addition to the requirements of this section.

502. Documentation

1. Documentation for approval
 - preliminary damage stability calculations
 - final damage stability calculations (not required in case of approved limit curves, or if approved lightweight data are not less favourable than estimated lightweight data).
2. Documentation for information
 - internal watertight integrity plan.
3. Other plans and documents deemed necessary by the Society

503. Intact stability

1. Under all loading conditions to be encountered in service and which are in agreement with the purpose of the ship, the intact stability shall be sufficient for satisfying damage stability requirements.
2. The requirements of intact stability are to be in accordance with **Ch 2, 104. 1 (1)**

504. Arctic class ships

1. For the purpose of damage stability calculations, the following extent of ice damage shall be assumed
 - (a) longitudinal extent 0.045 of upper ice waterline length if centered forward of the point of maximum beam on the waterline, and 0.015 of upper ice waterline length otherwise
 - (b) depth 760 mm measured normal to the shell over the full extent of the damage and
 - (c) vertical extent the lesser of 0.2 of upper ice draft, or of longitudinal extent.
 - (4) location of ice damage from the keel to the level of $1.2d_{ice}$ and within L_{ice}
 - (5) the vertical extent of damage may be assumed from the keel to the level of $1.2d_{ice}$

2. When performing damage stability calculations, the number of floodable compartments shall be determined proceeding from the location of the assumed ice damage in **Table 3.48**.
3. Arctic class ships are subject to **SOLAS regulation II-1/Part B-1 ~ Part B-4** shall be such that the factor s_i , as defined in **SOLAS regulation II-1/7.2**, equals 1 for all loading conditions in case of ice damage specified in **Par 1**, in positions as defined in **Par 2**.
4. Arctic class ships not subject to **Par 3** above shall be in accordance with the damage stability requirements of international conventions developed by IMO Instruments.

Table 3.48 Location of ice damage

Item No.	Arctic class	Location of ice damage mentioned in 504. 1
1	Arctic4 ~ Arctic9	Anywhere in the ice damage area
2	Ice strengthened salvage ships with Arctic5 ~ Arctic9 class	
3	Ice strengthened ships with Arctic5 and Arctic6 class not mentioned in item 2	Between watertight bulkheads, platforms, decks and plating ¹ . With the hull length $L_f < 100m$ it is permitted not to comply with the requirements for damage trim and stability where engine room located aft is flooded in case of ice damage.
4	Ice strengthened ships with Arctic4 class not mentioned in item 2	Between watertight bulkheads, platforms, decks and plating ¹ . With the hull length $L_f < 125m$ it is permitted not to comply with the requirements for damage trim and stability where engine room located aft is flooded in case of ice damage.
Note ¹ : Where the distance between two consecutive watertight structures is less than the extent of damage, relative adjacent compartments shall be considered a single floodable compartment when checking damage stability.		

505. Icebreakers

1. For the purpose of damage stability calculations, the extent of ice damage shall be determined in accordance with **504. 1**.
2. Damage as defined **Par 1** shall be assumed at any position along the side shell in the ice damage area.
3. Icebreakers that are subject to **SOLAS regulation II-1/Part B-1 ~ Part B-4** shall be such that the factor s_i , as defined in **SOLAS regulation II-1/7.2**, equals 1 for all loading conditions in case of ice damage specified in **Par 1**, in positions as defined in **Par 2**.
4. In case of the Icebreakers with freeboard length 50m and upwards that are not subject to **Par 3**, shall be in accordance with the damage stability requirement of **Par 6** considering damage as defined in **Par 5** and the number of floodable compartment shall be one. However, Icebreaker3 or Icebreaker4 which perform icebreaking operations periodically shall be in accordance with the requirements in **Par 6** at damage extent and its position as defined in **Par 1** and **2** and the damage extent defined in **Par 5** is not considered **Par 5**.

5. Extent of damage

The following extent of side damage shall be assumed when making damage stability calculations.

- (1) longitudinal extent : $\frac{1}{3}L_f^{2/3}$ or 14.5m(whichever is less)
- (2) transverse extent measured inboard of ship side at right angles to the centerline at the level of the deepest subdivision load line : 1/5 of the ship breadth B or 11.5m(whichever is less)
- (3) vertical extent : from the base line upwards without limit

6. Requirements for damage stability

- (1) In the final stage of flooding, the initial metacentric height of a ship in the upright condition determined, shall not be less than 0.05m. For non-passenger ships, a positive metacentric height below 0.05m may be permitted for the upright condition in the final stage of flooding on the Society approval.

- (2) For unsymmetric flooding the angle of heel shall not exceed 20° before equalization measures and cross-flooding fitting being used, 12° after equalization measures and cross-flooding fittings being used.
- (3) The static stability curve of a damaged ships shall have a sufficient positive lever arm section. In the final stage of flooding and after the equalization of the ship, a length of positive lever arm curve, flooding angle considered, shall be ensured not less than 20° .
- (4) The angle of submersion of the opening which are not equipped with watertight or weathertight covers through which water may spread to intact compartments may be taken as flooding angle.
- (5) The maximum lever arm shall be at least 0.1m within this length, i.e. within the heel angle equal to the static one plus 20° . The positive lever arm section within the said extant shall not be less than 0.0175m·rad.
- (6) In the intermediate stages of flooding, the maximum lever arm of the static stability curve shall be at least 0.05m, and the length of its positive section shall not be less than 7° .
- (7) The damage waterline shall be at least 0.3m or $0.1 + (L_f - 10)/150$ m (whichever is less) below the opening in the bulkheads, decks and sides through which progressive flooding could take place. Such opening include the outlets of air and vent pipes and those which are closed by means of weathertight doors and covers. These do not necessarily include :
 - (a) non-opening side and deck scuttles
 - (b) manholes having covers with closely space bolts
 - (c) cargo tank hatchway in tankers
 - (d) remotely controlled sliding doors, watertight doors with indication systems and access hatch normally closed at sea

506. Requirements to watertight integrity

1. As far as practicable, tunnels, ducts or pipes which may cause progressive flooding in case of damage, are to be avoided in the damage penetration zone.
2. The scantlings of tunnels, ducts, pipes, doors, staircases, bulkheads and decks, forming watertight boundaries, are to be adequate to withstand pressure heights corresponding to the deepest equilibrium waterline in damaged condition.
3. Excluding cases that comply with **Par 4**, no Arctic class ships and Icebreakers should carry any pollutant directly against the outer shell. Any pollutant should be separated from the outer shell of the ship by double skin construction of at least 760 mm in width.
4. All Arctic class ships and Icebreakers should have double bottoms over the breadth and the length between forepeak and after peak bulkheads. Double bottom height should be in accordance with the rules of the Classification Societies in force. Double bottoms should not be used for the carriage of pollutants except where a double skin construction complying with **Par 3** is provided, or where working liquids, are carried in way of main machinery spaces in tanks not exceeding 20 m^3 individual volume.
5. All Arctic class ships and Icebreakers with icebreaking bow forms and short forepeaks may dispense with double bottoms up to the forepeak bulkhead in the area of the inclined stem, provided that the watertight compartments between the forepeak bulkhead and the bulkhead at the junction between the stem and the keel are not used to carry pollutants. ⚓

CHAPTER 4 Winterization

Section 1 General

101. Scope

The requirements of this chapter apply to ships intended to navigate in cold climates and may be exposed to low temperatures that may cause equipment to freeze due to ice accretion from atmospheric icing or sea spray, or due to freezing of liquid within a system. Protection measures are to be provided and operational procedures are to be specified to ensure that equipment is suitably protected to enable operation in low temperatures.

102. Application

1. Compliance with this chapter is optional and the requirements are additional to those subject to **the Rules for the Classification of Steel Ships**.
2. Where a class notation of **Ch 1** or **Ch 2** or **Ch 3** is to be assigned in addition to Winterization notation, the requirement of **Ch 1** or **Ch 2** or **Ch 3** are to be applied additionally.
3. It is the responsibility of the Owner to determine design air temperatures, are most suitable for a particular ship's operational requirements.
4. Application of this Chapter is to be based on the lowest external design air temperature, refer to **104**. This temperature does not apply to continuous operation, but is based on a distribution of operational time around an average temperature, assumed to be -10°C for normal worldwide operation. Therefore, the duration of time for ship operations at temperatures below the average temperature will decrease to a minimum at the lowest temperature, and thus the operating time at the lowest temperature is assumed to be minimal
5. Ships complying with the requirements of this Chapter may be eligible for one or more of the following notations. Where applicable, these winterization notations are specified in below (1), (2) may be assigned one or a combination of them, e.g. Winterization E2(-35) S(A). (2017)
 - (1) Winterization H(t) : Where materials for hull construction are in compliance with **Sec. 2** in association with an external design air temperature of t degrees Celsius.
 - (2) Winterization M(t) : Where materials for hull equipments and system are in compliance with **Sec. 3** in association with an external design air temperature of t degrees Celsius.
 - (3) Winterization E1(t), Winterization E2(t) or Winterization E3(t) : Where equipment and systems are in compliance with **Sec. 4 ~ 6** in association with an external design air temperature of T degrees Celsius.
 - (4) Winterization S(A), Winterization S(B) or Winterization S(C) : Where stability are in compliance with **Sec. 7** in association with the specified ice accretion values.
 - (5) Winterization D(t) : Where alternative designs, compliance with **Sec. 8** in association with an external design air temperature of T degrees Celsius are applied.
 - (6) Winterization IR : Where ice removals are compliance with **Sec. 9**.
6. Information for selection of a suitable winterization level is given in **Table 4.1**. This is based on the intended operational scenarios for Winterization E1(t), Winterization E2(t) and Winterization E3(t) levels and in association with the average and lowest external design air temperatures.
7. For the assignment of Winterization E1(t), it is in subject to the requirements of this Chapter and where applicable, to be in accordance with the **IMO Guidelines for Ships Operating in Arctic Ice-Covered Waters : MSC/Circ. 1056 MEPC/Circ. 399**.

Table 4.1 Operational scenario for winterization requirements (2017)

Winterization level	Description	External design air temperature (°C)	operational scenario
Winterization E3(t)	Mild	Down to -30°C	Short transits in low temperatures – for example, ships loading or discharging in low temperatures then sailing to discharge or load in warmer regions
Winterization E2(t)	Moderate	-31°C to -45°C	Seasonal operation in cold temperatures – for example, ships operating continuously in low temperatures during the winter months
Winterization E1(t)	Severe	-46°C and below	Prolonged operation in extreme low temperatures – for example, ships operating year round in the Arctic or Antarctic

103. Information required (2017)

1. For Winterisation H(t), details of material grades are to be included on the hull structure plans required for submission.
2. For Winterization levels E1(t), E2(t) and E3(t) a Winterization Manual is to be submitted. The Winterization Manual is to contain the following detailed information in order to demonstrate that the design and installation of winterization features of the ship complies with **Sec. 4 ~ Sec. 6**.
 - (1) General arrangement highlighting winterization features and design temperatures.
 - (2) List of winterization equipment and systems.
 - (3) Details of tank heating, see **410**.
 - (4) Details of heating arrangements for spaces, see **408**.
 - (5) Inventory and locations of ice removal measures, see **411**.
 - (6) Details of accommodation and escape route arrangements, see **409**.
 - (7) Details of anchoring/mooring and deck crane arrangements, see **405**.
 - (8) Details of main/auxiliary engines arrangements, see **402** and **403**.
 - (9) Details of materials specification/heating arrangements for exposed pipework/components, see **404**.
 - (10) Details of materials specification/heating arrangements for exposed electrical cables/components, see **406**.
 - (11) Details of winterization of emergency appliances, see **407**.
 - (12) Details of operational and maintenance procedures e.g.
 - Continuous circulation of fluids and/or heating media.
 - Use of heating arrangements in sub-zero temperatures.
 - Application of silicone spray or other suitable low temperature films to door/hatch seals.
 - Application of low temperature lubricants.
 - Use of antifreeze in liquid filled pressure/vacuum breakers in inert gas lines on tankers.
 - Use of antifreeze in emergency generators and lifeboat /rescue boat engines.
 - Use of oil fuel for emergency generators and lifeboat /rescue boat engines that is suitable for low temperature conditions.
 - Use of low temperature grease for lifeboat/rescue boat davits/sheaves/release hooks and for radar motors.
 - Use of suitable antifreeze solutions for bridge window cleaning.
 - Steam heating coil condensate evacuation (draining) if and when heating coils are redundant.
3. For Winterization S(A), S(B) and S(C), details of the trim and stability conditions, and calculations, are to be submitted in order to demonstrate that the design of the ship complies with **Sec.7**.
4. Where an alternative design is used for Winterization D(t), as described in **Sec.8**, the Winterization Manual is to be submitted based on an agreed specification list confirmed by the Builder Shipbuilder

and Owner with reference to the intended operation, ship type and arrangement.

5. Details of the average design external air temperature, lowest design external temperature and design internal air temperature/ambient conditions for spaces within the ship are to be agreed with the Owner and Builder and submitted Shipbuilder. These details are to include machinery spaces, habitable spaces, those commonly accessed and any other spaces where the temperature will differ. Temperatures are to be rounded down to the nearest integer, e.g. -21.5°C is to be -22°C .
6. A copy of the Winterization Manual is to be placed on board the ship.

104. Definitions (2017)

1. Mean Daily Low Temperature

The MDLT (T_y) is to be taken as the lowest mean daily average low air temperature in the area of operation. For seasonally restricted service the lowest value within the period of operation applies.

Where

- Mean = statistical mean over a minimum of 10 years
- Average = average during one day and one night
- Lowest = lowest during the year or season
- MDHT = Mean Daily High Temperature
- MDAT = Mean Daily Average Temperature
- MDLT = Mean Daily Low Temperature




Fig 4.1 Average external design air temperature

2. External design air temperature

The external design air temperature (t) is to be taken as the lowest mean daily low air temperature in the area of operation for the season of operation (T_y) minus 10 degrees Celsius ($t = T_y - 10$). For example: $T_y = -20^{\circ}\text{C}$, $t = -30^{\circ}\text{C}$. Where a Polar Service Temperature is defined for compliance with the IMO Polar Code, the external design air temperature (t) used in this chapter is to be taken as the Polar Service Temperature. Where reliable environmental records for contemplated operational areas exist, the lowest external design air temperature may be obtained after the exclusions of all recorded values having a probability of occurrence of less than 3 per cent.

3. Design internal air temperature / ambient conditions

The design parameters for the heating systems for accommodation and heated spaces (to be defined for each individual space). See 103. 5.

4. Covers

Materials and arrangements used to protect items or equipment. These may be fixed type, such as mild steel, or removable, such as PVC coated nylon or other water-resistant material and are to completely cover the item of equipment without impairing its function.

5. Heating arrangements

Equipment and systems used to provide heat by means of electrical, steam, oil or other means

6. Ice removal measures

Ship services or tools used to facilitate the removal of ice by means of steam, hot water or hot air, manual tools, de-icing compounds or other means.

7. Protected locations

Location behind walls, screens, bulkheads and equipment, located inboard and recessed, onboard the ship and providing protection from icing.

Section 2 Winterization H – Materials for hull construction at low temperatures (2017)

201. Hull construction materials

1. The requirements in this section are to provide steel grades with suitable notch toughness based on the thickness of the material and the location of the material.
2. The hull construction materials of exposed members identified in **Table 4.2** and **Fig. 4.2** are to comply with **Table 4.3**.
3. Where the material class in **Pt 3, Ch 1 of the Rules** is higher than in **Table 4.2** and **Fig. 4.2**, the higher material class is to be applied.
4. In addition to the requirements of **Table 4.2** and **Fig. 4.2**, miscellaneous attachments are to comply with **Table 4.4**.
5. Welding consumables are to comply with the requirements of **Pt 2, Ch 2, Sec. 6 of the Rules for the Classification of Steel Ships**.

Table 4.2 Material classes and grades

Structural member category	Material class	
	Within 0.4L amidships	Outside 0.4L amidships
SECONDARY: • Deck plating exposed to weather, in general • Side plating above CWL ⁵⁾ • Transverse bulkheads above CWL ⁵⁾	I	I
PRIMARY: • Strength deck plating • Continuous longitudinal members above strength deck, excluding longitudinal hatch coamings • Longitudinal bulkhead above CWL ⁵⁾ • Top wing tank bulkhead above CWL ⁵⁾	II	I
SPECIAL: • Sheerstrake at strength deck ¹⁾ • Stringer plate in strength deck ¹⁾ • Deck strake at longitudinal bulkhead ²⁾ • Continuous longitudinal hatch coamings ³⁾	III	II
¹⁾ Not to be less than Grade E/EH within 0.4 L amidships in ships with length exceeding 250 m. ²⁾ In ships with breadth exceeding 70 m at least three deck strakes are to be Class III. ³⁾ Not to be less than Grade D/DH. ⁴⁾ Within 0.4 L amidships, single strakes which are required to be of Class III or of Grade E/EH or FH are to have breadths not less than 5L + 800, but need not be greater than 1,800 mm. ⁵⁾ The Cold Waterline (CWL) is to be taken as 0.3 m below the minimum design Ballast Waterline (BWL).(see Fig. 4.2) ⁶⁾ Applicable to plating attached to hull envelope plating exposed to cold air. At least one strake is to be considered in the same way as exposed plating and the strake width is to be at least 600mm. If thermal stress calculations are performed then the extent of plate requiring consideration is to be adjusted accordingly. ⁷⁾ L is defined in Pt3, Ch. 1 of the Rules for the Classification of Steel Ships.		

Table 4.3 Materials grade requirements at external design air temperature

Class I

Plate thickness (mm)	-16/-25 °C		-26/-35 °C		-36/-45 °C		-46/-55 °C	
	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>
$t \leq 10$	<i>A</i>	<i>AH</i>	<i>B</i>	<i>AH</i>	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>
$10 < t \leq 15$	<i>B</i>	<i>AH</i>	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>
$15 < t \leq 20$	<i>B</i>	<i>AH</i>	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>
$20 < t \leq 25$	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>
$25 < t \leq 30$	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>
$30 < t \leq 35$	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>
$35 < t \leq 45$	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	-	<i>FH</i>
$45 < t \leq 50$	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>

Class II

Plate thickness (mm)	-16/-25 °C		-26/-35 °C		-36/-45 °C		-46/-55 °C	
	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>
$t \leq 10$	<i>B</i>	<i>AH</i>	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>
$10 < t \leq 20$	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>
$20 < t \leq 30$	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	-	<i>FH</i>
$30 < t \leq 40$	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>
$40 < t \leq 45$	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>	-	-
$45 < t \leq 50$	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>	-	-

Class III

Plate thickness (mm)	-16/-25 °C		-26/-35 °C		-36/-45 °C		-46/-55 °C	
	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>	<i>MS</i>	<i>HT</i>
$t \leq 10$	<i>D</i>	<i>DH</i>	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>
$10 < t \leq 20$	<i>D</i>	<i>DH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	-	<i>FH</i>
$20 < t \leq 25$	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	<i>E</i>	<i>FH</i>	-	<i>FH</i>
$25 < t \leq 30$	<i>E</i>	<i>EH</i>	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>
$30 < t \leq 35$	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>	-	-
$35 < t \leq 40$	<i>E</i>	<i>EH</i>	-	<i>FH</i>	-	<i>FH</i>	-	-
$40 < t \leq 50$	-	<i>FH</i>	-	<i>FH</i>	-	-	-	-




Fig 4.2 Distribution of material classes for cold weather

Table 4.4 Material classes and grades

Structural member	Reference temperature °C ¹⁾		Material class
Exposed structures of length greater than 0.09 L and subjected to hull girder stress	t		Constructed of the same material class to that of the material to which they are attached, however need not be greater than class II
Hatch coamings, hatch covers, crane pedestals and windlass seats	t + 5		Constructed of the same material class to that of the material to which they are attached, or class II, whichever is the greater
Forecastle deck	t+ 10		II
External bulkheads of accommodation block	t+ 20		II
Forecastle side shell plating			
Plating and stiffeners attached and contiguous to the exposed boundary plating distance 'x', see Fig. 4.2 Distribution of material classes for cold weather ²⁾	t+ 10		Class I, but need not be taken greater than D or DH
Other exposed structures of length less than 0.09 L, e.g. bulwarks, water-breakers, unlagged gas turbine intake structures, side screens, etc.	Need not be taken lower than -33		I
Stern frames, rudders, rudder horns, shaft brackets and stem (including the strake of shell plating to which the item is attached)	Fully immersed	t + 20	II
	Periodically immersed or exposed	t	
¹⁾ For built-up stiffeners within the distance 'x', the web and flange are considered to be a single stiffening member and both members are to comply with the material requirements. For bulb stiffeners and stiffeners with the flange outside the distance 'x', the web only may be required to comply with the material requirements.			

6. Steel plate materials for stern frames, rudders, rudder horns, shaft brackets, and stem (including the strake of shell plating to which the item is attached) and internal members attached to these items are to be in accordance with **Table 4.4**. The steel casting and forging materials for the rudders, rudder stocks, rudder horns, shaft brackets, stern frames and stem are to be in accordance with **Table 4.5**.
7. The materials for cast anchors are to be in accordance with **Pt 4, Ch. 8 of the Rules for the Classification of Steel Ships**, and anchor chain cables are to be, at least, Grade 3, suitably Charpy tested and confirmed for the lowest external design air temperature.

Table 4.5 Steel casting and forging materials for rudder, rudder horn, rudder stock, shaft bracket, stern

Item	Condition	Reference temperature, °C	Steel grade ^{1),2),3)}	
			Casting	Forging
Rudder horn & Shaft brackets	Fully immersed	t + 20	Special Grade	Structural
	Periodically immersed or exposed	t	Ferritic Grade or Ni steel	Ferritic
Rudder & Rudder stock	Fully immersed	t + 20	Normal Grade	Structural
	Periodically immersed or exposed	t	Ferritic Grade or Ni steel	Ferritic
Stern frame	Fully immersed	t + 20	Special Grade	Structural
	Periodically immersed or exposed	t	Ferritic Grade or Ni steel	Ferritic
Stem, (including the strake of shell plating to which the item is attached)	Fully immersed	t + 20	Normal Grade	Structural
	Periodically immersed or exposed	t	Ferritic Grade or Ni steel	Ferritic

¹⁾ For ferritic grade cast steel, see **Pt 2, Ch. 1 Sec. 5 of the Rules for the Classification of Steel Ships**, for low temperature service of the Rules for Materials or equivalent to achieve an average Charpy energy of 27J at external design air temperature T_x -5°C.

²⁾ For forgings installed without welding, the Charpy testing temperature may be increased by +20°C, but is not to be taken higher than 0°C, as in **Table 4.8** Charpy testing temperature (°C) for all classes.

³⁾ For forgings, see **Pt 2, Ch. 1 Sec. 6 of the Rules for the Classification of Steel Ships**.

Section 3 Winterization M – Materials for equipment and components at low temperatures (2017)

301. Scope

1. The following requirements are intended for the materials of equipment and components exposed to the lowest external design air temperature.
2. The suitability may be demonstrated by one or a combination of a number of ways, including, but not limited to, the following:
 - (A) Based on these requirements.
 - (B) Based on international or national Standards.
 - (C) Technical investigations based on engineering principles.
 - (D) Service experience at the operating temperature.
 - (E) Mechanical tests (e.g. Charpy impact tests).

302. Documentation

1. Documentation is to be submitted that demonstrates the suitability of exposed equipment and components at low temperatures.

303. Equipment and components

1. The equipment and components of exposed members identified in **Table 4.6** and **Fig. 4.3** are to comply with **304**, **305** and **306**.

Table 4.6 List of equipment and components

Main component	Sub-component	Class
Deck machinery and equipment		
Windlass	Cable lifter	II
	Gear wheel	II
	Shaft	II
	Casing	I
	Foundation bolt	II
	Brake system	II
	Stripper bar	II
Mooring winches	Gear wheel	II
	Shaft	II
	Casing	I
	Foundation bolt	II
Winch motors	Hydraulics piping	II
	Hoses	II
Winch controls	Hydraulics	II
Bollards/fairleads/bits		III
Anchor chain ³⁾		II
Anchor	Crown/head, shackle & shank	II
	Crown/head pin & shackle/swivel pin	I
Anchor lashing		II
Chain stopper		II
Emergency towing system ²⁾		I

Table 4.6 List of equipment and components(continue)

Main component	Sub-component	Class
Cargo handling systems		
Cargo lines	Pipe	II
	Flange	II
	Valve	II
	Gaskets	I
	Bolts	I
Cargo loading manifold		I
Cargo heating steam line	Pipe	II
	Flange	II
	Valve	II
	Bolts	I
Hydraulic oil pipes for cargo valve remote control		II
Inert gas piping		I
Hull piping systems		
Bunker lines to engine room	Pipe	I
	Flange	I
	Valve	I
	Bolts	I
Control air pipes		I
Fire-fighting systems		
Fire main	Pipe	I
	Flange	I
	Valve	I
	Bolts	I
Water spray systems	Pipe	II
	Flange	II
	Valve	II
Foam systems		I
Emergency fire pump		I
Hydrants		I
Hydrant pipes		II
Fire flaps		I
Access on deck		
Handrails		I
Structures on deck to provide shelter from seas/weather when working on deck during passage (excluding deckhouses and forecastles)		I
Access doors and hatches-hinges/dogs, etc. to accommodation and forecastle	Dogs/hinges	I
	Seals	I
Stairs		I
<p>Note 1. Additional sub-components associated with the main component, which are not specified, are to be of a similar class to an equivalent sub-component which is specified.</p> <p>Note 2. Where the ETA is integrated with the bollards/fairleads/bits, the higher class is to be applied.</p> <p>Note 3. Anchor chain cables are to be, at least, grade 3.</p>		




Fig 4.3 Mooring and anchoring sub-components

304. Plating

1. The following requirements are to provide steel grades with suitable notch toughness based on the thickness of the material and the lowest external design air temperature. As an alternative for Classes I and II, steel may be to a national or international Standard showing equivalence to **the Rules for the Classification of Steel Ships**.
2. **Table 4.3 Class I** are to be used for determining the material grades for steel plates, strips, sections and bars used in machinery and systems components.

305. Piping, valves and fittings

1. **Table 4.7** are to be used for determining the Charpy testing temperature for steel piping, valves and fittings used in machinery and systems components, in association with **Pt 5, Ch 6 of the Rules for the Classification of Steel Ships**. As an alternative for Class I, steel may be to a national or international Standard showing equivalence to the Rules for Materials.
2. For the application of **Table 4.7 Class I**, as given in **Pt 5, Ch 6** are to be reversed, e.g. Class III is to be taken as Class I.
3. In general, the minimum average Charpy impact average energy (J) is to be 10 per cent of the specified minimum yield strength (N/mm^2) up to a maximum of 50 J.

Table 4.7 Charpy testing temperature (°C) for Class I

Thickness (mm)	External design air temperature					
	-30°C ~ -34°C	-35°C ~ -39°C	-40°C ~ -45°C	-46°C ~ -55°C	-56°C ~ -65°C	-66°C ~ -75°C
$t \leq 10$	+20	+20	+20	0	-20	-20
$10 < t \leq 15$	+20	+20	0	-20	-20	-20
$15 < t \leq 20$	0	0	-20	-20	-20	-20
$20 < t \leq 25$	0	0	-20	-20	-20	-40
$25 < t \leq 30$	0	-20	-20	-20	-40	-40
$30 < t \leq 35$	-20	-20	-20	-20	-40	-40
$35 < t \leq 45$	-20	-20	-20	-40	-40	-60
$45 < t \leq 50$	-20	-20	-40	-40	-60	-60

Charpy testing temperature (°C) for Class II

Thickness (mm)	External design air temperature					
	-30°C ~ -34°C	-35°C ~ -39°C	-40°C ~ -45°C	-46°C ~ -55°C	-56°C ~ -65°C	-66°C ~ -75°C
$t \leq 10$	+20	+20	0	-20	-20	-40
$10 < t \leq 20$	0	0	-20	-20	-40	-40
$20 < t \leq 30$	0	-20	-20	-40	-40	-60
$30 < t \leq 40$	-20	-20	-40	-40	-60	-60
$40 < t \leq 45$	-20	-20	-40	-60	-60	n/a
$45 < t \leq 50$	-40	-40	-40	-60	-60	n/a

Charpy testing temperature (°C) for Class III

Thickness (mm)	External design air temperature					
	-30°C ~ -34°C	-35°C ~ -39°C	-40°C ~ -45°C	-46°C ~ -55°C	-56°C ~ -65°C	-66°C ~ -75°C
$t \leq 10$	0	0	-20	-20	-40	-40
$10 < t \leq 20$	0	-20	-20	-40	-40	-60
$20 < t \leq 25$	-20	-20	-40	-40	-60	-60
$25 < t \leq 30$	-20	-40	-40	-40	-60	-60
$30 < t \leq 35$	-40	-40	-40	-60	-60	n/a
$35 < t \leq 40$	-40	-40	-40	-60	-60	n/a
$40 < t \leq 50$	-40	-40	-60	-60	n/a	n/a

306. Forging and castings

1. **Table 4.8** is to be used for determining the Charpy testing temperature for steel forgings and castings used in exposed machinery and systems components

Table 4.8 Charpy testing temperature (°C) for all classes

Material class	External design air temperature	
	-33°C ~ -38°C	-39°C and below
Class I or II	-20	To be specially considered
Class III	-40	
Note For components manufactured and installed without welding, the test temperature may be increased by +20°C, but is not to be taken higher than 0°C.		

2. In general, the minimum average Charpy impact energy is to be greater than $(E + f)$ in Joules (J), where

E is the minimum average energy value:

27J for steels with specified minimum yield strength less than 300 N/mm²

34J for steels with specified minimum yield strength equal to or greater than 300 N/mm²

f is m multiplied by the difference between the required test temperature as given in **Table 4.9** Example of required test criteria and the certified test temperature to be shown on the test certificate

m is the slope of the transition curve; for steels, m is taken as a value of 3.

An alternative value of m may be used

where material impact transition properties have been demonstrated from either a single supplier of known consistency or a number of suppliers (minimum of three)

For example, for steel with a specified minimum yield strength less than 300 N/mm² and where the lowest external design air temperature is equal to -40°C for a Class III component, the Charpy test- ing temperature and criteria may be taken as shown in **Table 4.9** Example of required test criteria

Table 4.9 Example of required test criteria

Required Charpy test temperature °C	Minimum energy value, E, J	Certified Charpy test temperature °C	Transition slope value, m	Difference in test temperature multiplied by m, f, °C	Criteria for Charpy impact energy, J
-40	27	-40	3	0	27
-40	27	-20	3	60	87
-40	27	+0	3	120	147

3. Where a component has dedicated heating arrangements that protect the entire component, the Charpy testing temperature may be taken as having a lowest external design air temperature of -0°C and as a Class I/II component.
4. Cast iron is not permitted.
5. The requirements in **305** are to be used for determining the material certification for forgings and castings used in machinery and systems components.

307. Other materials

- The testing requirements for piping, valves and fittings used in machinery and systems components of other materials will be specially considered in accordance with the manufacturer's recommendations.
- Exposed components of electrical cabling are to be suitable for operation at the average external design air temperature.

Section 4 Winterization E3(t) – Main component and sub-component (2017)

401. General

1. All items such as pipework, components and cables are to be located inside spaces as far as practicable to minimize exposure to low temperatures and icing.
2. Each item of equipment and system on the ship is to be protected against the effects of low temperatures and build up of ice with the selection of appropriate protection methods. Methods for protecting the equipment and systems include the following:
 - (1) Heating (space and dedicated arrangements for equipment / systems).
 - (2) Ice removal equipment.
 - (3) Covers.
 - (4) Drainage.
 - (5) Insulation.
 - (6) Selection of materials.
 - (7) Selection of lubricants, oils, hydraulics and greases.
3. Where heating arrangements are provided, they are to be fitted with the following: (2017)
 - (1) Means for ascertaining the temperature.
 - (2) For systems where heating arrangements could result in excessively high temperatures or pressures being generated, that may cause damage, malfunction, loss of effective lubrication or braking of equipment, arrangements are to be provide which will cut off the heating.
 - (3) Suitable control arrangements.
 - (4) Indication that the system(s) are in use or not.
 - (5) Where failure of a heating arrangement could result in a hazardous situation, an alarm in accordance with the alarm system required by **Pt 6, Ch 2, 201. of the Rules for the Classification of Steel Ships** is to be activated to allow responsible personnel to prevent the hazardous situation occurring.
For use of electrical heating in dangerous zones, see **Pt 6, Ch 1, Sec. 9 of the Rules for the Classification of Steel Ships**.
4. Where PVC covers or other water resistant materials are used, they are to be well fitting with suitable fixing to prevent unintended removal in severe weather.

402. Winterization of machinery –General requirements

1. Main and essential auxiliary machinery and equipment installed on the open deck is to be capable of operating satisfactorily under the conditions of the lowest external design air temperature.
2. Main and essential auxiliary machinery and equipment installed in spaces is to be capable of operating satisfactorily under the conditions of the design internal air temperature/ambient conditions for that space.
3. Dedicated heating arrangements may be provided to ensure the satisfactory operation of equipment and machinery required by **Par 1 and 2**.
4. The requirements of **Par 1 and 2** are to include machinery and equipment for emergency appliances, including navigational aids required by statutory regulations.

403. Winterization of main propulsion and essential auxiliary engines

1. The arrangements for air supply to main propulsion and essential auxiliary engines are to ensure that the engine manufacturer's specification for minimum air intake temperature is complied with. Such arrangements may comprise pre-heating at the air intakes or use of heated engine room air, or other means such as scavenge air cooler bypass or exhaust gas bypass. The main engine lubrication oil is to be maintained at a minimum temperature in accordance with the manufacturer's specification.
2. The Sea inlets for the cooling water system is are to be provided with arrangements to maintain ice free cooling water arrangements as given by **IMO Guidance on Design and Construction of Sea Inlets under Slush Ice Conditions MSC/Circ.504** or in accordance with **Ch 1, 702**. Alternative arrangements will be considered, such as by circulating engine cooling water via designated tanks

where heat balance calculations have demonstrated that the engines are capable of operating at their maximum continuous rating.

3. Electrical and hydraulic systems for podded or azimuth propulsion systems are to be provided with suitable provisions to prevent freezing. Heating arrangements and/or suitable lubrication oils, hydraulic oils and anti-freeze are also to be provided.
4. Steering gear components are to be provided with suitable low temperature greases and lubrication oils.

404. Winterization of auxiliary machinery systems and deck working areas (2017)

1. Materials for components of exposed pipe work on deck are to be suitable for operation at the average external design air temperature or the components are to be provided with suitable heating arrangements.
2. Systems are to be arranged to ensure they can be drained to protect against fluids freezing in pipes. Drainage valves are to be provided and pipe work included to ensure drainage of fluids is possible under all normal angles of list and trim. As a minimum, drain valves are to be provided at forward, aft, port and starboard locations. Additional shut off valves are to be installed on the branch pipes (and as close to the main line as practicable) to allow drainage and protection against freezing in branch pipes when the main line is under pressure and branch lines are not in use.
3. Measures for protection against freezing of condensate in exposed steam pipe work are to be fitted with thermal insulation and/or connections for dry air to be blown through. Steam deck machinery is to be provided with measures for the continuous circulation of steam.
4. Valves, gauges, indicators and monitoring equipment for essential services are to be protected from icing and provided with ice removal measures or by covers where ice removal measures are not suitable. Exposed valves at inaccessible locations are to be provided with covers or positioned in heated cabinets (by means of a heated frame or internal space heating). Gauges, indicators and monitoring equipment which are sited in exposed locations but are unsuitable for removal of ice are to be positioned in heated cabinets. Valve actuators, solenoids and pressure gauge transmitters for essential services are to be provided with heating arrangements.
5. Where no heating arrangements are provided, valves, gauges, indicators and monitoring equipment for essential services are to be suitable for the lowest external design air temperature.
6. Exposed control stand valves for hydraulic oil lines used for remote control are to be provided with heating arrangements to protect against freezing of the mechanism.
7. As far as practicable, hydraulic oil power packs are to be sited in heated enclosed spaces. Where this is not practicable, the hydraulic fluid and pipework system materials are to be suitable for operation at the lowest design external air temperature.
8. Measures to protect against water freezing in exposed fresh water and sea water pipes and valves are to be fitted. Exposed sections of seawater and freshwater lines are to be fitted with an isolating valve located inside a heated space such that the exposed length may be drained. Alternatively, a drain valve is to be provided at the lowest position on deck, and an air blow connection provided at the furthest forward end to keep the line dry after use. Alternatively, heating arrangements or continuous circulation is to be provided.
9. Measures are to be provided to protect against humidity freezing the supply of air to pneumatic devices used on deck. They are to be designed for specified dew point appropriate to the external design air temperature, or be provided with air driers, or suitable heating arrangements. A drain valve is to be provided at the lowest point of the line on the exposed deck.
10. Where sea chests are fitted other than for the main propulsion system as specified in 403., such as ballast sea chests located in the pump room, these are to be provided with a sea bay and heating arrangements, for ice clearing. Steam blowing may be used or similar arrangements as given in 403.
11. The sea inlet and overboard discharge valves are to be provided with low pressure steam connection for clearing purposes. Alternatively, arrangements are to be made for supplying water for machinery cooling purposes by circulating from ballast tanks(s) or those situated in the double bottom. Such tank(s) must be used only for storage of water ballast or fresh water.

12. Overboard discharge valves at or below the waterline are to be provided with low pressure steam connections for clearing purposes.
13. Where observation/security cabins are fitted, suitable heating arrangements are to be provided for the internal space and also for windows. Ice removal measures are to be provided to protect against icing forming on the windows.
14. The equipment and systems for accommodation and pilot ladders are to comply with the requirements in **405**.
15. To protect against freezing, the Oil Discharge Monitoring Equipment (ODME) is to be provided with heating arrangements on exposed supply/discharge lines and with steam blowing on the overboard discharge.

405. Winterization of anchoring/mooring equipment and deck cranes

1. Anchor windlass and mooring winches are to be protected from icing by means of suitable covers. Alternatively, a sheltered deck area is to be provided. See also **411**.
2. Exposed control panels are to be provided with suitable steel covers to protect against icing. *(2017)*
3. Measures are to be provided to protect against freezing of fluids, such as lubricants and hydraulic oil. The fluids are to be suitable for low temperature operation, and heating arrangements are to be provided where appropriate.
4. Hydraulic control systems are to comply with **404**.
5. Electrical installations are to comply with **406**.
6. The hawse pipe is to be sited in a heated space or provided with suitable heating arrangements and deck steam connection valve(s) located within the vicinity to protect against icing.
7. For hydraulically operated equipment and systems, steam ice removal measures are to be provided for protection against icing.
8. Hawse pipe wash lines are to be provided with continuous circulation or heating arrangements to protect against water in the pipes freezing. A steam connection on deck for ice removal is to be located within the vicinity.
9. Means are to be provided for habitable working conditions in crane cabs, where fitted, by providing internal space heating arrangements. Cab windows are to be provided with heating arrangements to protect from the build up of ice, see **408. 9**. Ice removal measures are to be provided to protect against icing. Window wiper operating devices are to be arranged inside the cab or to be provided with heating arrangements.
10. Suitable provisions for cold start arrangements for exposed deck cranes are to be provided. Suitable lubrication oils and greases, circulation facilities for hydraulic oils and a flushing system for the hydraulic oil are to be provided.
11. Material grades for lifting appliances are to be in accordance with **Pt 9, Ch 2, Sec 1 of the Rules for Classification of Steel Ships** and suitable for operation at the average external design air temperature.
12. Material grades for towing and mooring equipment, fittings and components are to be suitable for operation at the average external design air temperature.

406. Winterization of electrical installations

1. Electrical power used for heating purposes in cold climates is to be included in the schedule of operating loads required by **Pt 6, Ch 1, 1.2 of the Rules for the Classification of Steel Ships**.
2. The schedule of loads is to include operation in cold climates as a separate Winterization condition. *(2017)*
3. Emergency generators are to be capable of operating at the lowest external design air temperature and are to be provided in a heated room and/or are to be suitable for using fuel oil specified for low temperature conditions, and provided with protection or heating arrangements on the air intake.

Suitable antifreeze or heating arrangements are to be used in the cooling system with a dew point appropriate to the external design air temperature. Where an air start system is installed the air is to be dried.

4. The emergency generator room air intakes are to be provided with protection from icing by ice removal measures or heating arrangements. In addition, the air intake is to be provided with an automatic louver which closes whilst the generator is inactive (to reduce heat loss), and open when starting.
5. Exposed electric motors installed on equipment are to be provided with covers or ice removal measures to aid the removal of ice. Measures are to be provided to protect against humidity and condensation freezing in the motor and to achieve this they are to be provided with suitable heating arrangements.
6. Exposed components of electrical cabling are to be suitable for operation at the lowest external design air temperature. (2017)
7. Measures to protect exposed cables from manual ice removal methods are to be provided. Penetrations in exposed decks for electrical cables are to be enclosed in protective steel covers extending 0.5 m from the penetration or to the item if this is closer.
8. Switch boxes and control panels in unheated areas are to be fitted with heating arrangements or be sealed units suitable for operation at the lowest design air temperature, to prevent condensation freezing.
9. For navigation aids and equipment, the temperature for use as stated by the manufacturer is to be suitable for the lowest external design air temperature.
10. Protection measures are to be fitted for the continuous operation of the radar motors against the humidity and icing freezing the motor. Radar motors are to be provided with heating arrangements and with the provision for suitable use of low temperature grease.
11. Measures for continuous operation of the navigation air horn, where fitted, are to be provided to protect against humidity freezing in components and icing. Dry air is to be used and suitable heating arrangements are to be provided. Air pipe lines for the navigation air horn are to be arranged in heated compartments as far as practicable, see also 404.
12. Remotely controlled and focused seArctic lights are to be provided at the bow and the bridge wings to combat reduced daylight hours and aid navigation in ice infested waters. The search lights are to be fitted with trace heating on the lens or provided with a cover, and with heating arrangements for the directional motor.
13. Exposed magnetic compasses, where fitted, are to be protected by covers from icing.
14. Where closed circuit television systems are fitted in exposed locations, these are to be provided with heating arrangements or covers, and ice removal measures to protect against icing and freezing of the motors, wipers and screen.
15. Satellite/GPS motors are to be provided with suitable low temperature grease. Antenna systems are to be protected from icing.
16. Lighting arrangements in working areas on the deck, and in particular the forecastle, are to be located at accessible positions to facilitate ice removal. Exposed lights are to be suitable for the lowest external design air temperature and with due regard being given to changes in illumination values.
17. Navigation lights are to be of a type tested with the intended light source to demonstrate that they are suitable for the lowest design air temperature, such that illumination will not be reduced or obscured.

407. Winterization of emergency appliances

1. Fire pumps and the emergency fire pump are to be located in heated spaces to protect against freezing components and fluids.
2. The fire main in exposed positions (including the main deck line and accommodation) is to be protected against freezing in the line and hydrants. Isolating valves are to be located in a heated space

and arranged such that the exposed part may be drained. Alternatively, means are to be provided to ensure the isolating valve is dry before closing, continuously circulated and with thermal insulation or provided with heating arrangements. (2017)

3. The exposed fire main is to be routed through internal heated spaces as far as practicable considering particular ship arrangements.
4. Sea water suction for fire pumps are to be provided with heating arrangements for ice cleaning. Steam blowing is to be provided or means of using the engine room sea chest.
5. Water spray lines, where fitted, are to be designed to protect against the lines freezing and the nozzles clogging with ice. They are to be located inside and have external nozzles of a design to minimize freezing, or provided with drainage facilities and arranged to be blowing through with dry air, or provided with heating arrangements.
6. Foam and CO₂ systems and monitoring equipment are to comply with the applicable requirements of **Par 2** and **3**.
7. For fire extinguishing media, such as foam systems, the temperature for use as stated by the manufacturer is to be suitable for the lowest design external air temperature. Extinguishers are to be suitable for low temperature use or located in heated spaces.
8. Arrangements are to be provided such that after use, the fire hoses can be drained and dried to protect from freezing. Stowage arrangements are to be provided with heating arrangements or at least two additional hose provided to enable wet hoses to be replaced whilst drying.
9. As far as practicable, lifeboats and liferafts are to be located in protected locations (recesses or garages) to provide protection from icing.
10. Lifeboats are to be of totally enclosed type and provided with internal space heaters to maintain a habitable temperature. Adjacent receptacles for electrical heating arrangements are to be supplied from the emergency switchboard.
11. The lifeboat coxswain's control panel is to be provided with heating arrangements. Ice removal measures to remove icing from windows are to be provided.
12. Lifeboat engines are to be provided with suitable low temperature grades of fuel oil and lubrication oil to protect against the effects of freezing. The cooling system for the engines is to be provided with suitable anti-freeze.
13. Lifeboat engine batteries are to be suitable for low temperature conditions, or a flexible lead for battery charging and a means of safe heating is to be provided.
14. Lifeboat winches, where fitted, are to be provided with suitable covers or ice removal measures. The operating devices (brake(s)) are to be protected from icing by ice removal measures, suitable grease and lubricants with covers or heating arrangements. Hydraulic systems, including tanks, pipes and mechanisms, are to be provided with suitable steam ice-removal measures, suitable grease and lubricants or heating arrangements.
15. Lifeboat davits/sheaves/release hooks are to have provision for the use of suitable low temperature grease, covers or and heating arrangements, to protect the mechanisms from becoming fixed by icing.
16. To protect from icing, the embarkation (lifeboat rope) ladders are to be provided with covers in the stowed position.
17. Lifeboat water spray lines, where fitted, are to be located inside and have external nozzles of a design to minimize freezing or to have drainage facilities and arranged to be blown through with dry air. In addition, the water intake is to be protected from ice build up.
18. Liferafts are to be suitable for the lowest external design air temperature. A steam connection for ice removal measures is to be provided for protection against icing of the liferaft. (2017)
19. For life saving equipment, the temperature for use as stated by the manufacturer is to be suitable for the lowest external design air temperature. Measures are to be provided for lifeboat contents (including flares and torch batteries) for low temperature operation. Ice removal measures are to be provided for the EPIRB/SART. (2017)
20. Rescue boats are to be provided with systems which are similar to those for lifeboats.

21. Means are to be provided to protect fluids within exposed pipes for decontamination showers and eyewash systems from freezing, where fitted. Heating arrangements are to be provided in the water tank and exposed sections of piping are to be provided with insulation or trace heating arrangements. Alternatively, these are to be sited in a heated room/compartment. Additional eyewash fluids are to be stored in an alternative heated space.
22. The materials used for exposed components, including steel davits, hydraulics and rubber components, are to be suitable for operation at the average external design air temperature.
23. Immersion suits are to be suitable for low temperature operation and stored in heated spaces or containers in locations with suitable ice removal measures.

408. Winterization of spaces/compartments

1. Accommodation heating/air conditioning systems are to be capable of maintaining internal design air temperature in all spaces normally occupied when the ship is at sea, based on the lowest external design air temperature. This may be achieved by controlling the number of air changes providing acceptable levels of fresh air required for personnel efficiency, combustion or other oxidation processes. (2017)
2. The requirements in **303. 1.** are intended to mitigate risks associated with the failure to maintain suitable (see **103. 104.**) temperatures associated with the defined spaces, and do not cover air-conditioning arrangements, air distribution ductwork, heating systems, chilled water systems or the calculation and verification of air flow rates and cooling/heating loads within the air-conditioned spaces. The method used to calculate the capacity of the air-conditioning, refrigeration and heating equipment is the responsibility of the Shipbuilder and Owner and should be in accordance with a recognised code or standard such as **ISO 7547:2002 Ships and marine technology – Air conditioning and ventilation of accommodation spaces – Design conditions and basis of calculations**, or **ASHRAE 26-1996(RA2006) Mechanical refrigeration and air-conditioning installations aboard ship**.
3. Heating arrangements (in addition to, and not necessarily serviced by, the air-conditioning system as specified in **1.** are to be provided for spaces containing machinery and equipment for essential or emergency services and for spaces accessed during ship operation in order that equipment may be maintained. Heating arrangements are to be included in, but not limited to, the spaces as given in **Table 4.10** (where fitted): The heating of each space is to be capable of maintaining its internal design air temperature based on the lowest external design air temperature, insulation and the volume of air in each space. The internal temperature, and lowest limit for alarms, for each space is to be provided (and agreed with the Owner and Shipbuilder), but is to be a minimum of zero degrees Celsius at the lowest external design air temperature. (2017)
4. Means of regulating the engine room temperature are to be provided. Where machinery space funnel louvers are fitted, these are to be capable of being adjusted to different open positions. The means of regulating temperature is not to prevent air supply or exhaust to machinery or machinery spaces required for operation.
5. Pipework and electrical components in and passing through spaces and tanks, without space heating and which are exposed to low temperatures, such as void spaces and underdeck passageways, are to be suitable for the lowest external design air temperature or have suitable heating arrangements to protect against the low temperatures, see also **304.**
6. The air intakes and exhaust louvres for accommodation and machinery spaces are to be provided with protection from icing by ice removal measures and heating arrangements.
7. All cargo control room windows are to be fitted with heating arrangements to provide protection against the formation of ice obscuring visibility during discharging/loading operations. Ice removal measures are to be provided. See **408.** (2017)
8. All bridge windows (excluding door windows) are to be fitted with heating arrangements to provide protection against the build up of ice obscuring visibility. The use of hot air blowers on the inside is to be provided for all windows. Consideration is to be given to fitting double glazed windows in order to provide protection against cold water cracking glass which is exposed to warm internal conditions. (2017)
9. The system for window cleaning is to be protected against freezing in the lines and clogging of the

nozzles with frequent operation. Cold fresh water systems with heated spray nozzles, or hot water systems designed are to be drained and dry air blown through after use, are to be provided. Window wiper operating devices are to be arranged inside the bridge or to be provided with heating arrangements. Safe access is to be provided externally for ice removal.

10. Measures to protect personnel operating on the bridge from cold temperatures are to be provided. Where ships have exposed bridge wings, the wing controls/ equipment are to be provided with heating arrangements and covers. (2017)

Table 4.10 Space heating arrangements for Winterization E3(t) (2017)

Space	Heating arrangements	Alarm, see Note 1
Navigation bridge	Fixed	X
Radio room (where fitted)	Fixed	X
Hospital room/sick bay	Fixed	X
Batter room ²⁾	Fixed	
Mooring rope stores (including the bosun's store)	Multiple fixed	
Observation/security cabins (where fitted)	Portable	
Enclosed forecabin/sheltered deck (where fitted)	Portable	
Under-deck passageways (where fitted, to allow alternative access to bow spaces and which are adjacent to exposed external boundaries)	Multiple fixed	X
Main engine and auxiliary machinery space(s)	Multiple fixed	X
Podded propulsion or azimuth thruster space(s)	Portable	
Boilerroom	Portable	
Generator room(s)	Multiple fixed	X
Workshop room and store(s)	Portable	
Engine control room	Portable	
Switchboard room	Fixed electrical type	
Steering gear room	Multiple fixed	X
Bow thruster(s) room (when an integral part of dynamic positioning or for essential manoeuvring) ³⁾	Fixed	
Oil Discharge Monitoring Equipment (ODME) room	Multiple fixed	X
Emergency generator room ⁴⁾	Fixed	X
Fire-fighting control room(s) and inert gas cylinder and foam system equipment rooms where fitted	Fixed	X
Fire-fighting equipment store room (including location of fireman's outfit)	Multiple fixed	X
Emergency fire pump-room ⁵⁾	Emergency fire pump-room ⁵⁾	X
<p>Note 1. Monitoring arrangements are to be provided that will activate an alarm in accordance with the alarm system required by Pt 6, Ch 2, 201. of the Rules for Ships. Essential features for control, alarm and safety systems of the Rules for Ships to allow responsible personnel to reinstate heating in the event of a failure.</p> <p>Note 2. In addition, a portable heater is to be provided. Alternatively, an additional battery or increased heating capacity may be provided.</p> <p>Note 3. Alternatively, the bow thruster is to be suitable for operation at the lowest design external air temperature.</p> <p>Note 4. Means are to be provided for start and control of the emergency generator as required by Pt 6, Ch 1, 1406. of the Rules for Ships</p> <p>Note 5. A single heater may be provided when located below the waterline and adjacent to a heated space.</p>		

409. Winterization of accommodation and escape routes

1. Measures are to be provided to assist in the opening of doors when covered in ice and to protect seals against freezing. External doors are to be positioned in protected locations or recessed as far as practicable to provide protection from icing. The enclosed space adjacent to external doors on escape routes is to be fitted with heating arrangements. *(2017)*
2. Suitable changing rooms are to be arranged to provide adequate space for changing into and out of cold weather working clothing adjacent to the entrance door. A heated space is to be provided for drying and storing cold weather working clothing.
3. Measures are to be provided to reduce the likelihood of damage to insulation fitted to exposed external boundaries caused by humidity freezing within it. In particular the accommodation bulkhead/deck insulation is to be fitted with a protective vapour barrier such as aluminium foil or equivalent means. *(2017)*
4. To protect against fluids freezing, cabin bathrooms are not to be located adjacent to exposed external boundaries, as far as practicable.
5. Insulation and heating arrangements are to be provided for all exposed external boundaries in bathrooms and washrooms to prevent freezing of water in these spaces.
6. Means such as a gutter and drainage on the deck below to collect condensed water are to be provided adjacent to external boundaries.

410. Winterization of tanks

1. Fresh water and sea-water ballast tanks, the tops of which are situated above the design ballast waterline and adjacent to the shell, which are intended to be used in ice and cold navigating conditions, are to be provided with means to prevent freezing. Measures are to be provided to demonstrate that they protect against the following: *(2017)*
 - (1) hull structural damage from pumping water creating a vacuum beneath a layer of ice across the top of the water in the tank;
 - (2) hull structural damage from ice expansion;
 - (3) engineering systems damage from ice expansion or ice blockage; and
 - (4) engineering systems damage from ice pieces melting or dislodging from upper sections of the tank.Heating coils are considered an effective means for tanks entirely above the waterline. Heating coils or other effective means such as continuous circulation, air bubbling and/or tank pressure/engineering systems alarms are considered effective for tanks partially below the waterline. Alternatively, demonstration that the above hazards have been mitigated is to be submitted through theoretical calculations, service experience, experimental tests, or a combination thereof.
2. For tank heating required by **410.** monitoring arrangements are to be provided that will activate an alarm in accordance with the alarm system required by **Pt 6, Ch 2, 201. of the Rules for the Classification of Steel Ships** to allow responsible personnel to reinstate heating in the event of a failure.
3. Tank systems and components for monitoring and alarms (1st and 2nd stage high level alarm systems, gas detection system etc.) are to be suitable for the lowest design external air temperature. *(2017)*
4. The sewage tanks and associated pipe systems, where located adjacent to external ship boundaries, are to be located in heated compartments or provided with heating arrangement.
5. Measures to provide protection from icing and blockage by ice formation resulting from humidity in tanks are to be fitted. Exposed air vent pipe heads of tanks are to be readily accessible, positioned in protected locations as far as practicable and fitted with covers to limit build up of ice. The covers are not to interfere with the free flow of air through the vent openings. *(2017)*
6. Where ballast tank heating coils are provided as given in **410.**, a section of the heating coil is to be positioned below the air pipe vent, as far as practicable, to provide protection against freezing of the pipe and vent.
7. The overboard ballast discharge line located above the waterline is to be provided with suitable heating arrangements.

411. Ice removal and prevention measures

1. The following areas of exposed decks are to be provided with ice prevention measures one of heat-ed decks, gratings, checkered plate, welded studs or non-slip decking with coarse sand embedded into the paint. In addition ice removal measures are to be installed, of either steam or hot water types, with a fixed pipe line on the deck with connection valves for hoses in the following areas (2017)
 - (1) Gangways and stairways for safe access to bow, lifeboats, rescue boats and pilot boarding locations, see also 507.
 - (2) Areas adjacent to escape exits.
 - (3) Areas in way of lifeboats/rescue boats, davits, and liferafts including launching areas.
 - (4) Adjacent to storage facilities for fire fighting equipment.
 - (5) Areas in way of anchoring and mooring operations (including windlass, chain and hawse pipe).
 - (6) Areas for open navigation and lookout.
 - (7) Helicopter deck areas, where fitted.
 - (8) Working areas on the open deck (including ice removal measures for hatch covers, containers and grain loading covers).
2. To aid the removal of ice and protect against the ingress of water into components that may subsequently freeze and result in damage, mechanical and electrical equipment and control panels that may be exposed to icing are to be provided with suitable covers, as far as practicable, and unless other arrangements are specified in these Rules.(2017)
3. A minimum of the following manual tools for removing ice are to be provided, provided, with at least one set of tools at each storage location. Storage locations should be as given in 4. A set of tools is to comprise at least the following:
 - (1) shovels
 - (2) hammers or mallets
 - (3) scrapers.Storage facilities for the manual tools are to be provided and sited in protected areas, as far as practicable, to provide access and protection from icing behind bulwarks and accommodation walls.
4. Containers for the storage of de-icing compounds are to be provided at the following locations as a minimum:
 - (1) Bow area
 - (2) Close to midships with port and starboard access, and close to the boarding area
 - (3) Stern area (close to the life saving launching areas)Containers are to be sited in protected areas, as far as practicable, to provide access and protection from icing behind bulwarks and accommodation walls.

412. Bow loading systems (2017)

1. In general, bow loading systems are to comply with **Table 4.12** Bow loading systems – System with valve coupling connection overboard or **Table 4.12**.

Table 4.12 Bow loading systems – System with valve coupling connection overboard

Component	Applicable winterization requirement	Rule reference
Horizontal slipway from bow to the coupling valves	Material grades are to be suitable for operation at the lowest external design air temperature	405. Winterization of anchoring/mooring equipment and deck cranes
Coupling valve attached to fixed piping	A Materials are to be suitable for operation at the lowest external design air piping temperature or components are to be provided with suitable heating arrangements B Valves are to be provided with ice removal measures or by covers where ice removal measures are not suitable. Exposed valves at inaccessible locations are to be provided with covers or positioned in heated cabinets (by means of a heated frame or internal space heating)	404. Winterization of auxiliary machinery systems and deck working areas
'A' frame lifting device	Material grades are to be in accordance with Pt 9. Ch.2 of this rules and suitable for operation at the lowest external design air temperature	405. Winterization of anchoring/mooring equipment and deck cranes
Inboard ball valve	A Materials are to be suitable for operation at the lowest external design air temperature or components are to be provided with suitable heating arrangements B Valves are to be provided with ice removal measures or by covers where ice removal measures are not suitable. Exposed valves at inaccessible locations are to be provided with covers or positioned in heated cabinets (by means of a heated frame or internal space heating)	404. Winterization of auxiliary machinery systems and deck working areas
Bow loading housing, where fitted	All items such as pipework, components and cables are to be located inside spaces as far as practicable to minimise exposure to low temperature and icing	401. General
Bow door, where housing fitted	Materials grades to be taken as for hatch covers	Table 4.3 Material classes and grades
Remote control post (RCPH/E)	Exposed control panels are to be fitted in heated steel covers to protect against icing and components freezing	405. Winterization of anchoring/mooring equipment and deck cranes
Guide rollers for hose handling wire	Material grades are to be suitable for operation at the lowest external design air temperature	405. Winterization of anchoring/mooring equipment and deck cranes
Ball valve cabinet (emergency shut-down)	Exposed control panels are to be fitted in heated steel covers to protect against icing and components freezing	405. Winterization of anchoring/mooring equipment and deck cranes

Table 4.12 Bow loading systems – System with valve coupling connection overboard (continue)

Component	Applicable winterization requirement	Rule reference
Hydraulic power packs	Hydraulic oil power packs are to be sited in heated enclosed spaces Where this is not practicable, the hydraulic fluid and pipework system materials are to be suitable for operation at the lowest design external air temperature	404. Winterization of auxiliary machinery systems and deck working areas
Electro Hydraulic main pump	Exposed electric motors installed on equipment are to be provided with covers or ice removal measures. Measures are to be provided to protect against the humidity and condensation freezing in the motor, and are to be provided with suitable heating arrangements	406. Winterization of electrical installations
Hydraulic oil tank	Heating is to be provided under the bottom of the hydraulic oil tank A Materials are to be suitable for operation at the lowest external design air temperature or components are to be provided with suitable heating arrangement B Valves are to be provided with ice removal measures or by covers where ice removal measures are not suitable. Exposed valves at inaccessible locations are to be provided with covers or positioned in heated cabinets (by means of a heated frame or internal space heating)	404. Winterization of auxiliary machinery systems and deck working areas
Auxiliary and starter cabinet to prevent condensation	Where located in unheated areas, are to be fitted with heating arrangements to prevent condensation	406. Winterization of electrical installations
Electric equipment cabinet	Where located in unheated areas, are to be fitted with heating arrangements to prevent condensation	406. Winterization of electrical installations

Table 4.13 Bow loading systems – System with valve coupling connection inboard

Component	Applicable winterization requirement	See also Rule reference
Moment free' bow loading coupler with a ship valve	A. Materials are to be suitable for operation at the lowest external design air temperature or components are to be provided with suitable heating arrangements B. Valves are to be provided with ice removal measures or by covers where ice removal measures are not suitable. Exposed valves at inaccessible locations are to be provided with covers or positioned in heated cabinets (by means of a heated frame or internal space heating)	404. Winterisation of auxiliary machinery systems and deck working areas
Adjustable roller fairlead for chafe chain	Material grades are to be suitable for operation at the lowest external design air temperature	405. Winterisation of anchoring/mooring equipment and deck cranes
Mooring chain stopper	Material grades are to be suitable for operation at the lowest external design air temperature	405. Winterisation of anchoring/mooring equipment and deck cranes
Horizontal guide roller for mooring hawser messenger	Material grades are to be suitable for operation at the lowest external design air temperature	405. Winterisation of anchoring/mooring equipment and deck cranes
Guide roller with load cell for mooring hawser messenger	Material grades are to be suitable for operation at the lowest external design air temperature	405. Winterisation of anchoring/mooring equipment and deck cranes
Chain for emergency towing system	Material grades are to be suitable for operation at the lowest external design air temperature	405. Winterisation of anchoring/mooring equipment and deck cranes
Guide rollers for hose handling wire	Material grades are to be suitable for operation at the lowest external design air temperature	405. Winterisation of anchoring/mooring equipment and deck cranes
Mooring hawser messenger traction winch	Winches are to be protected from icing by means of suitable covers, alternatively a sheltered deck area is to be provided	405. Winterisation of anchoring/mooring equipment and deck cranes
Drum winch for hose wire winch (this may be common with hydraulic power pack for the above)	Winches are to be protected from icing by means of suitable covers, alternatively a sheltered deck area is to be provided	405. Winterisation of anchoring/mooring equipment and deck cranes
Guide roller for mooring hawser messenger rope storage unit	Material grades are to be suitable for operation at the lowest external design air temperature	405. Winterisation of anchoring/mooring equipment and deck cranes
Mooring hawser messenger rope storage unit	Winches are to be protected from icing by means of suitable covers, alternatively a sheltered deck area is to be provided	405. Winterisation of anchoring/mooring equipment and deck cranes
Guide roller for mooring hawser messenger rope storage unit	Material grades are to be suitable for operation at the lowest external design air temperature	405. Winterisation of anchoring/mooring equipment and deck cranes
Mooring hawser messenger rope storage unit	Winches are to be protected from icing by means of suitable covers, alternatively a sheltered deck area is to be provided	405. Winterisation of anchoring/mooring equipment and deck cranes
Bow door	Materials grades to be taken as for hatch covers	Table 4.3 Material classes and grades

Table 4.13 Bow loading systems – System with valve coupling connection inboard (continue)

Component	Applicable winterization requirement	See also Rule reference
Inboard cargo lines	Arrangements are to be provided to protect against cargo fluids within exposed pipes from freezing. The exposed deck cargo and stripping lines are to be fitted with thermal insulation and suitable trace heating arrangements	1002. Winterisation of oil and/or chemical tankers
Drain line	Systems are to be arranged to ensure that they can be drained to protect against fluids freezing in pipes. Drainage valves are to be provided and pipework inclined to ensure that drainage of fluids is possible under all normal angles of list and trim. As a minimum, drain valves are to be provided at forward, aft, port and starboard locations. Additional shut-off valves are to be installed on the branch pipes (and as close to the main line as practicable) to allow drainage and protection against freezing in branch pipes when the main line is under pressure and branch lines are not in use	404. Winterisation of auxiliary machinery systems and deck working areas
Inboard ball valve	A Materials are to be suitable for operation at the lowest external design air temperature or components are to be provided with suitable heating arrangements B Valves are to be provided with ice removal measures or by covers where ice removal measures are not suitable. Exposed valves at inaccessible locations are to be provided with covers or positioned in heated cabinets (by means of a heated frame or internal space heating)	404. Winterisation of auxiliary machinery systems and deck working areas
Inboard pressure transmitter	Exposed lines are to be provided with heating arrangements	1002. Winterisation of oil and/or chemical tankers
Remote control post (RCPH/E)	Exposed control panels are to be fitted in heated steel covers to protect against icing and components freezing	405. Winterisation of anchoring/mooring equipment and deck cranes
Ball valve cabinet (emergency shut-down)	Exposed control panels are to be fitted in heated steel covers to protect against icing and components freezing	405. Winterisation of anchoring/mooring equipment and deck cranes
Hose handling bow roller	Material grades are to be suitable for operation at the lowest external design air temperature	405. Winterisation of anchoring/mooring equipment and deck cranes
Hydraulic pipes with accessories	Hydraulic oil power packs are to be sited in heated enclosed spaces. Where this is not practicable, the hydraulic fluid and pipework system materials are to be suitable for operation at the lowest design external air temperature	405. Winterisation of anchoring/mooring equipment and deck cranes
Hydraulic valves	A. Materials are to be suitable for operation at the lowest external design air temperature or components are to be provided with suitable heating arrangements B. Valves are to be provided with ice removal measures or by covers where ice removal measures are not suitable. Exposed valves at inaccessible locations are to be provided with covers or positioned in heated cabinets (by means of a heated frame or internal space heating)	404. Winterisation of auxiliary machinery systems and deck working areas

Table 4.13 Bow loading systems – System with valve coupling connection inboard (continue)

Component	Applicable winterization requirement	See also Rule reference
Control device for load cells, storage inside	Exposed components of electric cabling are to be suitable for operation at the lowest design external air temperature	406. Winterisation of electrical installations
Watchkeeper shelter	Where observation cabins are fitted, suitable heating arrangements are to be provided for the internal space and windows	404. Winterisation of auxiliary machinery systems and deck working areas
Electric motors for pumps	Exposed electric motors installed on equipment are to be provided with covers or ice removal measures. Measures are to be provided to protect against the humidity freezing in the motor, and are to be provided with suitable heating arrangements	406. Winterisation of electrical installations
Hydraulic oil tank	Heating is to be provided under the bottom of the hydraulic oil tank	404. Winterisation of auxiliary machinery systems and deck working areas
Starter cabinets	Where located in unheated areas are to be fitted with heating arrangements to prevent condensation	406. Winterisation of electrical installations

Section 5 Winterization E2(t) – Main component and sub-component (2017)

501. General

1. In addition to the requirements in **Sec. 4** Winterization E3(t), the following requirements are to be complied with.

502. Winterization of auxiliary machinery systems and deck working areas

1. In conjunction with **404**. Winterization of auxiliary machinery systems and deck working areas, heating is to be provided under the bottom of the hydraulic oil tanks.
2. Arrangements are to be provided to protect fuel oil within exposed pipes against freezing. The exposed fuel oil filling and transfer lines, and any sludge transfer lines, are to be fitted with thermal insulation and trace heating arrangements.
3. In conjunction with **404**. Winterization of auxiliary machinery systems and deck working areas, the air supply is to be both dry, with a dew point appropriate to the external design air temperature, and heated.
4. Exposed expansion pieces, where fitted, are to be protected from the build-up of ice by the provision of approved bellows units.

503. Winterization of anchoring/mooring and deck cranes

1. Exposed control panels are to be fitted in heated steel covers to protect against icing and components freezing.

504. Winterization of electrical installations

1. In conjunction with **406**. Winterization of electrical installations, emergency generators are to be fitted with electrical heating arrangements for the cooling and lubricating oil systems.
2. Satellite/GPS motors and exposed speaker systems are to be provided with heating arrangements.
3. The navigation lights on the forward mast are to be provided with heating arrangements and ice removal measures to protect against icing.

505. Winterization of emergency appliances

1. The lifeboat access doors are to be provided with trace heating arrangements.
2. The liferafts are to be covered with thermal blankets and monitoring arrangements are to be provided that will activate an alarm in accordance with the alarm system required by **Pt 6, Ch 2, 201. of the Rules for the Classification of Steel Ships** to allow responsible personnel to reinstate heating in the event of a failure.
3. The EPIRB/SART is to be provided with heating arrangements on the release mechanism. The heating arrangements are not to interfere with the function of the mechanism.

506. Winterization of spaces/compartments

1. Space heating is regarded as an essential service and requires two heating sources.
2. In conjunction with **Table 4.11** Space heating arrangements for Winterization E3(t), the heating requirements in **Table 4.14** Space heating arrangements for Winterization E2(t) are to be complied with.

Table 4.14 Space heating arrangements for Winterization B(t)

Space	Heating arrangements	Alarm, see Note ¹⁾
Observation/security cabins (where fitted)	Fixed	
Enclosed forecastle/sheltered deck (where fitted)	Multiple fixed	
Main engine and auxiliary machinery space(s)	Multiple fixed and portable	X
Podded propulsion or azimuth thruster space(s)	Multiple fixed and portable	X
1) Monitoring arrangements are to be provided that will activate an alarm in accordance with the alarm system required by Pt 6, Ch 2, 201 of the Rules for the Classification of Steel Ships to allow responsible personnel to reinstate heating in the event of a failure.		

3. In conjunction with **408**. Winterization of spaces/compartments, all cargo control room windows are to be fitted with thermally heated glass to provide protection against the formation of ice obscuring visibility during discharging/loading operations.
4. In conjunction with **408**. Winterization of spaces/compartments, all bridge windows (excluding door windows) are to be fitted with thermally heated glass. Where it can be demonstrated that the build-up of ice on the outside and inside surfaces of deck-house windows obstructing visibility can be effectively prevented by adopting only one means of heating, i.e. heating with filament or hot air blowers, the provision of one means only may be specially considered.
5. In conjunction with **408**., bridge wings are to be fully enclosed.

507. Winterization of accommodation and escape routes

1. In conjunction with **409**. Winterization of accommodation and escape routes, a dedicated heated air-lock space or heating around the door frame is to be provided and the door seals are to be suitable for low temperature conditions.
2. Above-deck walkways, where fitted, are to be provided with heating arrangements, as far as practicable, to allow alternative access to bow spaces.
3. External handrails on routes as given in **411**. Ice removal and prevention measures, stairways and ladders are to be fitted with trace heating arrangements to provide access to main working areas and escape routes. Arrangements are to be fitted to cut off automatically in the event of excessively high temperatures to prevent injury when in contact, see **401** General.

508. Winterization of tanks

1. In conjunction with **410**. Winterization of tanks, exposed air vent pipe heads are to be of a dedicated type suitable for the lowest external design air temperature (with internal heating arrangements).

509. Ice removal equipment and prevention measures

1. In conjunction with **411**. Ice removal and prevention measures, mechanical and electrical control panels are to be provided with steel covers, as far as practicable

Section 6 Winterization E1(t) – Main component and sub-component (2017)

601. General

1. In addition to the requirements in **Sec.5** Winterization E2(t), the following requirements are to be complied with.

602. Winterization of auxiliary machinery systems and deck working areas

1. Hydraulic piping at exposed locations is to be protected against the fluid freezing in the piping by thermal insulation or provided with heating arrangements.

603. Winterization of electrical installations

1. In conjunction with **406**. Winterization of electrical installations, all exposed cables are to be provided with steel covers, including cabling to the equipment or component. All cable covers are to be arranged so they can be drained of condensate, see 404. Winterization of auxiliary machinery systems and deck working areas.

604. Winterization of emergency appliances

1. In conjunction with **407**. Winterization of emergency appliances, heating arrangements are to be provided for hydrants in exposed locations and the fire main is to be arranged to provide continuous circulation.
2. In conjunction with **407**. Winterization of emergency appliances, lifeboat windows are to be provided with heating arrangements.
3. In conjunction with **407**. Winterization of emergency appliances, the cooling system for the lifeboat engines is to be provided with suitable anti-freeze and heating arrangements.

605. Winterization of spaces/compartments

1. In addition to **Table 4.5 6** and **Table 4.910**, an additional heater(s) is to be provided from a separate system, e.g. a steam and an electric heating system, or two electric (or steam) heating systems, with separate cabling (piping) and source, in the following spaces:
 - (1) under-deck passageways (where fitted, to allow alternative access to bow spaces which are adjacent to exposed external boundaries);
 - (2) generator room(s);
 - (3) steering gear room;
 - (4) cargo pump-room;
 - (5) oil discharge monitoring equipment (ODME) room;
 - (6) compressor and motor rooms (where fitted);
 - (7) fire-fighting equipment store room (including location of the fireman's outfit); and
 - (8) emergency fire pump-room.
2. A centralised location, for congregation of the crew during a prolonged emergency situation such as ice entrapment, is to be provided with heating arrangements powered by the emergency source.
3. For the main engine and auxiliary machinery spaces, as well as podded propulsion or azimuth thruster space(s), one of the following is to be complied with:
 - (a) heating arrangements are to be powered from the emergency source (to provide for start-up of the main engine systems);
 - (b) means are to be provided for starting and control of the main propulsion system at the lowest internal air temperature;
 - (c) two boilers, main engines or main propulsion systems are to be provided in separate compartments.
4. The Master's and Senior Officer's cabin windows are to have heating arrangements if they have a view over the cargo deck.

606. Winterization of tanks

1. In conjunction with **410**. Winterization of tanks, the tank heating is to be considered an essential service. Electrical arrangements are to be duplicated such that a failure will not result in the loss of the ability to provide heating required for safety of the ship. (see **Pt 6, Ch 1, 201.** and **204.**) Where a power driven motor pump is provided for transferring the heating medium, a standby pump is to be provided and connected for ready use or, alternatively, emergency connections may be made to one of the unit pumps or another suitable power driven pump.

Section 7 Winterization S – Stability due to ice accretion

701. Stability calculations and criteria

1. The effect of icing is to be considered in the stability calculations and is to comply with the **International Code on Intact Stability Resolution MSC.267(85), as amended – Chapter 6 – Icing considerations**. The ice accretion values are to be taken as an additional mass per unit area, as given in **Table 4.15**.

Table 4.15 Ice accretion values

Winterization level	Horizontal deck kg/m ²	Vertical side kg/m ²
Winterization S(C)	30	7.5
Winterization S(B)	60	15
Winterization S(A)	100	20

2. Where surfaces are inclined or shaped, e.g. spherical covers or deck-houses, the most onerous condition from the projected horizontal or vertical area is to be taken in conjunction with the associated ice accretion value given in **Table 4.9**. All areas above the design waterline are to be included, e.g. side shell, deck-house sides and projected areas of deck cargo.
3. The stability criteria as given in the **International Code on Intact Stability Resolution A.749(18) – Chapter 3.1 General intact stability criteria**, are to be complied with, see **101.** and **102.**
4. Stability calculations are to include the effects of ice accretion on the loading conditions specified in the **International Code on Intact Stability Resolution** on intact stability. In addition, stability calculations are to be provided for the most onerous conditions and, at least, the following conditions:
 - (1) Establish specific winterization conditions of loading and ballasting corresponding to the limits of compliance with the criteria, taking into account ice accretion as follows:
 - (a) Design draught condition.
 - (b) Minimum design ballast condition.
 - (c) Seagoing conditions, including both departure and arrival conditions:
 - homogeneous loading conditions
 - alternate and part load conditions, where applicable
 - normal ballast condition
 - heavy ballast condition
 - any specified non-uniform distribution of loading
 - for oil and chemical tankers, conditions with high density cargo
 - mid-voyage conditions relating to tank cleaning or other operations where these differ significantly from the ballast conditions and
 - conditions covering ballast water exchange procedures
 - (2) Establish ice accretion compliant conditions and limits for specified harbour/sheltered water conditions as follows:
 - (a) conditions representing typical loading and unloading operations;
 - (b) docking afloat condition; and
 - (c) propeller inspection afloat condition.

Section 8 Winterization D – Alternative design (2017)

801. Alternative design

1. Consideration may be given to alternative designs which do not comply with the requirements of **Sec 2** to **Sec 7** and **Sec 9** on the basis of equivalency and agreement between the Owner and Builder Shipbuilder.
2. Consideration may be given to a specification agreed by the Builder Shipbuilder and Owner for a given specific trading route based on the environmental conditions for the intended operation, e.g. temperatures and sea states, and any operational considerations, e.g. specific ship arrangements.
3. For ships where alternative designs are to be applied, the Winterization D(t) notation may be assigned. The lowest external design air temperature is to be included in the Winterization notation in brackets, e.g. Winterization D(-25).
4. The design air temperature is to be stated in association with the lowest external design air temperature in degrees Celsius for the assessment of hull construction materials and, equipment and systems where applicable.

Section 9 Winterization IR – Ice removal arrangements (2017)

901. Application

1. The following requirements are intended to provide protection from ice accretion through the provision of additional measures such as heating and covers.

902. Information required

1. Details of the heating arrangements and ice removal measures, as well as any operational procedures, are to be submitted, see **103**.
2. An ice removal manual is to be placed on board the ship highlighting the equipment and features installed and any operational procedures.

903. Definitions

1. Ice removal measures. In addition to the measures in 104., heating arrangements, as given in **104.**, are to be considered in conjunction with the requirements of this Section.

904. Ice removal provisions

1. Where heating arrangements are provided, they are to comply with the requirements in **401**. General.
2. The items as given in **Table 4.16** Ice removal arrangements are to be complied with, considering the ship type and arrangement.

905. Requirements for oil and/or chemical tankers, LNG and LPG carriers

1. Ice removal measures are to be installed of either steam or hot water types with a fixed pipeline on the deck with connection valves for hoses in areas designated for control of cargo loading and unloading (including high walkways).

906. Requirements for offshore supply vessels

1. For vessels with a rescue zone, the requirements of 1003. Winterization of offshore supply vessels are to be complied with.

907. Requirements for LNG and LPG carriers

1. The air intakes and exhaust louvres are to be provided with protection from icing by ice removal measures and heating arrangements.

Table 4.16 Ice removal arrangements

Component	Applicable Winterization requirement	See Rule reference
	Winterization of main propulsion and essential auxiliary engines	
Air intakes and exhaust louvres	The air intakes and exhaust louvres for machinery spaces are to be provided with protection from icing by ice removal measures and heating arrangements	408. Winterization of spaces/compartments
	Winterization of auxiliary machinery systems and deck	
Exposed fittings	Valves, gauges, indicators and monitoring equipment for essential services are to be protected from icing and provided with ice removal measures or by covers where ice removal measures are not suitable. Exposed valves at inaccessible locations are to be provided with covers or positioned in heated cabinets (by means of a heated frame or internal space heating). Gauges, indicators and monitoring equipment which are sited in exposed locations but are unsuitable for removal of ice are to be positioned in heated cabinets. Valve actuators, solenoids and pressure gauge transmitters for essential services are to be provided with heating arrangements	408. Winterization of spaces/compartments
	Winterization of anchoring/mooring	
Protection	Anchor windlass and mooring winches are to be protected from icing by means of suitable covers. Alternatively, a sheltered deck area is to be provided	405. Winterization of anchoring/mooring equipment and deck cranes
Control panels	Exposed control panels are to be provided with suitable steel covers to protect against icing	405. Winterization of anchoring/mooring equipment and deck cranes
Hydraulic equipment	For hydraulically operated equipment and systems, steam ice removal measures are to be provided for protection against icing	405. Winterization of anchoring/mooring equipment and deck cranes
Hawse pipe	The hawse pipe is to be sited in a heated space or provided with suitable heating arrangements and deck steam connection valve(s) located within the vicinity to protect against icing	405. Winterization of anchoring/mooring equipment and deck cranes
	Winterization of electrical installations	
Emergency generator	The emergency generator room air intakes are to be provided with protection from icing by ice removal measures or heating arrangements. In addition, the air intake is to be provided with an automatic louvre which closes whilst the generator is inactive (to reduce heat loss), and opens when starting	406. Winterization of electrical installations
Radar	Protection measures are to be fitted for the continuous operation of the radar motors against the humidity and icing freezing the motor. Radar motors are to be provided with heating arrangements and with the provision for suitable use of low temperature grease	406. Winterization of electrical installations
Air horn	Measures for continuous operation of the navigation air horn, where fitted, are to be provided to protect against humidity freezing in components and icing and suitable heating arrangements are to be provided. Air pipe lines for the navigation air horn are to be arranged in heated compartments as far as practicable	406. Winterization of electrical installations
Antenna systems	Antenna systems are to be protected from icing	406. Winterization of electrical installations

Table 4.16 Ice removal arrangements (continue)

Component	Applicable Winterization requirement	See Rule reference
	Winterization of electrical installations	
Fire-fighting	Isolating valves and hydrants are to be provided with ice removal measures	407. Winterization of emergency appliances
Protected locations	As far as practicable, lifeboats and liferafts are to be located in protected locations (recesses or garages) to provide protection from icing	407. Winterization of emergency appliances
Lifeboat winches	Lifeboat winches, where fitted, are to be provided with suitable covers or ice removal measures. The operating devices (brake(s)) are to be protected from icing by ice removal measures, suitable grease and lubricants with covers or heating arrangements. Hydraulic systems, including tanks, pipes and mechanisms, are to be provided with suitable steam ice removal measures, suitable grease and lubricants or heating arrangements	407. Winterization of emergency appliances
Lifeboat davits	Lifeboat davits/sheaves/release hooks are to have provision for the use of suitable low temperature grease, covers and heating arrangements, to protect the mechanisms from icing	407. Winterization of emergency appliances
Life rafts	A steam connection for ice removal measures is to be provided for protection against icing of the life raft. Davit-launched life rafts are to comply with 407. 14	407. Winterization of emergency appliances
EPIRB	Ice removal measures are to be provided for the EPIRB/SART	407. Winterization of emergency appliances
	Winterization of spaces/compartments	
Air intakes and exhaust louvres	The air intakes and exhaust louvres for accommodation spaces are to be provided with protection from icing by ice removal measures and heating arrangements	408. Winterization of spaces/compartments
Bridge windows	All bridge windows (excluding door windows) are to be fitted with heating arrangements to provide protection against the build-up of ice obscuring visibility. The use of hot air blowers inside is to be provided for all windows. Consideration is to be given to fitting double-glazed windows in order to provide protection against cold water cracking glass which is exposed to warm internal conditions	408. Winterization of spaces/compartments
Bridge window cleaning system	The system for window cleaning is to be protected against freezing in the lines and clogging of the nozzles with frequent operation. Cold fresh water systems with heated spray nozzles, or hot water systems which can be drained and dry air blown through after use, are to be provided. Window wiper operating devices are to be arranged inside the bridge or to be provided with heating arrangements. Safe access is to be provided externally for ice removal	408. Winterization of spaces/compartments
Bridge wing controls	Measures to protect personnel operating on the bridge from cold temperatures are to be provided. Where ships have exposed bridge wings, the wing controls/equipment are to be provided with heating arrangements and covers	408. Winterization of spaces/compartments

Table 4.16 Ice removal arrangements (continue)

Component	Applicable Winterization requirement	See Rule reference
	Winterization of accommodation and escape routes	
Accommodation and escape routes	Measures are to be provided to assist in the opening of doors when covered in ice and to protect seals against freezing. External doors are to be positioned in protected locations or recessed as far as practicable to provide protection from icing. The enclosed space adjacent to external doors on escape routes is to be fitted with heating arrangements	409. Winterization of accommodation and escape routes
	Winterization of tanks	
Tanks vent pipe heads	Measures to provide protection from icing and blockage by ice formation resulting from humidity in tanks are to be fitted. Exposed air vent pipe heads of tanks are to be readily accessible, positioned in protected locations as far as practicable and fitted with covers to limit build-up of ice. The covers are not to interfere with the free flow of air through the vent openings	410. Winterization of tanks
	Ice removal equipment and prevention measures	
Ice removal	<p>The following areas of exposed decks are to be provided with:</p> <ol style="list-style-type: none"> heated decks; gratings; checkered plate; non-slip decking with coarse sand embedded into the paint. <p>In addition, ice removal measures are to be installed of either steam or hot water types with a fixed pipeline on the deck with connection valves for hoses in the following areas:</p> <ol style="list-style-type: none"> Gangways and stairways for safe access to bow, lifeboats, rescue boats and pilot boarding locations; Areas adjacent to escape exits; Areas in way of lifeboats/rescue boats, davits, and life rafts including launching areas; Adjacent to storage facilities for fire-fighting equipment; Areas in way of anchoring and mooring operations (including windlass, chain and hawse pipe); Areas in way of anchoring and mooring operations (including windlass, chain and hawse pipe); Areas for open navigation and lookout; Helicopter deck areas, where fitted; Working areas on the open deck (including ice removal measures for hatch covers, containers and grain loading covers) 	411. Ice removal and prevention measures
Protective covers	To aid the removal of ice and protect against the ingress of water into components that may subsequently freeze and result in damage, mechanical and electrical equipment and control panels that may be exposed to icing are to be provided with suitable covers, as far as practicable, and unless other arrangements are specified in these Rules	411. Ice removal and prevention measures
Manual tools	<p>A minimum of the following manual tools for removing ice are to be provided, with at least one set of tools at each storage location. Storage locations should be as given in 411. A set of tools is to comprise at least the following:</p> <ol style="list-style-type: none"> 3 shovels; 3 hammers or mallets; and 3 scrapers. <p>Storage facilities for the manual tools are to be provided and sited in protected areas, as far as practicable, to provide access and protection from icing behind bulwarks and accommodation walls</p>	411. Ice removal and prevention measures

Section 10 Ship specific requirements (2017)

1001. General

1. In addition to the requirements in **Sec.2**, **Sec.4** and **Sec.5**, the following requirements are to be complied with, as appropriate.

1002. Winterization of oil and/or chemical tankers

1. Arrangements are to be provided to protect against cargo fluids within exposed pipes from freezing. For Winterization E1(t) and Winterization E2(t), as stated in the Certificate of Fitness Cargo List and Notes, the exposed deck cargo and stripping lines are to be fitted with thermal insulation and suitable trace heating arrangements.
2. Arrangements are to be provided to protect cargo fluids within exposed small bore pipes against freezing. Measures are to be provided for exposed cargo drain and pressure gauge lines. They are to be protected against freezing and exposed lines are to be provided with heating arrangements.
3. Where exposed inert gas components such as the deck seal and pressure/vacuum breakers are fitted, measures are to be provided to protect liquid-filled components against freezing. Provision is to be made for heating arrangements or the use of suitable anti-freeze. Components are to be readily accessible and grouped together as far as practicable, to assist in ice removal. In addition, the deck seal is to be provided with heating arrangements. Heating arrangements and insulation are to be provided for exposed water supply and discharge lines to the deck water seal, or thermally insulated with continuous circulation. Thermal insulation is to be provided for drainage lines. The non-return valve for the deck water seal is to be provided with suitable drainage and a manual control/handle for testing. For Winterization E1(t) and E2(t), the pressure/vacuum breakers are to be suitable for the lowest external design air temperature and/or provided with heating arrangements. The cooling water system for inert gas scrubber pumps is to be provided with suitable arrangements to protect against freezing, see **403**.
4. In conjunction with **Table 4.6**, **Table 4.17** Space heating arrangements for oil and/or chemical tankers are to be complied with.

Table 4.17 Space heating arrangements for oil and/or chemical tankers (2017)

Space	Heating arrangements	Alarm, see Note 1
Cargo control room	Fixed, see Note 2	X
Cargo pump-room	Multiple fixed steam type Multiple fixed	X
Compressor and motor rooms (where fitted)		X
Note 1. Monitoring arrangements are to be provided that will activate an alarm in accordance with the alarm system required by Pt 6, Ch 2, 201. of the Rules for Ships to allow responsible personnel to reinstate heating in the event of a failure. Note 2. A portable heater may be accepted for Winterization E3(t).		

5. Ice removal measures are to be installed of either steam or hot water types with a fixed pipeline on the deck with connection valves for hoses in areas designated for control of cargo loading and unloading (including high walkways).

1003. Winterization of offshore supply vessels

1. This Section applies to sea-going ships specially designed and constructed for the carriage of specialised stores and cargoes to mobile offshore units and other offshore installations, and also to offshore tug/supply ships which in addition to the above perform the duties of a tug.
2. For offshore supply vessels, cargo lines for liquid tanks or bulk cargo tanks are to be provided with suitable drainage and connections for dry air to be blown through.

3. For vessels with a rescue zone, suitable arrangements are to be provided to protect against ice freezing:
 - (1) on a cross-deck area between the rescue zones port and starboard;
 - (2) the sides and railings in the rescue zone; and
 - (3) routes to the accommodation/treatment areas.
4. In conjunction with 411. Ice removal and prevention measures, heating arrangements are to be provided for escape routes and access to emergency systems, including access and areas around lifeboats, liferafts, rescue boats and rescue zones, walkways on the aft deck, emergency generator and the fire-fighting platform.

1004. Winterization of LNG and LPG carriers

1. The air intakes and exhaust louvres for the spaces are to be provided with protection from icing by ice removal measures and heating arrangements.

Table 4.18 Space heating arrangements for LNG and LPG carriers

Space	Heating arrangements	Alarm, see Note 1
Cargo control room	Fixed, see Note 2	X
Cargo pump-room	Multiple fixed steam type	X
Compressor and motor rooms (where fitted)	Multiple fixed	X
<p>Note 1. Monitoring arrangements are to be provided that will activate an alarm in accordance with the alarm system required by Pt 6, Ch 2, 201 of the Rules for Ships to allow responsible personnel to reinstate heating in the event of a failure.</p> <p>Note 2. A portable heater may be accepted for Winterization E3(t).</p>		

2. In conjunction with **Table 4.6**, the heating requirements in **Table 4.18** Space heating arrangements for LNG and LPG carriers are to be complied with.
3. Ice removal measures are to be installed of either steam or hot water types with a fixed pipeline on the deck with connection valves for hoses in areas designated for control of cargo loading and unloading (including high walkways).

1005. Winterization of bulk carriers and container ships

1. To prevent freezing of exposed cargo securing arrangements, they are to be of suitable material for the lowest design air temperature, provided with suitable low temperature grease and with ice removal measures. ↓

ANNEX 1 Strengthening for navigation in ice

101. Application

1. For ships trading in Northern Baltic in the winter under the control of the Regulations "*Finnish-Swedish Ice class Rules 2017*", attention is to be paid to the following restrictions :
 - (1) The administrations of Sweden and Finland (hereafter the Administrations) provide Icebreaker assistance to ships bound for ports in respective countries in the winter season. Depending on the ice conditions, restrictions in regard to the size and Arctic class of ships entitled to Icebreaker assistance are enforced.
 - (2) Ships entitled to assistance under the restrictions of the preceding (1) are requested to follow the instructions by the Icebreakers when operating in icebound waters and will receive assistance when such is needed.
 - (3) The Administrations can not take responsibility for the safety of ships which enter ice bound waters ignoring the size and Ice class restrictions or any instructions by the Icebreakers.
 - (4) Merely the compliance with these regulations must not be assumed to guarantee any certain degree of capability to advance in ice without Icebreaker assistance nor to withstand heavy ice jamming.
 - (5) It should be noted that small ships will have somewhat less ice going capability as compared with larger ships having the same Ice class.
 - (6) If a ship, because of very unconventional proportions, hull form or propulsion arrangements, or any other characteristics, in practice turns out to have exceptionally poor ice going capability, the Administrations may lower its Ice class.
 - (7) It shall be noted that for ships of moderate size (displacement not exceeding 30,000 tons) fork towing in many situations is the most efficient way of assisting in ice.
 - (8) Ships with a bulb protruding more than 2.5 m forward of the forward perpendicular are often difficult to tow in this way. The Administrations reserve the right to deny assistance to such ships if the situation so warrants.
 - (9) An ice strengthened ship is assumed to operate in open sea conditions corresponding to a level ice thickness not exceeding h_0 . The design height (h) of the area actually under ice pressure at any particular point of time is, however, assumed to be only a fraction of the ice thickness. The values for h_0 and h are given in **Table 1.1**.

Table 1.1 Values for h_0 and h

Ice class	h_0 (m)	h (m)
IA Super	1.00	0.35
IA	0.80	0.30
IB	0.60	0.25
IC	0.40	0.22

102. Classification of ice strengthening

1. The correspondence of Ice classes specified in **Ch 1, 201.** of the Rules with those in the **Finnish-Swedish Ice class Rule 2017** is given in **Table 1.2**.
2. The correspondence of Ice classes specified in **Ch 1, 201.** of the Rules with those in the **Arctic Shipping Safety and Pollution Prevention Regulation** is given in **Table 1.3**.

Table 1.2 The correspondence of Arctic classes between the Society and the Finnish–Swedish Ice class Rules 2017

Ice class of the Rules	Arctic class of the Finnish–Swedish Ice class Rules 2017
IA Super	IA Super
IA	IA
IB	IB
IC	IC
ID ¹⁾	–
II ²⁾	II

Note :

¹⁾ ID class of the Society is not equal to II class of the Finnish–Swedish Arctic class Rule, because ID class requires strengthening of forward region.

²⁾ Ships complying with a standard deemed appropriate by the Society.

Table 1.3 The correspondence of Arctic classes between the Society and the Arctic Shipping Pollution Prevention Regulation

Ice class of the Society	Arctic class of the Arctic Shipping Safety and Pollution Prevention Regulations
IA Super	Type A
IA	Type B
IB	Type C
IC	Type D
ID	Type D

103. Arctic class Draught Marking

The ship's sides are to be provided with a warning triangle and with a draught mark at the maximum permissible Ice class draught amidships (see **Fig 1.1**). The purpose of the warning triangle is to provide information on the draught limitation of the vessel when it is sailing in ice for masters of icebreakers and for inspection personnel in ports.




Fig 1.1 Arctic class draught marking

- (1) The upper edge of the Warning Triangle is to be located vertically above the “ICE” mark, 1000 mm higher than the Summer Load Line in fresh water but in no case higher than the deck line. The sides of the triangle are to be 300 mm in length.
- (2) The Ice class draught mark is to be located 540 mm abaft the centre of the load line ring or 540 mm abaft the vertical line of the timber load line mark, if applicable.
- (3) The marks and figures are to be cut out of 5 – 8 mm plate and then welded to the ship's side. The marks and figures are to be painted in a red or yellow reflecting colour in order to make the marks and figures plainly visible even in ice conditions.
- (4) The dimensions of all figures are to be the same as those used in the load line mark.

104. Validity

The validity of the powering requirement in **Ch 1, 502.** for Ice classes IA Super, IA, IB and IC, and verification of calculated powering requirements, is as following.

1. Range of validity

The range of validity of the formulae for powering requirements in **Ch 1, 502.** is presented in **Table 1.4.** When calculating the parameter DP/T, T shall be measured at the largest draught amidships.

Table 1.4 The range of parameters used for validation of the powering requirement

Parameter	Minimum	Maximum
α (deg)	15	55
ϕ_1 (deg)	25	90
ϕ_2 (deg)	10	90
L (m)	65.0	250.0
B (m)	11.0	40.0
T (m)	4.0	15.0
L_{BOW}/L	0.15	0.40
L_{PAR}/L	0.25	0.75
D_P/T	0.45	0.75
$A_{wf}/(L \cdot B)$	0.09	0.27

2. Verification of calculated powering requirements

To check the results of calculated powering requirements, **Table 1.5** is presented with input data for a number of sample ships.

Table 1.5 Parameters and calculated minimum engine power of sample ships

	Sample ship No.								
	1	2	3	4	5	6	7	8	9
Arctic class	IA Super	IA	IB	IC	IA Super	IA Super	IA	IA	IB
α (deg)	24	24	24	24	24	24	36	20	24
ϕ_1 (deg)	90	90	90	90	30	90	30	30	90
ϕ_2 (deg)	30	30	30	30	30	30	30	30	30
L (m)	150	150	150	150	150	150	150	150	150
B (m)	25	25	25	25	25	25	25	25	25
T (m)	9	9	9	9	9	9	9	9	9
L_{BOW}	45	45	45	45	45	45	45	45	45
L_{PAR}	70	70	70	70	70	70	70	70	70
A_{wf}	500	500	500	500	500	500	500	500	500
D_P	5	5	5	5	5	5	5	5	5
Prop. No. / Type	1/CP	1/CP	1/CP	1/CP	1/CP	1/CP	1/CP	1/CP	1/FP
New Ship(kW) (see Ch 1, 502. 2)	7840	4941	3478	2253	6799	6406	5343	5017	3872
Existing ships(kW) (see Ch 1, 502. 3 and 4)	9192	6614			8466	7645	6614	6614	

ANNEX 2 Load cases for propeller and the shape of the propeller ice torque excitation for the ships strengthened for navigation in ice and Polar Class ships

Table 2.1 Load cases for open propeller









Load case	Force	Loaded area	Right handed propeller blade seen from back
Load case 1	F_b	Uniform pressure applied on the back of the blade (suction side) to an area from $0.6 R$ to the tip and from the leading edge to 0.2 times the chord length	
Load case 2	50% of F_b	Uniform pressure applied on the back of the blade (suction side) on the propeller tip area outside $0.9 R$ radius	
Load case 3	F_f	Uniform pressure applied on the blade face (pressure side) to an area from $0.6 R$ to the tip and from the leading edge to 0.2 times the chord length	
Load case 4	50% of F_f	Uniform pressure applied on the propeller face (pressure side) on the propeller tip area outside $0.9 R$ radius	
Load case 5	60% of F_f or F_b which is greater	Uniform pressure applied on the propeller face (pressure side) to an area from $0.6 R$ to the tip and from the trailing edge to 0.2 times the chord length	

Table 2.2 Load cases for ducted propeller

Load case	Force	Loaded area	Right handed propeller blade seen from back
Load case 1	F_b	Uniform pressure applied o the back of the blade(suction side) to an area from $0.6 R$ to the tip and from the leading edge to 0.2 times the chord length	
Load case 3	F_f	Uniform pressure applied on the blade face (pressure side) to an area from $0.6 R$ to the tip and from the leading edge to 0.5 times the chord length	
Load case 5	60% of F_f or F_b which is greater	Uniform pressure applied on the propeller face (pressure side) to an area from $0.6 R$ to the tip and from the trailing edge to 0.2 times the chord length	




Fig 2.1 The shape of the propeller ice torque excitation sequences for propellers having 3, 4, 5 or 6 blades.

**GUIDANCE FOR
SHIPS FOR NAVIGATION IN ICE**

Published by

KR

36, Myeongji ocean city 9-ro, Gangseo-gu,
BUSAN, KOREA

TEL : +82 70 8799 7114

FAX : +82 70 8799 8999

Website : <http://www.krs.co.kr>

Copyright© 2025, **KR**

Reproduction of this Rules and Guidance in whole or in
parts is prohibited without permission of the publisher.